

# Пылесосы универсальные CARL ROTH

## Технические характеристики

**Алматы** (7273)495-231  
**Ангарск** (3955)60-70-56  
**Архангельск** (8182)63-90-72  
**Астрахань** (8512)99-46-04  
**Барнаул** (3852)73-04-60  
**Белгород** (4722)40-23-64  
**Благовещенск** (4162)22-76-07  
**Брянск** (4832)59-03-52  
**Владивосток** (423)249-28-31  
**Владикавказ** (8672)28-90-48  
**Владимир** (4922)49-43-18  
**Волгоград** (844)278-03-48  
**Вологда** (8172)26-41-59  
**Воронеж** (473)204-51-73  
**Екатеринбург** (343)384-55-89

**Иваново** (4932)77-34-06  
**Ижевск** (3412)26-03-58  
**Иркутск** (395)279-98-46  
**Казань** (843)206-01-48  
**Калининград** (4012)72-03-81  
**Калуга** (4842)92-23-67  
**Кемерово** (3842)65-04-62  
**Киров** (8332)68-02-04  
**Коломна** (4966)23-41-49  
**Кострома** (4942)77-07-48  
**Краснодар** (861)203-40-90  
**Красноярск** (391)204-63-61  
**Курск** (4712)77-13-04  
**Курган** (3522)50-90-47  
**Липецк** (4742)52-20-81

**Магнитогорск** (3519)55-03-13  
**Москва** (495)268-04-70  
**Мурманск** (8152)59-64-93  
**Набережные Челны** (8552)20-53-41  
**Нижний Новгород** (831)429-08-12  
**Новокузнецк** (3843)20-46-81  
**Ноябрьск** (3496)41-32-12  
**Новосибирск** (383)227-86-73  
**Омск** (3812)21-46-40  
**Орел** (4862)44-53-42  
**Оренбург** (3532)37-68-04  
**Пенза** (8412)22-31-16  
**Петрозаводск** (8142)55-98-37  
**Псков** (8112)59-10-37  
**Пермь** (342)205-81-47

**Ростов-на-Дону** (863)308-18-15  
**Рязань** (4912)46-61-64  
**Самара** (846)206-03-16  
**Саранск** (8342)22-96-24  
**Санкт-Петербург** (812)309-46-40  
**Саратов** (845)249-38-78  
**Севастополь** (8692)22-31-93  
**Симферополь** (3652)67-13-56  
**Смоленск** (4812)29-41-54  
**Сочи** (862)225-72-31  
**Ставрополь** (8652)20-65-13  
**Сыктывкар** (8212)25-95-17  
**Тамбов** (4752)50-40-97  
**Сургут** (3462)77-98-35  
**Тверь** (4822)63-31-35

**Тольятти** (8482)63-91-07  
**Томск** (3822)98-41-53  
**Тула** (4872)74-02-29  
**Тюмень** (3452)66-21-18  
**Ульяновск** (8422)24-23-59  
**Улан-Удэ** (3012)59-97-51  
**Уфа** (347)229-48-12  
**Хабаровск** (4212)92-98-04  
**Чебоксары** (8352)28-53-07  
**Челябинск** (351)202-03-61  
**Череповец** (8202)49-02-64  
**Чита** (3022)38-34-83  
**Якутск** (4112)23-90-97  
**Ярославль** (4852)69-52-93

**Россия** (495)268-04-70

**Казахстан** (772)734-952-31

**Киргизия** (996)312-96-26-47

# All-purpose vacuum cleaners



## Floor vacuum cleaner bagless

Bosch.

- SmartSensor control: Sensor-controlled power monitoring with an LED signal for perfect cleaning results
- QuattroPower System: High-performance technology for excellent cleaning with low energy consumption
- SilenceSound System™: For an especially quiet operating noise
- Fully automatic SelfClean system: Avoids contact with dust when cleaning the filter
- Intelligent SelfClean system: Automatic self-cleaning of the integrated filter system
- Washable HEPA hygiene filter: Suitable for allergy sufferers
- Telescopic tube with clip lock
- Electronic suction power regulation with rotary control
- Ergonomic premium handle for effortless vacuuming
- Easy to switch off and put away
- Automatic cable retraction system
- 4 swivel castors

### Technical specifications:

Art. No.	KCY8.1
Type	Floor vacuum cleaner
Energy efficiency class	A
Dust emission class	A
Hard floor surface cleaning class	A
Carpet flooring cleaning class	C
Vol.	3 l
Cable length	8 m
Operating radius	11 m
Sound power level	66 db
Power consumption	700 W
L x W x H	470 x 310 x 320 mm
Weight	6,7 kg
Mains connection	220–240 V, 50 Hz

**Delivery incl.** 1 x switchable roller nozzle, 1 x hard floor surface nozzle, 1 x upholstery nozzle, 1 x crevice nozzle, 1 x furniture brush.

Type	Art. No.	Pack Qty.
Floor vacuum cleaner	KCY8.1	1 unit(s)



## Multi-purpose vacuum cleaners NSG uClean 1432 ST

Electrostar.

For dry and wet cleaning. Suitable for dust, coarse dirt particles and water. Container volume 32 l, of which dust 28 l, water 21 l. max. airflow 69 l/s.

### Features:

- 32 l impact resistant special plastic container
- Water level detection
- Carry handle with hose reel and connector fixture
- Storage depots for accessories
- 2 swivel castors
- Parking aid

### Technical specifications:

Art. No.	X247.1
Type	NSG uClean 1432 ST
Vol.	32 l
Cable length	8 m
Vacuum	259 mbar
Power consumption	1,400 W
IP rating	24
L x W x H	420 x 390 x 640 mm
Weight	9,3 kg

**Delivery incl.** 1 suction hose (Ø 4.9 cm, 1.75 m), 2 suction pipes (length 50 cm), 1 floor nozzle (width 36 cm), 1 coarse dirt nozzle, 1 crevice nozzle (length 16 cm), 1 fleece filter bag, 1 foam filter for extracting water and 1 dust filter cartridge.

Type	Art. No.	Pack Qty.
NSG uClean 1432 ST	X247.1	1 unit(s)



## Pneumatic blow gun

Made of anodised aluminium. Robust construction. With short nozzle for thin jet. Working pressure up to 15 bar. Equipped with lever valve, connecting piece for pressure tubing with an inner width of 7 mm and integrated suspension eye.

### Technical specifications:

Art. No.	5454.1
Type	Pneumatic blow gun
Weight	165 g

Type	Art. No.	Pack Qty.
Pneumatic blow gun	5454.1	1 unit(s)



# All-purpose vacuum cleaners



## Wet and dry battery-operated vacuum cleaner

Fakir.

Cordless vacuum cleaner for wet and dry dirt. Capacity for dry dirt 400 ml, for liquids 250 ml. Dust container is easy to empty, washable filter. With lithium-ion battery, charging dock and charge indicator light. Power consumption: 7,4 V; 2Ah. Operating time up to 23 min.

### Technical specifications:

Art. No.	HNP5.1
Type	Wet and dry battery-operated vacuum cleaner
L x W x H	410 x 115 x 128 mm
Weight	985 g
Mains connection	100–240 V, 50/60 Hz

**Delivery incl.** 1 x crevice nozzle, 1 x upholstery brush, 1 x liquids nozzle, 1 x charging dock with accessories deposit for wall mounting.

Type	Art. No.	Pack Qty.
Wet and dry battery-operated vacuum cleaner	HNP5.1	1 unit(s)



## Pneumatic vacuum gun

For fine dust extraction with NW 10 connection for pressure tubing to fit pneumatic system or pressurised gas cylinder (nitrogen, air, argon). If necessary, the easy-to-empty needle-felt dust bag can be disposed of together with its contents. Put together, the suction pipe and nozzle are approx. 20 cm long and can be rotated continuously. The inlet slot has a clear width of 70 x 5 mm. For air pressure up to approx. 6 bar, suction volume 700 l/min., vacuum 40 kPa (0.4 bar).

### Technical specifications:

Art. No.	5776.1
Type	Pneumatic vacuum gun
Weight	700 g

Type	Art. No.	Pack Qty.
Pneumatic vacuum gun	5776.1	1 unit(s)



## Silicone grease ROTISILON®

Carl ROTH.

### Technical specifications:

Art. No.	0830.1	0830.2	0836.1	0836.2	8537.1
Type	ROTISILON® A		ROTISILON® B		ROTISILON® C/D
Application temperature from	-48 °C		-45 °C		-40 °C
Application temperature up to	+150 °C		+180 °C		+200 °C

### A

Grinding grease and lubricant for rubber on glass, liquid, applicable from -48 to +150 °C.

Type	Packaging type	Art. No.	Pack Qty.
ROTISILON® A	Bottle	0830.1	250 ml
ROTISILON® A	Bottle	0830.2	1 l

### B

Universal grease, especially as tap grease, vaseline-like, transparent, applicable from -45 to +180 °C.

Type	Packaging type	Art. No.	Pack Qty.
ROTISILON® B	Can	0836.1	250 g
ROTISILON® B	Can	0836.2	1 kg

### C/D

For normal vacuum (water jet pump), ointment shaped, transparent, applicable from -40 to +200 °C.

Type	Packaging type	Art. No.	Pack Qty.
ROTISILON® C/D	Can	8537.1	100 g

**Алматы** (7273)495-231  
**Ангарск** (3955)60-70-56  
**Архангельск** (8182)63-90-72  
**Астрахань** (8512)99-46-04  
**Барнаул** (3852)73-04-60  
**Белгород** (4722)40-23-64  
**Благовещенск** (4162)22-76-07  
**Брянск** (4832)59-03-52  
**Владивосток** (423)249-28-31  
**Владикавказ** (8672)28-90-48  
**Владимир** (4922)49-43-18  
**Волгоград** (844)278-03-48  
**Вологда** (8172)26-41-59  
**Воронеж** (473)204-51-73  
**Екатеринбург** (343)384-55-89

**Иваново** (4932)77-34-06  
**Ижевск** (3412)26-03-58  
**Иркутск** (395)279-98-46  
**Казань** (843)206-01-48  
**Калининград** (4012)72-03-81  
**Калуга** (4842)92-23-67  
**Кемерово** (3842)65-04-62  
**Киров** (8332)68-02-04  
**Коломна** (4966)23-41-49  
**Кострома** (4942)77-07-48  
**Краснодар** (861)203-40-90  
**Красноярск** (391)204-63-61  
**Курск** (4712)77-13-04  
**Курган** (3522)50-90-47  
**Липецк** (4742)52-20-81

**Магнитогорск** (3519)55-03-13  
**Москва** (495)268-04-70  
**Мурманск** (8152)59-64-93  
**Набережные Челны** (8552)20-53-41  
**Нижний Новгород** (831)429-08-12  
**Новокузнецк** (3843)20-46-81  
**Ноябрьск** (3496)41-32-12  
**Новосибирск** (383)227-86-73  
**Омск** (3812)21-46-40  
**Орел** (4862)44-53-42  
**Оренбург** (3532)37-68-04  
**Пенза** (8412)22-31-16  
**Петрозаводск** (8142)55-98-37  
**Псков** (8112)59-10-37  
**Пермь** (342)205-81-47

**Ростов-на-Дону** (863)308-18-15  
**Рязань** (4912)46-61-64  
**Самара** (846)206-03-16  
**Саранск** (8342)22-96-24  
**Санкт-Петербург** (812)309-46-40  
**Саратов** (845)249-38-78  
**Севастополь** (8692)22-31-93  
**Симферополь** (3652)67-13-56  
**Смоленск** (4812)29-41-54  
**Сочи** (862)225-72-31  
**Ставрополь** (8652)20-65-13  
**Сыктывкар** (8212)25-95-17  
**Тамбов** (4752)50-40-97  
**Сургут** (3462)77-98-35  
**Тверь** (4822)63-31-35

**Тольятти** (8482)63-91-07  
**Томск** (3822)98-41-53  
**Тула** (4872)74-02-29  
**Тюмень** (3452)66-21-18  
**Ульяновск** (8422)24-23-59  
**Улан-Удэ** (3012)59-97-51  
**Уфа** (347)229-48-12  
**Хабаровск** (4212)92-98-04  
**Чебоксары** (8352)28-53-07  
**Челябинск** (351)202-03-61  
**Череповец** (8202)49-02-64  
**Чита** (3022)38-34-83  
**Якутск** (4112)23-90-97  
**Ярославль** (4852)69-52-93

**Россия** (495)268-04-70

**Казахстан** (772)734-952-31

**Киргизия** (996)312-96-26-47