

# Коврики противоскользящие CARL ROTH ROTILABO, Rocker tape

## Технические характеристики

**Алматы** (7273)495-231  
**Ангарск** (3955)60-70-56  
**Архангельск** (8182)63-90-72  
**Астрахань** (8512)99-46-04  
**Барнаул** (3852)73-04-60  
**Белгород** (4722)40-23-64  
**Благовещенск** (4162)22-76-07  
**Брянск** (4832)59-03-52  
**Владивосток** (423)249-28-31  
**Владикавказ** (8672)28-90-48  
**Владимир** (4922)49-43-18  
**Волгоград** (844)278-03-48  
**Вологда** (8172)26-41-59  
**Воронеж** (473)204-51-73  
**Екатеринбург** (343)384-55-89

**Иваново** (4932)77-34-06  
**Ижевск** (3412)26-03-58  
**Иркутск** (395)279-98-46  
**Казань** (843)206-01-48  
**Калининград** (4012)72-03-81  
**Калуга** (4842)92-23-67  
**Кемерово** (3842)65-04-62  
**Киров** (8332)68-02-04  
**Коломна** (4966)23-41-49  
**Кострома** (4942)77-07-48  
**Краснодар** (861)203-40-90  
**Красноярск** (391)204-63-61  
**Курск** (4712)77-13-04  
**Курган** (3522)50-90-47  
**Липецк** (4742)52-20-81

**Магнитогорск** (3519)55-03-13  
**Москва** (495)268-04-70  
**Мурманск** (8152)59-64-93  
**Набережные Челны** (8552)20-53-41  
**Нижний Новгород** (831)429-08-12  
**Новокузнецк** (3843)20-46-81  
**Ноябрьск** (3496)41-32-12  
**Новосибирск** (383)227-86-73  
**Омск** (3812)21-46-40  
**Орел** (4862)44-53-42  
**Оренбург** (3532)37-68-04  
**Пенза** (8412)22-31-16  
**Петрозаводск** (8142)55-98-37  
**Псков** (8112)59-10-37  
**Пермь** (342)205-81-47

**Ростов-на-Дону** (863)308-18-15  
**Рязань** (4912)46-61-64  
**Самара** (846)206-03-16  
**Саранск** (8342)22-96-24  
**Санкт-Петербург** (812)309-46-40  
**Саратов** (845)249-38-78  
**Севастополь** (8692)22-31-93  
**Симферополь** (3652)67-13-56  
**Смоленск** (4812)29-41-54  
**Сочи** (862)225-72-31  
**Ставрополь** (8652)20-65-13  
**Сыктывкар** (8212)25-95-17  
**Тамбов** (4752)50-40-97  
**Тургут** (3462)77-98-35  
**Тверь** (4822)63-31-35


**Тольятти** (8482)63-91-07  
**Томск** (3822)98-41-53  
**Тула** (4872)74-02-29  
**Тюмень** (3452)66-21-18  
**Ульяновск** (8422)24-23-59  
**Улан-Удэ** (3012)59-97-51  
**Уфа** (347)229-48-12  
**Хабаровск** (4212)92-98-04  
**Чебоксары** (8352)28-53-07  
**Челябинск** (351)202-03-61  
**Череповец** (8202)49-02-64  
**Чита** (3022)38-34-83  
**Якутск** (4112)23-90-97  
**Ярославль** (4852)69-52-93

**Россия** (495)268-04-70

**Казахстан** (772)734-952-31

**Киргизия** (996)312-96-26-47

# Anti-slip mats/lab pads



**A** 121 °C

## Laboratory mat

ROTH SELECTION. Material: Silicone. Autoclavable: Yes.

Reduce vibration noise from devices. Raised edge as protection for spilled liquids.

- Slip-resistant
- Usable on both sides
- Washable
- Dishwasher-safe
- Temperature-stable up to +200 °C


### Standard

| Length (mm) | Width (mm) | Height (mm) | Colour | Art. No.      | Pack Qty. |  |
|-------------|------------|-------------|--------|---------------|-----------|--|
| 379         | 325        | 2           | blue   | <b>KLC9.1</b> | 1 unit(s) |  |
| 379         | 325        | 2           | violet | <b>KLE0.1</b> | 1 unit(s) |  |

### With metal inserts

Metal inserts in the mat hold magnetic rods in position.

| Length (mm) | Width (mm) | Height (mm) | Colour | Art. No.      | Pack Qty. |  |
|-------------|------------|-------------|--------|---------------|-----------|--|
| 600         | 325        | 2           | yellow | <b>HNH0.1</b> | 1 unit(s) |  |
| 600         | 325        | 2           | violet | <b>HNH1.1</b> | 1 unit(s) |  |
| 600         | 325        | 2           | blue   | <b>HYN8.1</b> | 1 unit(s) |  |



**A** 121 °C



## Laboratory pad ROTILABO®

ROTH SELECTION. Material: Silicone. Autoclavable: Yes.

Slip-resistant. Temperature stability: -60 to +260 °C.

### Technical specifications:

| Art. No.           | EE86.1 | EE87.1 | EE88.1 | EE89.1 |
|--------------------|--------|--------|--------|--------|
| Material thickness | 3.5 mm |        |        |        |

| Length (mm) | Width (mm) | Colour | Art. No.      | Pack Qty. |  |
|-------------|------------|--------|---------------|-----------|--|
| 250         | 250        | red    | <b>EE86.1</b> | 1 unit(s) |  |
| 250         | 250        | black  | <b>EE87.1</b> | 1 unit(s) |  |
| 350         | 350        | red    | <b>EE88.1</b> | 1 unit(s) |  |
| 350         | 350        | black  | <b>EE89.1</b> | 1 unit(s) |  |



## Lab sink mat

ROTH SELECTION. Material: PVC.

To prevent glass breakage when cleaning laboratory glassware. Round profiles prevent splash-back from running water. The smooth surface of the profiles prevents the accumulation of dirt particles. The weight of the mat ensures that it remains secure even under flowing water. Additional advantage: Standard sized magnetic rods cannot easily slip into the drain. Profile width 8 mm. Web width 40 mm.

| Length (mm) | Width (mm) | Height (mm) | Art. No.      | Pack Qty. |  |
|-------------|------------|-------------|---------------|-----------|--|
| 750         | 450        | 15          | <b>C374.1</b> | 1 unit(s) |  |



## Adhesion mat ROTILABO®

ROTH SELECTION. Material: PVC.

Slip-resistant and padded. Effective on both sides, washable, durable.

### Technical specifications:

|                    |               |
|--------------------|---------------|
| Art. No.           | <b>0668.1</b> |
| Material thickness | 1 mm          |

| Length (mm) | Width (mm) | Colour | Art. No.      | Pack Qty. |  |
|-------------|------------|--------|---------------|-----------|--|
| 1,000       | 400        | red    | <b>0668.1</b> | 1 roll(s) |  |



## Adhesive film Rocker tape

ROTH SELECTION. Material: Polyester.

For shakers. Adhesive on both sides, provides a secure hold for different laboratory vessels on agitators or in incubators. Suitable for gentle shaking movements, dependent on load and contact area. Washable, reusable.

| Length (cm) | Width (cm) | Art. No.      | Pack Qty. |  |
|-------------|------------|---------------|-----------|--|
| 30.5        | 30.5       | <b>TX33.1</b> | 3 unit(s) |  |



# Anti-slip mats/lab pads



## Laboratory pad Anti-vibration

ROTH SELECTION. Material: Neoprene.

For absorbing vibration produced by laboratory equipment. Suitable for a large number of vortexers, shakers, rotators, microscopes and other equipment. Slip-resistant, creates a stable surface. Stackable for bearing heavy equipment, place side by side to produce a larger surface area.

### Technical specifications:

| Art. No.           | AXC1.1 | AXC2.1 |
|--------------------|--------|--------|
| Material thickness | 8 mm   |        |

| Length (mm) | Width (mm) | Art. No. | Pack Qty. |
|-------------|------------|----------|-----------|
| 178         | 216        | AXC1.1   | 2 unit(s) |
| 216         | 279        | AXC2.1   | 2 unit(s) |




## Elastic buffer ROTILABO®

ROTH SELECTION. Material: Plastic.

Self-adhesive. To prevent slippage, vibration or rattling of devices, machines, lids, etc.

| Ø (mm) | Height (mm) | Colour     | Art. No. | Pack Qty.   |
|--------|-------------|------------|----------|-------------|
| 13     | 3           | colourless | 5352.1   | 112 unit(s) |



## Cutting mat

ROTH SELECTION. Material: PVC.

With white grid imprint. In 3 layers with special inner core and self-closing surface.

### Technical specifications:

| Art. No.           | KN07.1 | PK51.1 |
|--------------------|--------|--------|
| Material thickness | 3 mm   |        |

| Length (mm) | Width (mm) | Art. No. | Pack Qty. |
|-------------|------------|----------|-----------|
| 450         | 300        | KN07.1   | 1 unit(s) |
| 600         | 450        | PK51.1   | 1 unit(s) |



## Cutting boards

ROTH SELECTION. Material: PE.

Temperature-resistant up to +90 °C.

### With recessed grip

| Length (mm) | Width (mm) | Height (mm) | Art. No. | Pack Qty. |
|-------------|------------|-------------|----------|-----------|
| 300         | 200        | 10          | N115.1   | 1 unit(s) |

### With rubber feet


| Length (mm) | Width (mm) | Height (mm) | Art. No. | Pack Qty. |
|-------------|------------|-------------|----------|-----------|
| 350         | 250        | 20          | N116.1   | 1 unit(s) |



## Cutting boards

ROTH SELECTION. Material: Plastic.

| Length (mm) | Width (mm) | Height (mm) | Colour | Art. No. | Pack Qty. |
|-------------|------------|-------------|--------|----------|-----------|
| 400         | 300        | 20          | red    | HEC8.1   | 1 unit(s) |
| 400         | 300        | 20          | blue   | HEC9.1   | 1 unit(s) |
| 400         | 300        | 20          | green  | HEE0.1   | 1 unit(s) |
| 400         | 300        | 20          | white  | HEE1.1   | 1 unit(s) |



## Safety cutting machine

ROTH SELECTION.

With ground, rotating round knife, self-sharpening, in closed plastic head. Automatic contact pressure of the cutting material at the cutting point. Transparent straight-edge. Two angle systems with cm and inch scales, graduation and format markings. Cutting height up to max. 1 mm.

| Length of cut (mm) | Width (mm) | Depth (mm) | Height (mm) | Art. No. | Pack Qty. |
|--------------------|------------|------------|-------------|----------|-----------|
| 320                | 430        | 210        | 70          | X860.1   | 1 unit(s) |
| 460                | 570        | 210        | 70          | X861.1   | 1 unit(s) |

**Алматы** (7273)495-231  
**Ангарск** (3955)60-70-56  
**Архангельск** (8182)63-90-72  
**Астрахань** (8512)99-46-04  
**Барнаул** (3852)73-04-60  
**Белгород** (4722)40-23-64  
**Благовещенск** (4162)22-76-07  
**Брянск** (4832)59-03-52  
**Владивосток** (423)249-28-31  
**Владикавказ** (8672)28-90-48  
**Владимир** (4922)49-43-18  
**Волгоград** (844)278-03-48  
**Вологда** (8172)26-41-59  
**Воронеж** (473)204-51-73  
**Екатеринбург** (343)384-55-89

**Иваново** (4932)77-34-06  
**Ижевск** (3412)26-03-58  
**Иркутск** (395)279-98-46  
**Казань** (843)206-01-48  
**Калининград** (4012)72-03-81  
**Калуга** (4842)92-23-67  
**Кемерово** (3842)65-04-62  
**Киров** (8332)68-02-04  
**Коломна** (4966)23-41-49  
**Кострома** (4942)77-07-48  
**Краснодар** (861 )203-40-90  
**Красноярск** (391)204-63-61  
**Курск** (4712)77-13-04  
**Курган** (3522)50-90-47  
**Липецк** (4742)52-20-81

**Магнитогорск** (3519)55-03-13  
**Москва** (495)268-04-70  
**Мурманск** (8152)59-64-93  
**Набережные Челны** (8552)20-53-41  
**Нижний Новгород** (831)429-08-12  
**Новокузнецк** (3843)20-46-81  
**Ноябрьск** (3496)41-32-12  
**Новосибирск** (383)227-86-73  
**Омск** (3812)21-46-40  
**Орел** (4862)44-53-42  
**Оренбург** (3532)37-68-04  
**Пенза** (8412)22-31-16  
**Петрозаводск** (8142)55-98-37  
**Псков** (8112)59-10-37  
**Пермь** (342)205-81-47

**Ростов-на-Дону** (863)308-18-15  
**Рязань** (4912)46-61-64  
**Самара** (846)206-03-16  
**Саранск** (8342)22-96-24  
**Санкт-Петербург** (812)309-46-40  
**Саратов** (845)249-38-78  
**Севастополь** (8692)22-31-93  
**Симферополь** (3652)67-13-56  
**Смоленск** (4812)29-41-54  
**Сочи** (862)225-72-31  
**Ставрополь** (8652)20-65-13  
**Сыктывкар** (8212)25-95-17  
**Тамбов** (4752)50-40-97  
**Сургут** (3462)77-98-35  
**Тверь** (4822)63-31-35

**Тольятти** (8482)63-91-07  
**Томск** (3822)98-41-53  
**Тула** (4872)74-02-29  
**Тюмень** (3452)66-21-18  
**Ульяновск** (8422)24-23-59  
**Улан-Удэ** (3012)59-97-51  
**Уфа** (347)229-48-12  
**Хабаровск** (4212)92-98-04  
**Чебоксары** (8352)28-53-07  
**Челябинск** (351 )202-03-61  
**Череповец** (8202)49-02-64  
**Чита** (3022)38-34-83  
**Якутск** (4112)23-90-97  
**Ярославль** (4852)69-52-93

**Россия** (495)268-04-70

**Казахстан** (772)734-952-31

**Киргизия** (996)312-96-26-47