

Канистры CARL ROTH ROTILABO, Uritainer

Технические характеристики

Алматы (7273)495-231
Ангарск (3955)60-70-56
Архангельск (8182)63-90-72
Астрахань (8512)99-46-04
Барнаул (3852)73-04-60
Белгород (4722)40-23-64
Благовещенск (4162)22-76-07
Брянск (4832)59-03-52
Владивосток (423)249-28-31
Владикавказ (8672)28-90-48
Владимир (4922)49-43-18
Волгоград (844)278-03-48
Вологда (8172)26-41-59
Воронеж (473)204-51-73
Екатеринбург (343)384-55-89

Иваново (4932)77-34-06
Ижевск (3412)26-03-58
Иркутск (395)279-98-46
Казань (843)206-01-48
Калининград (4012)72-03-81
Калуга (4842)92-23-67
Кемерово (3842)65-04-62
Киров (8332)68-02-04
Коломна (4966)23-41-49
Кострома (4942)77-07-48
Краснодар (861)203-40-90
Красноярск (391)204-63-61
Курск (4712)77-13-04
Курган (3522)50-90-47
Липецк (4742)52-20-81

Магнитогорск (3519)55-03-13
Москва (495)268-04-70
Мурманск (8152)59-64-93
Набережные Челны (8552)20-53-41
Нижний Новгород (831)429-08-12
Новокузнецк (3843)20-46-81
Ноябрьск (3496)41-32-12
Новосибирск (383)227-86-73
Омск (3812)21-46-40
Орел (4862)44-53-42
Оренбург (3532)37-68-04
Пенза (8412)22-31-16
Петрозаводск (8142)55-98-37
Псков (8112)59-10-37
Пермь (342)205-81-47

Ростов-на-Дону (863)308-18-15
Рязань (4912)46-61-64
Самара (846)206-03-16
Саранск (8342)22-96-24
Санкт-Петербург (812)309-46-40
Саратов (845)249-38-78
Севастополь (8692)22-31-93
Симферополь (3652)67-13-56
Смоленск (4812)29-41-54
Сочи (862)225-72-31
Ставрополь (8652)20-65-13
Сыктывкар (8212)25-95-17
Тамбов (4752)50-40-97
Сургут (3462)77-98-35
Тверь (4822)63-31-35

Тольятти (8482)63-91-07
Томск (3822)98-41-53
Тула (4872)74-02-29
Тюмень (3452)66-21-18
Ульяновск (8422)24-23-59
Улан-Удэ (3012)59-97-51
Уфа (347)229-48-12
Хабаровск (4212)92-98-04
Чебоксары (8352)28-53-07
Челябинск (351)202-03-61
Череповец (8202)49-02-64
Чита (3022)38-34-83
Якутск (4112)23-90-97
Ярославль (4852)69-52-93

Россия (495)268-04-70

Казахстан (772)734-952-31

Киргизия (996)312-96-26-47

Canisters

Canisters Uritainer™

Simport. Material: HDPE, lid made of PP.

Push-pull valve enables easy, comfortable and drop-free pouring.

Graduated, graduation 50 ml. External Ø wide neck opening 79 mm.

Purpose: For use as urine collection vessel.



In vitro diagnostic medical device according to IVDD

(1) With vertical and horizontal graduation

Vol. (l)	Width (mm)	Depth (mm)	Height (mm)	Graduations (ml)	Art. No.	Pack Qty.	
3	245	115	160	50	HT07.1	1 unit(s)	
4	245	115	201	50	HT08.1	1 unit(s)	

(2) With vertical graduation

Vol. (l)	Width (mm)	Depth (mm)	Height (mm)	Graduations (ml)	Art. No.	Pack Qty.	
2.5	133	133	232	50	HT09.1	1 unit(s)	
3.5	133	133	295	50	HT10.1	1 unit(s)	

Canisters ROTILABO®

ROTH SELECTION. Material: HDPE natural colour, UV stabilised.

With blue screw cap.



(1) Wide neck

Large opening enables simple filling, emptying and cleaning. With stopper for stop cock connection thread at bottom.

Canister Art. No. C944.1 and 0572.1 additionally with venting opening (Ø outside 18 mm, Ø inside 13 mm) with screw cap.

Delivery without outlet pipe, please order separately.

Vol. (l)	Width (mm)	Depth (mm)	Height (mm)	Ø Inner neck (mm)	Art. No.	Pack Qty.	
5	135	297	280	85	C944.1	1 unit(s)	
10	140	302	397	85	0572.1	1 unit(s)	
22	180	370	475	85	EPK0.1	1 unit(s)	

(2) Narrow neck

Without stop cock connection option.

Delivery incl. outlet pipe, L 250 mm, Ø drain 20 mm.

Vol. (l)	Width (mm)	Depth (mm)	Height (mm)	Ø Inner neck (mm)	Art. No.	Pack Qty.	
10	160	290	331.5	25	1590.1	1 unit(s)	

Accessories draincocks for canisters

ROTH SELECTION. Material: HDPE.

For wide-neck canisters C944.1, 0572.1 and EPK0.1. Inside Ø outlet pipe 10 mm, connection option for hoses with inside Ø 12 mm.



Version	Art. No.	Pack Qty.	
angled	HA38.1	1 unit(s)	
straight	0573.1	1 unit(s)	



Canisters

Fuel canister made of metal

Hünersdorff. Material: Steel, powder-coated with inside paint, wall thickness 0.9 mm.

With safety seal, prevents unintentional opening of the canister.
UN approval 3A1/Y/100/... for transporting hazardous goods such as petrol, diesel, E10.



Type Classic

Vol. (l)	Width (mm)	Depth (mm)	Height (mm)	UN approval	Weight (g)	Art. No.	Pack Qty.
5	120	230	310	3A1/Y/100	1850	EPL8.1	1 unit(s)
10	165	350	283	3A1/Y/100	3000	EPL9.1	1 unit(s)
20	165	343	469	3A1/Y/100	4280	EPN0.1	1 unit(s)

Type EXPLO-SAFE

With aluminium mesh filling to reduce the risk of explosion.

Vol. (l)	Width (mm)	Depth (mm)	Height (mm)	UN approval	Weight (g)	Art. No.	Pack Qty.
5	120	230	310	3A1/Y/100	1980	EPN1.1	1 unit(s)
10	165	350	283	3A1/Y/100	3260	EPN2.1	1 unit(s)
20	165	343	469	3A1/Y/100	4790	EPN3.1	1 unit(s)

Fuel canister

Hünersdorff. Material: HDPE black.

Heavy-duty, industry quality. With UN approval.



Delivery incl. outlet pipe and attached screw cap.

Vol. (l)	Width (mm)	Depth (mm)	Height (mm)	Ø Inner neck (mm)	UN approval	Art. No.	Pack Qty.
3	100	215	205	29	3H1/ X1.0 Y1.0 Z1.0/250	EY70.1	1 unit(s)
5	147	265	247	29	3H1/Y1.0/250	EY71.1	1 unit(s)
10	164	333	324	29	3H1/Y1.2/200	EY72.1	1 unit(s)
20	178	365	435	29	3H1/Y/150	EY73.1	1 unit(s)

Canisters

Compact canister electrically conductive

Bürkle. Material: HDPE.

Antistatic, colour black. Electrically conductive compact canister with litre scale, specifically for use in explosion-proof areas. High electrical conductivity at a specific surface resistance of $>10^5$ ohm. Correct earthing can prevent the risk of ignition resulting from electrostatic charging. For filling and storing flammable and flammable liquids of explosion groups IIA, IIB and IIC. Particularly space-saving, ideal for use in confined space. Horizontal storage possible.

Note! When working with flammable liquids, the canister must be earthed! Use antistatic set (Art. No. 0213.1)!



Delivery without stop cock. For versions with threaded connections $\frac{3}{4}$ " please order the stop cock separately.
Delivery incl. sealing cap.

Total volume 5 l

Colour	Vol. (l)	Width (mm)	Depth (mm)	Height (mm)	Weight (g)	Version	Art. No.	Pack Qty.
black	5	65	335	335	720	With threaded connection $\frac{3}{4}$ "	KEY7.1	1 unit(s)
black	5	65	335	335	700	Without threaded connection	KEY8.1	1 unit(s)

Total volume 10 l

Colour	Vol. (l)	Width (mm)	Depth (mm)	Height (mm)	Weight (g)	Version	Art. No.	Pack Qty.
black	10	125	335	335	820	With threaded connection $\frac{3}{4}$ "	KEY9.1	1 unit(s)
black	10	125	335	335	840	Without threaded connection	KHA0.1	1 unit(s)

Compact canister

Bürkle. Material: PP, Transparent.

For storing and filling a range of liquids in small spaces. Suitable for foodstuffs. With litre scale.



Delivery without stop cocks and sealing cap for threaded connections, please order separately.

Total volume 5 l

Vol. (l)	Width (mm)	Depth (mm)	Height (mm)	Ø Inner neck (mm)	Weight (g)	Version	Art. No.	Pack Qty.
5	65	335	335	41	800	With threaded connection $\frac{3}{4}$ "	9267.1	1 unit(s)
5	65	335	335	41	800	Without threaded connection	T974.1	1 unit(s)

Total volume 10 l

Vol. (l)	Width (mm)	Depth (mm)	Height (mm)	Ø Inner neck (mm)	Weight (g)	Version	Art. No.	Pack Qty.
10	125	335	335	41	870	With threaded connection $\frac{3}{4}$ "	KEY5.1	1 unit(s)
10	125	335	335	41	850	Without threaded connection	KEY6.1	1 unit(s)



Canisters

Canisters Flat

Nalgene.

Ideal for storing and filling reagents, titration solutions and distilled water. Due to their flat design, the canisters fit into narrow shelves and refrigerators. Stacking height max. three canisters. With practical handle for easy and safe carrying.



Delivery incl. drain outlet and screw cap made of PP.

Type 2323

Material: HDPE.

Vol. (l)	Width (mm)	Depth (mm)	Height (mm)	Thread	Art. No.	Pack Qty.	
8	368	305	165	63 mm	E193.1	1 unit(s)	

Type 2324

Material: PP. Autoclavable: Yes.

Vol. (l)	Width (mm)	Depth (mm)	Height (mm)	Thread	Art. No.	Pack Qty.	
8	368	305	165	63 mm	E195.1	1 unit(s)	

Folding canisters ROTILABO®

ROTH SELECTION. Material: PE.

Stable design through resistant, flexible walls. Easy to carry with solid, integrated handle. Folds when empty, therefore economic and space-saving. Optimum residual emptying through smooth side walls and rounded container corners. Recyclable, since handle and container are made of the same material. Stop cock connection possible. Connection Ø 30 mm, with screw cap.



Delivery without tap, please order separately.

Vol. (l)	Width (mm)	Depth (mm)	Height (mm)	Version	Art. No.	Pack Qty.	
10	230	230	230	1 handle	N369.1	1 unit(s)	
20	280	280	280	2 handles	N370.1	1 unit(s)	

Canisters

Nalgene.

Robust, space-saving design with graduation and handle made of non-corrosive stainless steel. Easy to fill and clean due to wide-neck opening. **Leak-proof.**



Type 2211, without stop cock connection

Material: HDPE.

Vol. (l)	Width (mm)	Length (mm)	Height (mm)	Thread	Ø Inner neck (mm)	Art. No.	Pack Qty.	
9	146	216	356	100 mm	90	K646.1	1 unit(s)	
20	219	318	381	100 mm	90	K647.1	1 unit(s)	

Type 2212, without stop cock connection

Material: PP. Autoclavable: Yes.

Vol. (l)	Width (mm)	Length (mm)	Height (mm)	Thread	Ø Inner neck (mm)	Art. No.	Pack Qty.	
9	146	216	356	100 mm	90	K644.1	1 unit(s)	
20	219	318	381	100 mm	90	K645.1	1 unit(s)	

Type 2213, without stop cock connection

Material: PC transparent. Autoclavable: Yes. Particularly suitable for making nutrient and culture media, if exposure to light or transparency is required.

Can also be used in cold storage rooms.

Vol. (l)	Width (mm)	Length (mm)	Height (mm)	Thread	Ø Inner neck (mm)	Art. No.	Pack Qty.	
9	146	216	356	100 mm	90	K651.1	1 unit(s)	
20	219	318	381	100 mm	90	K652.1	1 unit(s)	

Canisters

Type 2320, with stop cock connection

Material: HDPE.

Delivery incl. drain outlet made of PP.

Vol. (l)	Width (mm)	Length (mm)	Height (mm)	Thread	Ø Inner neck (mm)	Art. No.	Pack Qty.	
9	146	216	356	100 mm	90	K648.1	1 unit(s)	
20	219	318	381	100 mm	90	K649.1	1 unit(s)	

Type 2321, with stop cock connection

Material: PP. Autoclavable: Yes.

Delivery incl. drain outlet made of PP.

Vol. (l)	Width (mm)	Length (mm)	Height (mm)	Thread	Ø Inner neck (mm)	Art. No.	Pack Qty.	
9	146	216	356	100 mm	90	E191.1	1 unit(s)	
20	219	318	381	100 mm	90	E192.1	1 unit(s)	

Type 2322, with stop cock connection

Material: PC transparent. Autoclavable: Yes. Particularly suitable for making nutrient and culture media, if exposure to light or transparency is required.

Can also be used in cold storage rooms.

Delivery incl. drain outlet made of PP.

Vol. (l)	Width (mm)	Length (mm)	Height (mm)	Thread	Ø Inner neck (mm)	Art. No.	Pack Qty.	
9	146	216	356	100 mm	90	K653.1	1 unit(s)	
20	219	318	381	100 mm	90	K654.1	1 unit(s)	

Canisters fluorinated with drain outlet

Nalgene. Material: HDPE transparent, fluorinated, with stop cock made of ETFE and screw cap made of fluorinated PP.

Type DS 2327. For safe storage and dispensing of solvents or distilled water. Space-saving rectangular design.

The fluorinated outside and inside surfaces enhance the barrier

properties and reduce solvent absorption and permeation. **Leak-proof.**

With graduation and non-corrosive stainless steel handle. 20 l container, additionally with robust handles.



Vol. (l)	Width (mm)	Depth (mm)	Height (mm)	Thread	Art. No.	Pack Qty.	
9	146	216	343	100 mm	E189.1	1 unit(s)	
20	219	318	381	100 mm	E190.1	1 unit(s)	



Canisters

Canisters fluorinated

Nalgene. Material: HDPE fluorinated inside and outside, with screw cap made of fluorinated PP.

Type 2242. Good barrier properties, low solvent diffusion and penetration, as well as high resistance to chemicals. Very robust, suitable for use under extreme loads when working with acids and aggressive solvents. Stable due to large footprint. Easy pouring through long spout and handle integrated in the canister bottom. graduated in litres and gallons. **Leak-proof.**



Vol. (l)	Graduations (l)	Width (mm)	Depth (mm)	Height (mm)	Thread	Art. No.	Pack Qty.	
10	2	229	229	368	53 B	E187.1	1 unit(s)	
20	4	305	305	445	53 B	E188.1	1 unit(s)	

Carboy

Kautex. Material: HDPE.

Natural colours. Available without a tap connector or with a tap connector and faucet.



With a tap connector

Delivery incl. stopcock.

Vol. (l)	Ø (mm)	Height (mm)	Ø Inner neck (mm)	Thread	Art. No.	Pack Qty.	
5	167	330	50	S 65	K980.1	1 unit(s)	
10	206	427	50	S 65	5645.1	1 unit(s)	
25	278	580	50	S 65	5646.1	1 unit(s)	
60	346	823	50	S 65	5651.1	1 unit(s)	

Without a tap connector

Vol. (l)	Ø (mm)	Height (mm)	Ø Inner neck (mm)	Thread	Art. No.	Pack Qty.	
5	167	330	50	S 65	K981.1	1 unit(s)	
10	206	427	50	S 65	K982.1	1 unit(s)	
25	278	580	50	S 65	K983.1	1 unit(s)	
60	346	823	50	S 65	K984.1	1 unit(s)	

Carboy fluorinated

Nalgene. Material: HDPE, fluorinated. Screw top made of PP.

Type 2097. 83 B thread, neck interior Ø of 64 mm. Especially suited to storing and transporting aggressive chemicals. The fluorinated interior and exterior surfaces reduce the diffusion and penetration of solvents and ensure long-term storage with low loss from evaporation. Especially resistant to rips and breaks as well as puncture damage. Suitable for most acids and aggressive organic solvents. **Leak-proof.**



Vol. (l)	Ø (mm)	Height (mm)	Ø Inner neck (mm)	Thread	Art. No.	Pack Qty.	
10	249	289	64	83 B	C476.1	1 unit(s)	
20	287	628	64	83 B	C477.1	1 unit(s)	

Алматы (7273)495-231
Ангарск (3955)60-70-56
Архангельск (8182)63-90-72
Астрахань (8512)99-46-04
Барнаул (3852)73-04-60
Белгород (4722)40-23-64
Благовещенск (4162)22-76-07
Брянск (4832)59-03-52
Владивосток (423)249-28-31
Владикавказ (8672)28-90-48
Владимир (4922)49-43-18
Волгоград (844)278-03-48
Вологда (8172)26-41-59
Воронеж (473)204-51-73
Екатеринбург (343)384-55-89

Иваново (4932)77-34-06
Ижевск (3412)26-03-58
Иркутск (395)279-98-46
Казань (843)206-01-48
Калининград (4012)72-03-81
Калуга (4842)92-23-67
Кемерово (3842)65-04-62
Киров (8332)68-02-04
Коломна (4966)23-41-49
Кострома (4942)77-07-48
Краснодар (861)203-40-90
Красноярск (391)204-63-61
Курск (4712)77-13-04
Курган (3522)50-90-47
Липецк (4742)52-20-81

Магнитогорск (3519)55-03-13
Москва (495)268-04-70
Мурманск (8152)59-64-93
Набережные Челны (8552)20-53-41
Нижний Новгород (831)429-08-12
Новокузнецк (3843)20-46-81
Ноябрьск (3496)41-32-12
Новосибирск (383)227-86-73
Омск (3812)21-46-40
Орел (4862)44-53-42
Оренбург (3532)37-68-04
Пенза (8412)22-31-16
Петрозаводск (8142)55-98-37
Псков (8112)59-10-37
Пермь (342)205-81-47

Ростов-на-Дону (863)308-18-15
Рязань (4912)46-61-64
Самара (846)206-03-16
Саранск (8342)22-96-24
Санкт-Петербург (812)309-46-40
Саратов (845)249-38-78
Севастополь (8692)22-31-93
Симферополь (3652)67-13-56
Смоленск (4812)29-41-54
Сочи (862)225-72-31
Ставрополь (8652)20-65-13
Сыктывкар (8212)25-95-17
Тамбов (4752)50-40-97
Сургут (3462)77-98-35
Тверь (4822)63-31-35

Тольятти (8482)63-91-07
Томск (3822)98-41-53
Тула (4872)74-02-29
Тюмень (3452)66-21-18
Ульяновск (8422)24-23-59
Улан-Удэ (3012)59-97-51
Уфа (347)229-48-12
Хабаровск (4212)92-98-04
Чебоксары (8352)28-53-07
Челябинск (351)202-03-61
Череповец (8202)49-02-64
Чита (3022)38-34-83
Якутск (4112)23-90-97
Ярославль (4852)69-52-93

Россия (495)268-04-70

Казахстан (772)734-952-31

Киргизия (996)312-96-26-47