

Вспомогательные приспособления, лестницы, тележки

CARL ROTH

Технические характеристики

Алматы (7273)495-231
Ангарск (3955)60-70-56
Архангельск (8182)63-90-72
Астрахань (8512)99-46-04
Барнаул (3852)73-04-60
Белгород (4722)40-23-64
Благовещенск (4162)22-76-07
Брянск (4832)59-03-52
Владивосток (423)249-28-31
Владикавказ (8672)28-90-48
Владимир (4922)49-43-18
Волгоград (844)278-03-48
Вологда (8172)26-41-59
Воронеж (473)204-51-73
Екатеринбург (343)384-55-89

Иваново (4932)77-34-06
Ижевск (3412)26-03-58
Иркутск (395)279-98-46
Казань (843)206-01-48
Калининград (4012)72-03-81
Калуга (4842)92-23-67
Кемерово (3842)65-04-62
Киров (8332)68-02-04
Коломна (4966)23-41-49
Кострома (4942)77-07-48
Краснодар (861)203-40-90
Красноярск (391)204-63-61
Курск (4712)77-13-04
Курган (3522)50-90-47
Липецк (4742)52-20-81

Магнитогорск (3519)55-03-13
Москва (495)268-04-70
Мурманск (8152)59-64-93
Набережные Челны (8552)20-53-41
Нижний Новгород (831)429-08-12
Новокузнецк (3843)20-46-81
Ноябрьск (3496)41-32-12
Новосибирск (383)227-86-73
Омск (3812)21-46-40
Орел (4862)44-53-42
Оренбург (3532)37-68-04
Пенза (8412)22-31-16
Петрозаводск (8142)55-98-37
Псков (8112)59-10-37
Пермь (342)205-81-47

Ростов-на-Дону (863)308-18-15
Рязань (4912)46-61-64
Самара (846)206-03-16
Саранск (8342)22-96-24
Санкт-Петербург (812)309-46-40
Саратов (845)249-38-78
Севастополь (8692)22-31-93
Симферополь (3652)67-13-56
Смоленск (4812)29-41-54
Сочи (862)225-72-31
Ставрополь (8652)20-65-13
Сыктывкар (8212)25-95-17
Тамбов (4752)50-40-97
Сургут (3462)77-98-35
Тверь (4822)63-31-35

Тольятти (8482)63-91-07
Томск (3822)98-41-53
Тула (4872)74-02-29
Тюмень (3452)66-21-18
Ульяновск (8422)24-23-59
Улан-Удэ (3012)59-97-51
Уфа (347)229-48-12
Хабаровск (4212)92-98-04
Чебоксары (8352)28-53-07
Челябинск (351)202-03-61
Череповец (8202)49-02-64
Чита (3022)38-34-83
Якутск (4112)23-90-97
Ярославль (4852)69-52-93

Россия (495)268-04-70

Казахстан (772)734-952-31

Киргизия (996)312-96-26-47

Climbing aids and ladders



Stepladder mobile

ROTH SELECTION. Material: Aluminium.

According to DIN 4569. TÜV- and BG-tested. Freely movable thanks to spring-mounted castors. Two anti-slip steps. Unshakably secure hold when loaded. Dimensions when folded up: 440 x 230 mm, height 485 mm.

Technical specifications:

Art. No.	Y645.1
Load capacity	150 kg
Weight	2.2 kg

Height (mm)	Width (mm)	Art. No.	Pack Qty.
445	440	Y645.1	1 unit(s)



Stepladder with handle

Hailo. Material: Steel, Aluminium safety handrail.

With soft-grip base for optimal stability on various floor surfaces. Arched safety handrail for holding on to and leaning on, with storage tray. Extra-large, slip-resistant steps for optimal comfort while standing up.

Technical specifications:

Art. No.	ACP5.1	ACP6.1
Load capacity	150 kg	
Weight	4.9 kg	6.6 kg

Steps	Total height (mm)	Platform height (mm)	Width (mm)	Art. No.	Pack Qty.
2	1,200	490	520	ACP5.1	1 unit(s)
3	1,440	740	550	ACP6.1	1 unit(s)



Safety ladder

Hailo. Material: Aluminium.

With anti-slip surface. Secure, high-tech riveted step and rail connection and slip-resistant feet.

Technical specifications:

Art. No.	LT12.1	LT09.1
Load capacity	150 kg	
Weight	4.6 kg	3.9 kg

(1) Steel platform

Height of platform: 840 mm.

Steps	Height (mm)	Width (mm)	Art. No.	Pack Qty.
4	1,580	450	LT09.1	1 unit(s)

(2) Aluminium platform

Height of platform: 1060 mm.

Steps	Height (mm)	Width (mm)	Art. No.	Pack Qty.
5	1,820	480	LT12.1	1 unit(s)



Gas bottle rack

ROTH SELECTION. Material: Steel, galvanised.

For wall mounting of a gas bottle.

Delivery incl. safety chain.

Suitable for	Art. No.	Pack Qty.
Bottle Ø 140 mm	CTC5.1	1 unit(s)
Bottle Ø 230 mm	CTC6.1	1 unit(s)
Bottle Ø 320 mm	CTC7.1	1 unit(s)



Storage/transport of gas cylinders



Gas bottle rack

Usbeck. Material: Aluminium powder-coated.

Bottle rack for compressed gas bottles, for fixing to tables. For benchtops up to 65 mm thick. Wall mounting possible by means of cross holes (Ø 6.5 mm). Flexible fastening belt with snap buckle.

Delivery incl. belt.

Suitable for	Art. No.	Pack Qty.	
Ø 230 mm bottles	1A0A.1	1 unit(s)	



Gas cylinder trolley

ROTH SELECTION. Material: PE.

For safely transporting a single gas cylinder, Ø max. 320 mm.

- With handle
- Large surface area provides excellent stability
- Solid rubber tyres, wheel Ø 200 mm

Technical specifications:

Art. No.	CTC3.1	CTC4.1
Load capacity	80 kg	

Delivery incl. lashing strap for securing the cylinder.

Version	Width (mm)	Depth (mm)	Height (mm)	Art. No.	Pack Qty.	
With support wheel	495	800	1,110	CTC4.1	1 unit(s)	
Without support wheel	495	630	1,110	CTC3.1	1 unit(s)	



Transport trolley foldable

ROTH SELECTION.

- Extremely space-saving when folded
- Quickly ready to use
- Low net weight - high load-bearing capacity
- With Spannfix system for securing loads

Technical specifications:

Art. No.	9305.1	1C3H.1	1C3K.1
Scoop width	490 mm		495 mm
Scoop depth	250 mm	410 mm	420 mm
Load capacity	125 kg		100 kg

Aluminium

Material: Aluminium, Steel, Plastic. Polymer wheels (Ø 185 x W 40 mm), plastic rims, roller bearings.

Dimensions when folded up: W 490 x H 685 mm.

Width (mm)	Height (mm)	Art. No.	Pack Qty.	
490	1,030	9305.1	1 unit(s)	

Stainless steel

Material: Stainless steel, Plastic. Polymer wheels (Ø 185 x W 40 mm), plastic rims, roller bearings.

Dimensions when folded up: W 490 x H 735 mm.

Width (mm)	Height (mm)	Art. No.	Pack Qty.	
490	1,130	1C3H.1	1 unit(s)	

Cross

Material: Steel (pipe, chrome-plated), Plastic. Extra wide polymer wheels (Ø 180 x W 95 mm), plastic rims, ball bearings.

Dimensions when folded up: W 495 x H 740 mm.

- Special tyres for uneven terrain

Width (mm)	Height (mm)	Art. No.	Pack Qty.	
495	1,120	1C3K.1	1 unit(s)	



Transport trolley

ROTH SELECTION. Material: Steel.

Colour: Black/silver. Pneumatic/lugged tyres. Wheels with roller bearings.

Technical specifications:

Art. No.	X828.1
Scoop width	260 mm
Scoop depth	280 mm
Load capacity	250 kg

Height (mm)	Art. No.	Pack Qty.	
1,100	X828.1	1 unit(s)	

Transport trolleys



Drum-tipping cradle

Material: Steel (plastic-coated), Polyamide rollers.

Support rollers: Ø 50 mm, steering and fixed wheels: Ø 125 mm.

- With removable lever handle

For drum size 50-60 litres

Version	Length (mm)	Total length (mm)	Width (mm)	Height (mm)	Art. No.	Pack Qty.	
Standard	720	1,710	510	625	1C48.1	1 unit(s)	
With drip tray	720	1,710	510	625	1C45.1	1 unit(s)	

For drum size 200 litres

Version	Length (mm)	Total length (mm)	Width (mm)	Height (mm)	Art. No.	Pack Qty.	
Standard	1,010	2,005	555	625	1C49.1	1 unit(s)	
With drip tray	1,010	2,005	555	625	1C46.1	1 unit(s)	



Drum trolley with stabiliser wheel

ROTH SELECTION. Material: Steel (plastic-coated).

With adjustable drum gripper (drum rest with claws).

Stabiliser wheel: Swivel roller, Ø 200 mm, made of solid rubber.

Technical specifications:

Art. No.	1C47.1	1C44.1
Load capacity	250 kg	

Solid rubber tyres

Wheel Ø 250 mm, width 60 mm.

Width (mm)	Total height (mm)	Height (mm)	Art. No.	Pack Qty.	
600	1,600	700	1C47.1	1 unit(s)	

Pneumatic tyres

Wheel Ø 260 mm, width 85 mm.

Width (mm)	Total height (mm)	Height (mm)	Art. No.	Pack Qty.	
600	1,600	700	1C44.1	1 unit(s)	



Platform trolley with handle

ROTH SELECTION. Material: Steel welded, powder-coated.

TPE tyres, two swivel castors and two fixed castors, lockable swivel castors.

Technical specifications:

Art. No.	HTX7.1	HTX6.1
Length	890 mm	
Width	500 mm	
Height	860 mm	
Platform height	195 mm	
Roller Ø	125 mm	
Load capacity	250 kg	
Weight	14 kg	12 kg

Wood

Material: Wooden platform, surface in beech finish.

Number of bases	Platform (mm)	Colour	Art. No.	Pack Qty.	
1	600 x 500	blue, natural	HTX6.1	1 unit(s)	

Steel sheet

Material: Steel sheet platform, powder-coated.

Number of bases	Platform (mm)	Colour	Art. No.	Pack Qty.	
1	600 x 500	blue	HTX7.1	1 unit(s)	

Алматы (7273)495-231
Ангарск (3955)60-70-56
Архангельск (8182)63-90-72
Астрахань (8512)99-46-04
Барнаул (3852)73-04-60
Белгород (4722)40-23-64
Благовещенск (4162)22-76-07
Брянск (4832)59-03-52
Владивосток (423)249-28-31
Владикавказ (8672)28-90-48
Владимир (4922)49-43-18
Волгоград (844)278-03-48
Вологда (8172)26-41-59
Воронеж (473)204-51-73
Екатеринбург (343)384-55-89

Иваново (4932)77-34-06
Ижевск (3412)26-03-58
Иркутск (395)279-98-46
Казань (843)206-01-48
Калининград (4012)72-03-81
Калуга (4842)92-23-67
Кемерово (3842)65-04-62
Киров (8332)68-02-04
Коломна (4966)23-41-49
Кострома (4942)77-07-48
Краснодар (861)203-40-90
Красноярск (391)204-63-61
Курск (4712)77-13-04
Курган (3522)50-90-47
Липецк (4742)52-20-81

Магнитогорск (3519)55-03-13
Москва (495)268-04-70
Мурманск (8152)59-64-93
Набережные Челны (8552)20-53-41
Нижний Новгород (831)429-08-12
Новокузнецк (3843)20-46-81
Ноябрьск (3496)41-32-12
Новосибирск (383)227-86-73
Омск (3812)21-46-40
Орел (4862)44-53-42
Оренбург (3532)37-68-04
Пенза (8412)22-31-16
Петрозаводск (8142)55-98-37
Псков (8112)59-10-37
Пермь (342)205-81-47

Ростов-на-Дону (863)308-18-15
Рязань (4912)46-61-64
Самара (846)206-03-16
Саранск (8342)22-96-24
Санкт-Петербург (812)309-46-40
Саратов (845)249-38-78
Севастополь (8692)22-31-93
Симферополь (3652)67-13-56
Смоленск (4812)29-41-54
Сочи (862)225-72-31
Ставрополь (8652)20-65-13
Сыктывкар (8212)25-95-17
Тамбов (4752)50-40-97
Сургут (3462)77-98-35
Тверь (4822)63-31-35

Тольятти (8482)63-91-07
Томск (3822)98-41-53
Тула (4872)74-02-29
Тюмень (3452)66-21-18
Ульяновск (8422)24-23-59
Улан-Удэ (3012)59-97-51
Уфа (347)229-48-12
Хабаровск (4212)92-98-04
Чебоксары (8352)28-53-07
Челябинск (351)202-03-61
Череповец (8202)49-02-64
Чита (3022)38-34-83
Якутск (4112)23-90-97
Ярославль (4852)69-52-93

Россия (495)268-04-70

Казахстан (772)734-952-31

Киргизия (996)312-96-26-47