

Контейнеры для льда, ведра, сумки, пакеты CARL ROTH Frozen Food Bag, Fold'N Cool, ROTILABO

Технические характеристики

Алматы (7273)495-231
Ангарск (3955)60-70-56
Архангельск (8182)63-90-72
Астрахань (8512)99-46-04
Барнаул (3852)73-04-60
Белгород (4722)40-23-64
Благовещенск (4162)22-76-07
Брянск (4832)59-03-52
Владивосток (423)249-28-31
Владикавказ (8672)28-90-48
Владимир (4922)49-43-18
Волгоград (844)278-03-48
Вологда (8172)26-41-59
Воронеж (473)204-51-73
Екатеринбург (343)384-55-89

Иваново (4932)77-34-06
Ижевск (3412)26-03-58
Иркутск (395)279-98-46
Казань (843)206-01-48
Калининград (4012)72-03-81
Калуга (4842)92-23-67
Кемерово (3842)65-04-62
Киров (8332)68-02-04
Коломна (4966)23-41-49
Кострома (4942)77-07-48
Краснодар (861)203-40-90
Красноярск (391)204-63-61
Курск (4712)77-13-04
Курган (3522)50-90-47
Липецк (4742)52-20-81

Магнитогорск (3519)55-03-13
Москва (495)268-04-70
Мурманск (8152)59-64-93
Набережные Челны (8552)20-53-41
Нижний Новгород (831)429-08-12
Новокузнецк (3843)20-46-81
Ноябрьск (3496)41-32-12
Новосибирск (383)227-86-73
Омск (3812)21-46-40
Орел (4862)44-53-42
Оренбург (3532)37-68-04
Пенза (8412)22-31-16
Петрозаводск (8142)55-98-37
Псков (8112)59-10-37
Пермь (342)205-81-47

Ростов-на-Дону (863)308-18-15
Рязань (4912)46-61-64
Самара (846)206-03-16
Саранск (8342)22-96-24
Санкт-Петербург (812)309-46-40
Саратов (845)249-38-78
Севастополь (8692)22-31-93
Симферополь (3652)67-13-56
Смоленск (4812)29-41-54
Сочи (862)225-72-31
Ставрополь (8652)20-65-13
Сыктывкар (8212)25-95-17
Тамбов (4752)50-40-97
Тургут (3462)77-98-35
Тверь (4822)63-31-35

Тольятти (8482)63-91-07
Томск (3822)98-41-53
Тула (4872)74-02-29
Тюмень (3452)66-21-18
Ульяновск (8422)24-23-59
Улан-Удэ (3012)59-97-51
Уфа (347)229-48-12
Хабаровск (4212)92-98-04
Чебоксары (8352)28-53-07
Челябинск (351)202-03-61
Череповец (8202)49-02-64
Чита (3022)38-34-83
Якутск (4112)23-90-97
Ярославль (4852)69-52-93

Россия (495)268-04-70

Казахстан (772)734-952-31

Киргизия (996)312-96-26-47

Cooling, Insulating



Ice container

ROTH SELECTION. Material: PP, expanded (EPP).

Highly robust with excellent insulation properties. With recessed hand grips.

Technical specifications:

Art. No.	EET6.1
L x W x H, interior	345 x 345 x 175 mm

Delivery incl. lid.

L x W x H, external (mm)	Art. No.	Pack Qty.
400 x 400 x 220	EET6.1	1 unit(s)



Ice container True North™

ROTH SELECTION. Material: PU.

Excellent insulation properties for deep-freeze applications using ice, ice-salt mixtures or other cooling media. Tight-fitting lid for minimum evaporation loss (can be stored below ice container when not in use). Pouring spout for easy pouring out of melted ice.

Conical shape and recessed lid for space-saving stacking.

Delivery incl. lid.

Square

Vol. (l)	L x W x H, external (mm)	Colour	Art. No.	Pack Qty.
1	267 x 196 x 114	turquoise	TP25.1	1 unit(s)
4	381 x 254 x 182	blue	TP26.1	1 unit(s)
9	521 x 292 x 163	red	TP27.1	1 unit(s)

Round

Vol. (l)	Ø ext. (mm)	Colour	Art. No.	Pack Qty.
4	234	black	TP24.1	1 unit(s)



Ice container

ROTH SELECTION. Material: PS, foamed.

Sturdy, thick-walled design provides ideal cooling and prevents condensation. Suitable for ethanol and refrigerant mixtures, dry ice or liquid nitrogen. Temperature stable up to -196 °C.

Square

Vol. (l)	Ø ext. (mm)	L x W x H, external (mm)	Colour	Art. No.	Pack Qty.
1	300	155 x 155 x 95	blue	TE12.1	1 unit(s)
4	300	220 x 310 x 125	blue	TE14.1	1 unit(s)
9	300	335 x 435 x 130	blue	TE16.1	1 unit(s)

Round

Tight-fitting lid minimises evaporation loss.

Delivery incl. lid.

Vol. (l)	Ø ext. (mm)	Colour	Art. No.	Pack Qty.
2.5	300	blue	TE08.1	1 unit(s)
5.0	300	blue	TE10.1	1 unit(s)



Ice bucket ROTILABO®

ROTH SELECTION. Material: Stainless steel.

Double wall, with carrying handle.

Delivery incl. lid.

Vol. (l)	Ø ext. (mm)	Outer height (mm)	Art. No.	Pack Qty.
2	150	210	YE46.1	1 unit(s)



Cooling, Insulating



Cooling box

ROTH SELECTION. Material: PP, PU foam insulation.
With hinged lid and bow handle.

Technical specifications:

Art. No.	AA46.1	AA47.1
Cooling capacity	24 h	
Inner length	330 mm	
Inner width	240 mm	370 mm
Inner height	330 mm	240 mm
Weight	2,4 kg	2,6 kg

Vol. (l)	Outer length (mm)	Outer width (mm)	Outer height (mm)	Art. No.	Pack Qty.
26	407	313	424	AA46.1	1 unit(s)
30	408	322	461	AA47.1	1 unit(s)



Cooling box Xtreme®

ROTH SELECTION. Material: HDPE, full PU foam insulation.
Close using attached lid and snap lock for a leak-tight seal. Waterproof and corrosion resistant drainage.

Technical specifications:

Art. No.	LT01.1	LT02.1	LT03.1
Cooling capacity	120 h		
Inner length	530 mm	610 mm	790 mm
Inner width	240 mm	300 mm	330 mm
Inner height	280 mm	330 mm	290 mm
Weight	5,6 kg	6,1 kg	7,4 kg

Vol. (l)	Outer length (mm)	Outer width (mm)	Outer height (mm)	Art. No.	Pack Qty.
48	700	380	440	LT01.1	1 unit(s)
66	720	400	440	LT02.1	1 unit(s)
90	920	420	440	LT03.1	1 unit(s)



Cooling box

ROTH SELECTION. Material: PP, Full PU foam insulation.

Technical specifications:

Art. No.	P252.1	P253.1
Cooling capacity	17 h	20,5 h
Inner length	265 mm	320 mm
Inner width	165 mm	195 mm
Inner height	250 mm	275 mm
Weight	1,4 kg	2,1 kg

With bow handle

Loose-fit lid, can be locked with carrying handles.

Vol. (l)	Outer length (mm)	Outer width (mm)	Outer height (mm)	Art. No.	Pack Qty.
10	350	225	310	P252.1	1 unit(s)
17	410	245	355	P253.1	1 unit(s)



Cooling box thermoelectric

ROTH SELECTION.

Can be operated via 230 V mains supply (optional) or via the car's 12 V connector.

- Strong PU insulation
- Secure lid
- Integrated storage compartment for the cable
- Integrated fan (39 dB) accelerates the cooling process
- Cooling capacity up to 20 °C below outside temperature
- Weight 3.6 kg

Technical specifications:

Art. No.	P272.1
Inner length	328 mm
Inner width	243 mm
Inner height	310 mm

Delivery incl. 12 V plug, please order 230 V transformer separately.

Vol. (l)	Outer length (mm)	Outer width (mm)	Outer height (mm)	Art. No.	Pack Qty.
24	407	313	435	P272.1	1 unit(s)

Cooling, Insulating



Cooling bag Fold'N Cool™

ROTH SELECTION. Material: Polyester with rear PU coating, inner material PEFA, EPE foam insulation.

Collapsible for space-saving storage. With adjustable shoulder strap, hanger loop and separate front bag.

Technical specifications:

Art. No.	LP95.1	LP93.1	LP94.1
Weight	310 g	610 g	765 g

Pic.	Vol. (l)	Outer length (mm)	Outer width (mm)	Outer height (mm)	Art. No.	Pack Qty.
(1)	5	230	155	190	LP95.1	1 unit(s)
(2)	20	320	200	370	LP93.1	1 unit(s)

Maxi

With two additional carrying handles.

Pic.	Vol. (l)	Outer length (mm)	Outer width (mm)	Outer height (mm)	Art. No.	Pack Qty.
(3)	30	390	250	380	LP94.1	1 unit(s)



Insulating bag Frozen Food Bag

ROTH SELECTION. Material: PE, EPE foam insulation.

Technical specifications:

Art. No.	LP96.1	LP97.1
Cooling capacity	to 3 h	
Weight	110 g	120 g

Vol. (l)	Outer length (mm)	Outer width (mm)	Outer height (mm)	Art. No.	Pack Qty.
19	500	465	7	LP96.1	10 unit(s)
26	585	475	7	LP97.1	10 unit(s)



Cooling packs ROTILABO®


ROTH SELECTION. Material: Plastic (PA/PE film), with gel filling.

- Outstanding cooling properties
- Suitable for multiple use

Technical specifications:

Art. No.	PX99.1	PY00.1
Weight	230 g	460 g

Outer length (mm)	Outer width (mm)	Art. No.	Pack Qty.
140	137	PX99.1	60 unit(s)
190	137	PY00.1	32 unit(s)



Cooling elements Flexi Freez'Pack®

ROTH SELECTION.

Very flexible thanks to individual cooling segments, even when frozen. Suitable for foodstuffs.

Technical specifications:

Art. No.	LT04.1	LT05.1	LT06.1
Weight	150 g	300 g	600 g

Outer length (mm)	Outer width (mm)	Outer height (mm)	Refrigeration segments	Art. No.	Pack Qty.
290	160	18	6 x 2	LT04.1	10 unit(s)
300	240	18	4 x 3	LT05.1	10 unit(s)
600	240	18	12 x 3	LT06.1	10 unit(s)



Cooling, Insulating



Cooling packs ROTILABO®

ROTH SELECTION. Material: PE, filled with coolant.

Technical specifications:

Art. No.	E447.1	E447.2
Weight	220 g	

Outer length (mm)	Outer width (mm)	Outer height (mm)	Art. No.	Pack Qty.
169	75	19	E447.1	5 unit(s)
169	75	19	E447.2	50 unit(s)



Cooling collar ROTILABO®

ROTH SELECTION. Material: Microfibre.

Insulating cooling pack in flexible sleeve. For the cooling and keeping cool of bottles with Ø approx. 70–100 mm. Adapts well to the shape of the bottle. Also suitable for angled containers. Can be reused any number of times. Foldable for space-saving storage. Dimensions when folded approx. L 200 x W 150 mm.

Outer length (mm)	Outer width (mm)	Art. No.	Pack Qty.
450	200	CY97.1	1 unit(s)



Temperature control vessel

KGW. Material: Stainless steel.

For keeping samples warm or cold.

- Double-wall
- Quick response to temperature changes
- With connections for hoses with a 6 mm inner Ø

The hot or cold tempering medium is pumped around the double-walled casing with the aid of a thermostat.

Technical specifications:

Art. No.	A628.1	A629.1	A630.1	A631.1
Temperature range	-30 to +120 °C			
Ø Internal	85 mm	100 mm	185 mm	
Inner height	206 mm	285 mm	160 mm	270 mm

Vol. (l)	Ø ext. (mm)	Outer height (mm)	Art. No.	Pack Qty.
1	107	231	A628.1	1 unit(s)
2	122	312	A629.1	1 unit(s)
3	200	190	A630.1	1 unit(s)
6	200	300	A631.1	1 unit(s)



Dewar vacuum flask large

KGW. Material: Metal blue-coated, Borosilicate glass 3.3 insert, fully silver-plated.

With lid and carrying handle. For storage and transport of heat-sensitive goods such as dry ice (CO₂).

Technical specifications:

Art. No.	0443.1	1100.1	0444.1
Ø Internal	200 mm		250 mm
Inner height	350 mm	500 mm	620 mm

Type	Vol. (l)	Outer height (mm)	Art. No.	Pack Qty.
31 C	10	475	0443.1	1 unit(s)
32 C	14	610	1100.1	1 unit(s)
34 C	28	750	0444.1	1 unit(s)

Алматы (7273)495-231	Иваново (4932)77-34-06	Магнитогорск (3519)55-03-13	Ростов-на-Дону (863)308-18-15	Тольятти (8482)63-91-07
Ангарск (3955)60-70-56	Ижевск (3412)26-03-58	Москва (495)268-04-70	Рязань (4912)46-61-64	Томск (3822)98-41-53
Архангельск (8182)63-90-72	Иркутск (395)279-98-46	Мурманск (8152)59-64-93	Самара (846)206-03-16	Тула (4872)74-02-29
Астрахань (8512)99-46-04	Казань (843)206-01-48	Набережные Челны (8552)20-53-41	Саранск (8342)22-96-24	Тюмень (3452)66-21-18
Барнаул (3852)73-04-60	Калининград (4012)72-03-81	Нижний Новгород (831)429-08-12	Санкт-Петербург (812)309-46-40	Ульяновск (8422)24-23-59
Белгород (4722)40-23-64	Калуга (4842)92-23-67	Новокузнецк (3843)20-46-81	Саратов (845)249-38-78	Улан-Удэ (3012)59-97-51
Благовещенск (4162)22-76-07	Кемерово (3842)65-04-62	Ноябрьск (3496)41-32-12	Севастополь (8692)22-31-93	Уфа (347)229-48-12
Брянск (4832)59-03-52	Киров (8332)68-02-04	Новосибирск (383)227-86-73	Симферополь (3652)67-13-56	Хабаровск (4212)92-98-04
Владивосток (423)249-28-31	Коломна (4966)23-41-49	Омск (3812)21-46-40	Ставрополь (8652)20-65-13	Чебоксары (8352)28-53-07
Владикавказ (8672)28-90-48	Кострома (4942)77-07-48	Орел (4862)44-53-42	Сочи (862)225-72-31	Челябинск (351)202-03-61
Владимир (4922)49-43-18	Краснодар (861)203-40-90	Оренбург (3532)37-68-04	Сыктывкар (8212)25-95-17	Череповец (8202)49-02-64
Волгоград (844)278-03-48	Красноярск (391)204-63-61	Пенза (8412)22-31-16	Тамбов (4752)50-40-97	Чита (3022)38-34-83
Вологда (8172)26-41-59	Курск (4712)77-13-04	Петрозаводск (8142)55-98-37	Сургут (3462)77-98-35	Якутск (4112)23-90-97
Воронеж (473)204-51-73	Курган (3522)50-90-47	Псков (8112)59-10-37	Тверь (4822)63-31-35	Ярославль (4852)69-52-93
Екатеринбург (343)384-55-89	Липецк (4742)52-20-81	Пермь (342)205-81-47		
	Россия (495)268-04-70	Казахстан (772)734-952-31	Киргизия (996)312-96-26-47	