

Ножи, ножницы, стеклорезы, граверы CARL ROTH SECUNORM 300, MARTego, Signograph

Технические характеристики

Алматы (7273)495-231
Ангарск (3955)60-70-56
Архангельск (8182)63-90-72
Астрахань (8512)99-46-04
Барнаул (3852)73-04-60
Белгород (4722)40-23-64
Благовещенск (4162)22-76-07
Брянск (4832)59-03-52
Владивосток (423)249-28-31
Владикавказ (8672)28-90-48
Владимир (4922)49-43-18
Волгоград (844)278-03-48
Вологда (8172)26-41-59
Воронеж (473)204-51-73
Екатеринбург (343)384-55-89

Иваново (4932)77-34-06
Ижевск (3412)26-03-58
Иркутск (395)279-98-46
Казань (843)206-01-48
Калининград (4012)72-03-81
Калуга (4842)92-23-67
Кемерово (3842)65-04-62
Киров (8332)68-02-04
Коломна (4966)23-41-49
Кострома (4942)77-07-48
Краснодар (861)203-40-90
Красноярск (391)204-63-61
Курск (4712)77-13-04
Курган (3522)50-90-47
Липецк (4742)52-20-81

Магнитогорск (3519)55-03-13
Москва (495)268-04-70
Мурманск (8152)59-64-93
Набережные Челны (8552)20-53-41
Нижний Новгород (831)429-08-12
Новокузнецк (3843)20-46-81
Ноябрьск (3496)41-32-12
Новосибирск (383)227-86-73
Омск (3812)21-46-40
Орел (4862)44-53-42
Оренбург (3532)37-68-04
Пенза (8412)22-31-16
Петрозаводск (8142)55-98-37
Псков (8112)59-10-37
Пермь (342)205-81-47

Ростов-на-Дону (863)308-18-15
Рязань (4912)46-61-64
Самара (846)206-03-16
Саранск (8342)22-96-24
Санкт-Петербург (812)309-46-40
Саратов (845)249-38-78
Севастополь (8692)22-31-93
Симферополь (3652)67-13-56
Смоленск (4812)29-41-54
Сочи (862)225-72-31
Ставрополь (8652)20-65-13
Сыктывкар (8212)25-95-17
Тамбов (4752)50-40-97
Тургут (3462)77-98-35
Тверь (4822)63-31-35

Тольятти (8482)63-91-07
Томск (3822)98-41-53
Тула (4872)74-02-29
Тюмень (3452)66-21-18
Ульяновск (8422)24-23-59
Улан-Удэ (3012)59-97-51
Уфа (347)229-48-12
Хабаровск (4212)92-98-04
Чебоксары (8352)28-53-07
Челябинск (351)202-03-61
Череповец (8202)49-02-64
Чита (3022)38-34-83
Якутск (4112)23-90-97
Ярославль (4852)69-52-93

Россия (495)268-04-70

Казахстан (772)734-952-31

Киргизия (996)312-96-26-47

Cutting tools



Safety knife SECUNORM 300

Martor. Material: Plastic (Glass fibre reinforced).

- Automatic blade retraction for a high level of occupational safety
- Ergonomic grip, soft grip
- Slider on both sides for left and right-handed users
- Easy and safe blade replacement without the need for tools

Technical specifications:

Art. No.	1A7Y.1
Weight	52 g

Delivery incl. blade (trapezoid blade, fitted).

Total length (mm)	Width (mm)	Height (mm)	Art. No.	Pack Qty.
143	16	36	1A7Y.1	1 unit(s)



Safety knife MARTego

Martor. Material: Aluminium.

With automatic blade retractor. Operating lever can be locked to prevent accidental opening. Ergonomic pincer grip with soft 2K handle for anti-slip, non-fatiguing work. For left and right handed users. Easy blade replacement without tools. Application advantage: blade is usable on 4 sides. Suitable for all routine cutting work, ideal for opening boxes.

Technical specifications:

Art. No.	XK02.1
Weight	105 g

Total length (mm)	Art. No.	Pack Qty.
155	XK02.1	1 unit(s)



Cutter 2-in-1

ROTH SELECTION.

With automatic blade retractor and auto-lock feature. Metal handle with rubberised grip zone and integrated break-off device. Usable as a standard cutter or safety knife. Spring-loaded blade retracts automatically when the blade slips off the cutting object. The standard break-off blade can, however, also be pushed forwards in the conventional fashion using the auto-lock feature. Blade width 18 mm.

Delivery incl. blade.

Total length (mm)	Width (mm)	Art. No.	Pack Qty.
186	38	PK49.1	1 unit(s)



Folding knife

ROTH SELECTION.

With fixable, corrosion-free blade and rubber-type nipple tray for secure handling. Length of knife, closed approx. 105 mm.

Technical specifications:

Art. No.	1036.1
Weight	78 g

Blade length (mm)	Total length (mm)	Art. No.	Pack Qty.
70	175	1036.1	1 unit(s)



Knives

ROTH SELECTION. Material: Stainless steel 1.4034, Plastic handle. Strong, rounded blade. Safety handle reduces the risk of injury.

Blade length (mm)	Total length (mm)	Art. No.	Pack Qty.
90	225	PX19.1	1 unit(s)



Knife ceramic

ROTH SELECTION. Material: Ceramic, Plastic handle. With extremely hard, corrosion-free and anti-magnetic blade. Very light. Ergonomically shaped handle. No re-sharpening required.

Blade length (mm)	Art. No.	Pack Qty.
90	T752.1	1 unit(s)
120	T753.1	1 unit(s)
150	T754.1	1 unit(s)



Knives

ROTH SELECTION. Material: Stainless steel, ice hardened and hand-polished.

For cutting hoses, foils, insulation panels, etc. Blade made of ice-hardened, hand-polished and corrosion-free special stainless steel. Dishwasher safe.

Blade length (mm)	Total length (mm)	Art. No.	Pack Qty.
75	180	A572.1	1 unit(s)
90	190	A573.1	1 unit(s)
120	225	A574.1	1 unit(s)
160	270	A575.1	1 unit(s)
200	330	A577.1	1 unit(s)



Knives

ROTH SELECTION. Material: Stainless steel alloyed (chrome molybdenum steel), Plastic handle.

Coloured handle for colour assignment, slip-resistant for secure grip.

Cutter type

With smooth cutting edge.

Blade length (mm)	Total length (mm)	Colour	Art. No.	Pack Qty.
130	270	red	HEE2.1	1 unit(s)
130	270	blue	HEE3.1	1 unit(s)
130	270	green	HEE4.1	1 unit(s)

Serrated edge type

For cutting material with hard shells or crusts.

Blade length (mm)	Total length (mm)	Colour	Art. No.	Pack Qty.
110	220	orange	HEE5.1	1 unit(s)
110	220	light blue	HEE6.1	1 unit(s)
110	220	lime green	HEE7.1	1 unit(s)

Scissors



Scissors

ROTH SELECTION. Material: Stainless steel, Plastic (impact-resistant). Can be readjusted and reground.

Standard, right-handed

For paper, fabric, foil and much more.

Pic.	Length (mm)	Length of cut (mm)	Art. No.	Pack Qty.
(1)	164	66	9674.1	1 unit(s)
(4)	260	130	0821.1	1 unit(s)

Standard, left-handed

For paper, fabric, foil and much more.

Length (mm)	Length of cut (mm)	Art. No.	Pack Qty.
164	66	9676.1	1 unit(s)

Right-handed

For cardboard, leather, plastic.

Pic.	Length (mm)	Length of cut (mm)	Art. No.	Pack Qty.
(2)	170	41	5489.1	1 unit(s)
(3)	212	93	9677.1	1 unit(s)

Robust, left-handed

For cardboard, leather, plastic.

Length (mm)	Length of cut (mm)	Art. No.	Pack Qty.
212	93	9678.1	1 unit(s)



Scissors universal

ROTH SELECTION.

- Cutting principle Amboss
- Precision-ground upper blade, non-stick
- Ergonomic handle, non-slip
- Integrated spring
- One-handed safety lock
- Maximum cutting thickness 23 mm
- Length 200 mm

Length (mm)	Art. No.	Pack Qty.
215	1259.1	1 unit(s)



Scissors combined

ROTH SELECTION. Material: Stainless steel (blade), Plastic handle with soft insert.

Cuts wire, sheet metal, cardboard, fabric, leather and plastic. Lockable.

Length (mm)	Length of cut (mm)	Art. No.	Pack Qty.
190	40	1901.1	1 unit(s)



Ampoule opener

ROTH SELECTION.

Opens ampoules from 1 to 10 ml easily and safely. Single-handed opening of up to three ampoules at the same time.

Delivery incl. one ampoule box and four inserts for opening 1 ml, 2 ml, 5 ml and 10 ml ampoules.

Length (mm)	Width (mm)	Height (mm)	Art. No.	Pack Qty.
95	76	83	CXT2.1	1 unit(s)



Glass tube cutter ROTILABO®

Usbeck. Material: Die-cast zinc nickel-plated, Carbide cutter wheels.

Suitable for	Art. No.	Pack Qty.
Tube Ø of 3 to 30 mm	YT66.1	1 unit(s)



Glass cutters/engravers



Capillary tube cutter

ROTH SELECTION.

Prevents sharp or warped edges when cutting. Depth of cut can be adjusted. Also suitable for clean cuts on PTFE tubes or electrical wires. Can be used approx. 2000 times.

Suitable for	Art. No.	Pack Qty.
Ø up to 1/16" (1.59 mm) outer and 0.1 mm inner	5116.1	1 unit(s)




Glass scraper

ROTH SELECTION. Material: Stainless steel.

Delivery incl. blade (mounted).

Total length (mm)	Width (mm)	Height (mm)	Art. No.	Pack Qty.
135	46	17	1A3C.1	1 unit(s)



Glass cutter

Usbeck.

With replaceable carbide blade.

Length (mm)	Art. No.	Pack Qty.
185	8209.1	1 unit(s)



Diamond engraving pen

ROTH SELECTION.

With wooden handle. For permanent marking of glass.

Version	Art. No.	Pack Qty.
Octahedron Tip	1530.1	1 unit(s)



Glass cutter ROTILABO®

ROTH SELECTION. Material: Metal (Alloy), Plastic handle.

Standard format with Toplife cutting wheel, non-replaceable.

- Very fine, smooth cut
- Cutting angle 135°
- Straight edge stand-off distance 2.5 mm

Suitable for	Art. No.	Pack Qty.
Glass thickness 2 to 12 mm	L124.1	1 unit(s)



Glass scriber ROTILABO®

ROTH SELECTION. Material: Aluminium, Plastic handle, carbide scriber.

For permanent marking of glass or metal. Tip can be retracted into the pen body for safe storage.

Length (mm)	Ø (mm)	Art. No.	Pack Qty.
150	11	CHN4.1	1 unit(s)

Glass cutters/engravers



Engraving device Signograph

ROTH SELECTION.

For marking or decorating metal, stone, plastic, glass or porcelain according to the vibration principle, using AC frequency. Infinitely adjustable intensity.

Technical specifications:

Art. No.	1951.1
Mains connection	220 V
Cable length	1.75 m
Weight	320 g

Delivery incl. adapter and steel tip.

Type	Art. No.	Pack Qty.
Signograph 25	1951.1	1 unit(s)



Engraving device

ROTH SELECTION.

Ideal for engraving, frosting or signing glass, ceramic, acrylic or metal. Approximate dimensions: L 300 x W 200 x H 60 mm.

- Diamond grinding pens for scribing and line work
- Silicon carbide grinding pens for frosting

Technical specifications:

Art. No.	N411.1
Mains connection	230 V

Delivery incl. 2 spherical diamond grinding pens (Ø 1.0 and 1.8 mm), 2 silicon carbide grinding pens (cone and bullet-shaped), test glass, sample and instruction manual, power supply unit, plastic case.

Version	Art. No.	Pack Qty.
Engraving set, complete	N411.1	1 unit(s)



Handheld cork borer set


Bochem. Material: Brass.

For drilling into or punching cork, rubber, leather, Styropor®.

Ø Internal (mm):

5/6.25/7.5/8.75/10/11.25/12.5/13.75/15/16.25/17.5/
18.75/20/21.25/22.5/23.75/25/26.25

Version	Art. No.	Pack Qty.
Cork borer set, 18-piece	0581.1	1 set



Hole punch

ROTH SELECTION.

For cardboard, plastic film, leather.

- With 6 punches from Ø 2 to 5 mm
- Lockable

Technical specifications:

Art. No.	0837.1
Weight	250 g

Total length (mm)	Art. No.	Pack Qty.
220	0837.1	1 unit(s)



Diamond steel saw

ROTH SELECTION.

With tungsten carbide cutting blade. For cutting wood, plastic, rubber, ceramic, soft metal, clay pipes and glass pipes without jamming. Length when folded up 255 mm.

Technical specifications:

Art. No.	1857.1
Weight	150 g

Total length (mm)	Blade length (mm)	Art. No.	Pack Qty.
400	210	1857.1	1 unit(s)

Алматы (7273)495-231
Ангарск (3955)60-70-56
Архангельск (8182)63-90-72
Астрахань (8512)99-46-04
Барнаул (3852)73-04-60
Белгород (4722)40-23-64
Благовещенск (4162)22-76-07
Брянск (4832)59-03-52
Владивосток (423)249-28-31
Владикавказ (8672)28-90-48
Владимир (4922)49-43-18
Волгоград (844)278-03-48
Вологда (8172)26-41-59
Воронеж (473)204-51-73
Екатеринбург (343)384-55-89

Иваново (4932)77-34-06
Ижевск (3412)26-03-58
Иркутск (395)279-98-46
Казань (843)206-01-48
Калининград (4012)72-03-81
Калуга (4842)92-23-67
Кемерово (3842)65-04-62
Киров (8332)68-02-04
Коломна (4966)23-41-49
Кострома (4942)77-07-48
Краснодар (861)203-40-90
Красноярск (391)204-63-61
Курск (4712)77-13-04
Курган (3522)50-90-47
Липецк (4742)52-20-81

Магнитогорск (3519)55-03-13
Москва (495)268-04-70
Мурманск (8152)59-64-93
Набережные Челны (8552)20-53-41
Нижний Новгород (831)429-08-12
Новокузнецк (3843)20-46-81
Ноябрьск (3496)41-32-12
Новосибирск (383)227-86-73
Омск (3812)21-46-40
Орел (4862)44-53-42
Оренбург (3532)37-68-04
Пенза (8412)22-31-16
Петрозаводск (8142)55-98-37
Псков (8112)59-10-37
Пермь (342)205-81-47

Ростов-на-Дону (863)308-18-15
Рязань (4912)46-61-64
Самара (846)206-03-16
Саранск (8342)22-96-24
Санкт-Петербург (812)309-46-40
Саратов (845)249-38-78
Севастополь (8692)22-31-93
Симферополь (3652)67-13-56
Смоленск (4812)29-41-54
Сочи (862)225-72-31
Ставрополь (8652)20-65-13
Сыктывкар (8212)25-95-17
Тамбов (4752)50-40-97
Сургут (3462)77-98-35
Тверь (4822)63-31-35

Тольятти (8482)63-91-07
Томск (3822)98-41-53
Тула (4872)74-02-29
Тюмень (3452)66-21-18
Ульяновск (8422)24-23-59
Улан-Удэ (3012)59-97-51
Уфа (347)229-48-12
Хабаровск (4212)92-98-04
Чебоксары (8352)28-53-07
Челябинск (351)202-03-61
Череповец (8202)49-02-64
Чита (3022)38-34-83
Якутск (4112)23-90-97
Ярославль (4852)69-52-93

Россия (495)268-04-70

Казахстан (772)734-952-31

Киргизия (996)312-96-26-47