

Защиты для лица и головы CARL ROTH Polysoft, SPHERE, RELRSI, Clearways, Bionic, SEKUROKA, G500, 3M, OPTIME I, OPTIME II, Uvicator

Технические характеристики

Алматы (7273)495-231
Ангарск (3955)60-70-56
Архангельск (8182)63-90-72
Астрахань (8512)99-46-04
Барнаул (3852)73-04-60
Белгород (4722)40-23-64
Благовещенск (4162)22-76-07
Брянск (4832)59-03-52
Владивосток (423)249-28-31
Владикавказ (8672)28-90-48
Владимир (4922)49-43-18
Волгоград (844)278-03-48
Вологда (8172)26-41-59
Воронеж (473)204-51-73
Екатеринбург (343)384-55-89

Иваново (4932)77-34-06
Ижевск (3412)26-03-58
Иркутск (395)279-98-46
Казань (843)206-01-48
Калининград (4012)72-03-81
Калуга (4842)92-23-67
Кемерово (3842)65-04-62
Киров (8332)68-02-04
Коломна (4966)23-41-49
Кострома (4942)77-07-48
Краснодар (861)203-40-90
Красноярск (391)204-63-61
Курск (4712)77-13-04
Курган (3522)50-90-47
Липецк (4742)52-20-81

Магнитогорск (3519)55-03-13
Москва (495)268-04-70
Мурманск (8152)59-64-93
Набережные Челны (8552)20-53-41
Нижний Новгород (831)429-08-12
Новокузнецк (3843)20-46-81
Ноябрьск (3496)41-32-12
Новосибирск (383)227-86-73
Омск (3812)21-46-40
Орел (4862)44-53-42
Оренбург (3532)37-68-04
Пенза (8412)22-31-16
Петрозаводск (8142)55-98-37
Псков (8112)59-10-37
Пермь (342)205-81-47

Ростов-на-Дону (863)308-18-15
Рязань (4912)46-61-64
Самара (846)206-03-16
Саранск (8342)22-96-24
Санкт-Петербург (812)309-46-40
Саратов (845)249-38-78
Севастополь (8692)22-31-93
Симферополь (3652)67-13-56
Смоленск (4812)29-41-54
Сочи (862)225-72-31
Ставрополь (8652)20-65-13
Сыктывкар (8212)25-95-17
Тамбов (4752)50-40-97
Тургут (3462)77-98-35
Тверь (4822)63-31-35

Тольятти (8482)63-91-07
Томск (3822)98-41-53
Тула (4872)74-02-29
Тюмень (3452)66-21-18
Ульяновск (8422)24-23-59
Улан-Удэ (3012)59-97-51
Уфа (347)229-48-12
Хабаровск (4212)92-98-04
Чебоксары (8352)28-53-07
Челябинск (351)202-03-61
Череповец (8202)49-02-64
Чита (3022)38-34-83
Якутск (4112)23-90-97
Ярославль (4852)69-52-93

Россия (495)268-04-70

Казахстан (772)734-952-31

Киргизия (996)312-96-26-47

Head and face protection



Face visor Polysoft

Op-D-Op.

Ultra-lightweight, made of ABS. Flexible, anti-fog, can also be worn over respiratory masks and spectacles. With forehead padding and fastening cord. Headpiece adapts to the wearer using body heat. Smallest head circumference approx. 440 mm.

Delivery incl. headgear with cord, 3 face visors and 1 mini visor.

Colour	Lens design	Art. No.	Pack Qty.
white	clear	C346.1	1 unit(s)
blue	clear	C347.1	1 unit(s)
neon yellow	clear	C348.1	1 unit(s)
neon pink	clear	C349.1	1 unit(s)



Face shield SPHERE

Bollé.

Acc. to **EN 166, EN 170**. Also suitable for work with UV light.

- Lens made of PC (2.0 mm thick), frame made of PP
- Wide field of vision of 180°
- Adjustable headgear and headband
- Protection against chemical splashes
- Protection against medium-energy particles (120 m/s), tested at extremely high temperatures
- Protection against hot solids and molten metals

Weight 355 g. Visor size: H 205 x W 394 mm.

Lens design	Art. No.	Pack Qty.
clear, UV protection	PT74.1	1 unit(s)



Face shield

UVEX.

Acc. to EN 166 and EN 170. Robust headpiece made of PA with integrated forehead protection. Comfortable adjustment to individual head size via twist fastener. Continuously adjustable folding up mechanism. Visor made of cellulose acetate, 1 mm thickness. To protect against low-energy particles.

Dimensions: H 195 x W 540 mm. 227 g weight.

(1) 9705

Lens design	Art. No.	Pack Qty.
clear, UV protection	EX08.1	1 unit(s)

(2) 9706

Lens design	Art. No.	Pack Qty.
clear, UV protection, anti-fog	HLN4.1	1 unit(s)



Face shield RELRSI

Bollé.

Acc. to **EN 166, EN 170**. Also suitable for work with UV light.

- Ultra-light, flip-up visor
- Anti-fog acetate protective visor, thickness 1.5 mm
- Protection against chemical splashes, electrical arcs and short circuits
- Protection against flying particles, medium energy (120 m/s)
- Adjustable head strap
- Frame and headpiece made of polypropylene

200 g weight. Visor size: (H x W) 190 x 290 mm.

Lens design	Art. No.	Pack Qty.
clear, UV protection, anti-fog	KP10.1	1 unit(s)



Head and face protection



Face shield Clearways

Honeywell Safety.

Acc. to **EN 166**. Very lightweight headgear. Replaceable visor made of PC, can be bended using the metal frame. Width of the padded headgear can be individually adjusted by a rotating ratchet mechanism. For protection against fluid splashes and low-energy flying particles. Visor dimensions: H 250 x W 205 mm. Height incl. 265 mm headpiece.

Lens design	Art. No.	Pack Qty.	
clear	E227.1	1 unit(s)	



Face shield Bionic

Honeywell Safety.

Acc. to **EN 166, EN 170**.

- Large visor allows for good visibility
- Polycarbonate visor for UV-protection and good colour recognition
- Anti-scratch and anti-fog
- Protection against chemical splashes
- Protection against medium-energy flying particles (120 m/s), tested at extremely high temperatures
- Visors are very easy to replace
- Can be set individually for a good fit
- Ratchet headpiece
- Frame made of robust ABS plastic
- All parts that come into contact with the head have soft padding
- Skin-friendly sweatband that can be replaced and washed
- Added protection for upper head and chin
- Can be combined with respirator or safety spectacles
- Very lightweight, weight 407 g
- Dimensions: H 31 x W 24 cm

Lens design	Art. No.	Pack Qty.	
clear, UV protection, anti-scratch, anti-fog	CA34.1	1 unit(s)	



Combined face and ear protection G500


3M.

Acc. to **EN 166, EN 352**. The combination consists of yellow headgear, a clear, anti-fog PC visor and Optime™ I earmuffs (insulation value 26 dB(A)). The headpiece can be set for head sizes of 54–62 cm. The visor protects against particles flying at a medium speed of 120 m/s.

- A practical and comfortable solution for all who need both face and ear protection
- Face shield and wide field of view
- Multiple combinations with safety spectacles and clear or mesh visors
- Stable construction, long service life and excellent wear comfort

Delivery incl. headpiece, PC visor, Optime™ I ear defenders.

Lens design	Art. No.	Pack Qty.	
clear	YT38.1	1 unit(s)	



Wall hook SEKUROKA®

ROTH SELECTION.

With information label made of rigid plastic, W 195 x L 215 mm, hook length 40 mm.

Version	Art. No.	Pack Qty.	
for aprons	1092.1	1 unit(s)	
for gas masks	1091.1	1 unit(s)	
for face shields	E174.1	1 unit(s)	

Head and face protection



Face shield accessories 3M™

3M.

Can be combined with hard hats (NH14.1f). Visor mount (NH18.1) and helmet adapter (AKT9.1) are required to secure the visors. If ear defenders are attached, no helmet adapter is required.

(1) Polycarbonate visor

Material: PC. Clear and anti-fog. Includes replacement screen that can be used with G500 (YT38.1) combined face and ear protection.

Lens design	Art. No.	Pack Qty.	
clear, anti-fog	NH16.1	1 unit(s)	

(2) Stainless steel mesh visor

Light reduction: 24%, 54 g, suitable for use in agriculture, forestry and gardening.

Version	Art. No.	Pack Qty.	
Stainless steel mesh visor	NH17.1	1 unit(s)	

(3) Visor mount

For securing visors to NH14.1 f hard hats.

Version	Art. No.	Pack Qty.	
Visor mount	NH18.1	1 unit(s)	

Helmet adapter

Connector for helmets with 30 mm slot (NH14.1 f) for attaching the visor mount without ear defenders.

Version	Art. No.	Pack Qty.	
Helmet adapter	AKT9.1	1 pair	



Ear defenders Peltor™ OPTIME™

3M.

Acc. to EN 352-1. With safety attachment for all hard hats with 30 mm slot system and face/ear protection G500 (YT38.1). High wear comfort and low pressure inside ear even after extended wear

- Lightweight design, optimal ear protection
- Constant pressure, liquid-filled sealing ring
- 2-point mounting

Delivery without ear defenders (NH14.1, NH15.1) please order separately.

OPTIME™ I

Flat design.

Applications: Outdoor work, building trade, engineering, woodworking, metalworking, automobile industry, farming, chemical treatment.

SNR value (db)	Art. No.	Pack Qty.	
26	NH12.1	1 pair	

OPTIME™ II

For high-noise environments, provides excellent sound insulation even at extremely low frequencies.

Applications: Outdoor work, building trade, airports.

SNR value (db)	Art. No.	Pack Qty.	
30	NH13.1	1 pair	



Hard hat Uvicator™ sensor

3M. Material: ABS UV-stabilised.

Acc. to EN 397. Made of ABS, ventilated, with sweatband. Designed for use in harsh environments with high safety requirements.

- Compatible with other auxiliary safety gear, such as ear defenders, visors or safety spectacles.
- The Peltor™ Uvicator™ sensor indicates when the helmet requires replacing.
- Short face shield allows for excellent visibility
- Ratchet system for easy adjustment to head size
- Slender, rounded shape reduces the danger of getting caught on objects such as tree branches or similar obstacles
- Multiple ventilation slots make for excellent ventilation

Colour	Art. No.	Pack Qty.	
white	NH14.1	1 unit(s)	
yellow	NH15.1	1 unit(s)	

Алматы (7273)495-231
Ангарск (3955)60-70-56
Архангельск (8182)63-90-72
Астрахань (8512)99-46-04
Барнаул (3852)73-04-60
Белгород (4722)40-23-64
Благовещенск (4162)22-76-07
Брянск (4832)59-03-52
Владивосток (423)249-28-31
Владикавказ (8672)28-90-48
Владимир (4922)49-43-18
Волгоград (844)278-03-48
Вологда (8172)26-41-59
Воронеж (473)204-51-73
Екатеринбург (343)384-55-89

Иваново (4932)77-34-06
Ижевск (3412)26-03-58
Иркутск (395)279-98-46
Казань (843)206-01-48
Калининград (4012)72-03-81
Калуга (4842)92-23-67
Кемерово (3842)65-04-62
Киров (8332)68-02-04
Коломна (4966)23-41-49
Кострома (4942)77-07-48
Краснодар (861)203-40-90
Красноярск (391)204-63-61
Курск (4712)77-13-04
Курган (3522)50-90-47
Липецк (4742)52-20-81

Россия (495)268-04-70

Магнитогорск (3519)55-03-13
Москва (495)268-04-70
Мурманск (8152)59-64-93
Набережные Челны (8552)20-53-41
Нижний Новгород (831)429-08-12
Новокузнецк (3843)20-46-81
Ноябрьск (3496)41-32-12
Новосибирск (383)227-86-73
Омск (3812)21-46-40
Орел (4862)44-53-42
Оренбург (3532)37-68-04
Пенза (8412)22-31-16
Петрозаводск (8142)55-98-37
Псков (8112)59-10-37
Пермь (342)205-81-47

Казахстан (772)734-952-31

Ростов-на-Дону (863)308-18-15
Рязань (4912)46-61-64
Самара (846)206-03-16
Саранск (8342)22-96-24
Санкт-Петербург (812)309-46-40
Саратов (845)249-38-78
Севастополь (8692)22-31-93
Симферополь (3652)67-13-56
Смоленск (4812)29-41-54
Сочи (862)225-72-31
Ставрополь (8652)20-65-13
Сыктывкар (8212)25-95-17
Тамбов (4752)50-40-97
Сургут (3462)77-98-35
Тверь (4822)63-31-35

Киргизия (996)312-96-26-47

Тольятти (8482)63-91-07
Томск (3822)98-41-53
Тула (4872)74-02-29
Тюмень (3452)66-21-18
Ульяновск (8422)24-23-59
Улан-Удэ (3012)59-97-51
Уфа (347)229-48-12
Хабаровск (4212)92-98-04
Чебоксары (8352)28-53-07
Челябинск (351)202-03-61
Череповец (8202)49-02-64
Чита (3022)38-34-83
Якутск (4112)23-90-97
Ярославль (4852)69-52-93