

Ленты маркировочные CARL ROTH SEKUROKA

Технические характеристики

Алматы (7273)495-231
Ангарск (3955)60-70-56
Архангельск (8182)63-90-72
Астрахань (8512)99-46-04
Барнаул (3852)73-04-60
Белгород (4722)40-23-64
Благовещенск (4162)22-76-07
Брянск (4832)59-03-52
Владивосток (423)249-28-31
Владикавказ (8672)28-90-48
Владимир (4922)49-43-18
Волгоград (844)278-03-48
Вологда (8172)26-41-59
Воронеж (473)204-51-73
Екатеринбург (343)384-55-89

Иваново (4932)77-34-06
Ижевск (3412)26-03-58
Иркутск (395)279-98-46
Казань (843)206-01-48
Калининград (4012)72-03-81
Калуга (4842)92-23-67
Кемерово (3842)65-04-62
Киров (8332)68-02-04
Коломна (4966)23-41-49
Кострома (4942)77-07-48
Краснодар (861)203-40-90
Красноярск (391)204-63-61
Курск (4712)77-13-04
Курган (3522)50-90-47
Липецк (4742)52-20-81

Магнитогорск (3519)55-03-13
Москва (495)268-04-70
Мурманск (8152)59-64-93
Набережные Челны (8552)20-53-41
Нижний Новгород (831)429-08-12
Новокузнецк (3843)20-46-81
Ноябрьск (3496)41-32-12
Новосибирск (383)227-86-73
Омск (3812)21-46-40
Орел (4862)44-53-42
Оренбург (3532)37-68-04
Пенза (8412)22-31-16
Петрозаводск (8142)55-98-37
Псков (8112)59-10-37
Пермь (342)205-81-47

Ростов-на-Дону (863)308-18-15
Рязань (4912)46-61-64
Самара (846)206-03-16
Саранск (8342)22-96-24
Санкт-Петербург (812)309-46-40
Саратов (845)249-38-78
Севастополь (8692)22-31-93
Симферополь (3652)67-13-56
Смоленск (4812)29-41-54
Сочи (862)225-72-31
Ставрополь (8652)20-65-13
Сыктывкар (8212)25-95-17
Тамбов (4752)50-40-97
Сургут (3462)77-98-35
Тверь (4822)63-31-35

Тольятти (8482)63-91-07
Томск (3822)98-41-53
Тула (4872)74-02-29
Тюмень (3452)66-21-18
Ульяновск (8422)24-23-59
Улан-Удэ (3012)59-97-51
Уфа (347)229-48-12
Хабаровск (4212)92-98-04
Чебоксары (8352)28-53-07
Челябинск (351)202-03-61
Череповец (8202)49-02-64
Чита (3022)38-34-83
Якутск (4112)23-90-97
Ярославль (4852)69-52-93

Россия (495)268-04-70

Казахстан (772)734-952-31

Киргизия (996)312-96-26-47

Marking tapes, signs




Warning sign danger of slipping

Contacto Bander. Material: PE.

Acc. to ASR A1.3/BGV A8/DIN 4844.

Warning sign „Danger of slipping“, in two languages – German and English. Coloured yellow, printed on both sides. Easy to fold and transport. Dimensions when folded up: W 31 mm x H 60 mm

Symbol	Art. No.	Pack Qty.	
Warning, danger of slipping	HLL6.1	1 unit(s)	



Signal tape

3M. Material: PVC Film.

Self-adhesive, abrasion resistant adhesive hazard warning tape for indoor use. Extremely stretchy and very supple, even on uneven surfaces. Ideal for marking hazards, bundling, holding and sealing.

Colour	W x L	Art. No.	Pack Qty.	
red/white	50 mm x 33 m	0744.2	1 roll(s)	
yellow/black	50 mm x 33 m	NK94.1	1 roll(s)	



Signal barrier tape SEKUROKA®

ROTH SELECTION. Material: PE, Film, tearproof.

Red/white striped, simply printed, non-adhesive. For indicating, marking and warning against obstacles and hazards.

Colour	W x L	Art. No.	Pack Qty.	
red/white	75 mm x 500 m	NH42.1	1 roll(s)	



Magnetic sign SEKUROKA®

ROTH SELECTION. Material: Plastic, with white PVC coating.

On tape roll with magnetic finish, can be marked with pencil, ballpoint pen, typewriter, etc.

W x L	Art. No.	Pack Qty.	
30 mm x 5 m	0182.1	1 roll(s)	
50 mm x 5 m	0181.1	1 roll(s)	



A 121 °C



Adhesive tape temperature stable

Autoclavable: Yes.

Self-adhesive tape, ideal for use in extreme temperatures. For use in the cryo sector, in incubators, autoclaves, sterilisers, etc. The textile surface can be marked.

Temperature stability from -196 to +287 °C.

W x L	Art. No.	Pack Qty.	
12.7 mm x 7.6 m	L034.1	1 roll(s)	
19.0 mm x 7.6 m	L035.1	1 roll(s)	
25.4 mm x 7.6 m	L036.1	1 roll(s)	



Marking tapes, signs

Marking tape Labeltape original

Diversified Biotech. Material: Paper coated. Autoclavable: Yes.

Self-adhesive coloured marking tape. Long-lasting, abrasion-resistant and does not fade. Resistant to oils, dilute acids and water. Excellent adhesion to most surfaces such as glass, plastic and metal. Can be removed without leaving a residue.

Ideal for general identification and colour coding. Suitable for labelling with a ball-point pen, pencil, felt-tipped pen or permanent marker. Temperature stability from -23 to +121 °C.



A121 °C



Colour	W x L	ØCore (mm)	Art. No.	Pack Qty.	
white	19 mm x 12.7 m	25.4	KCL0.1	1 roll(s)	
yellow	19 mm x 12.7 m	25.4	KCL1.1	1 roll(s)	
green	19 mm x 12.7 m	25.4	KCL2.1	1 roll(s)	
blue	19 mm x 12.7 m	25.4	KCL3.1	1 roll(s)	
red	19 mm x 12.7 m	25.4	KCL4.1	1 roll(s)	

Duct tape SEKUROKA® Standard

ROTH SELECTION. Fabric tape, 80 mesh (threads/inch²), PE coated, with natural rubber adhesive.

High tear strength, good adhesive power, also adheres to rough surfaces. Hand tearable. Waterproof, highly UV and oil resistant. Wide variety of uses indoors and outdoors. Writable.

Temperature stability from -35 to +80 °C



Colour	W x L	Thickness (mm)	ØCore (mm)	Art. No.	Pack Qty.	
white	19 mm x 50 m	0.30	76.1	YX05.1	1 roll(s)	
yellow	19 mm x 50 m	0.30	76.1	YX06.1	1 roll(s)	
red	19 mm x 50 m	0.30	76.1	YX07.1	1 roll(s)	
blue	19 mm x 50 m	0.30	76.1	YX08.1	1 roll(s)	
green	19 mm x 50 m	0.30	76.1	YX09.1	1 roll(s)	
silver	19 mm x 50 m	0.30	76.1	YX10.1	1 roll(s)	

Duct tape tesa® Premium

tesa. Fabric tape, 145 mesh (threads/inch²), Acrylic coated with natural rubber adhesive. Autoclavable: Yes.

Abrasion resistant, very high tear strength. Hand tearable. Waterproof, UV and oil resistant. Wide variety of uses indoors and outdoors.

Writable. Temperature stability from -40 to +130 °C.



A121 °C



Colour	W x L	Thickness (mm)	ØCore (mm)	Art. No.	Pack Qty.	
white	19 mm x 50 m	0.31	76.1	YX11.1	1 roll(s)	
yellow	19 mm x 50 m	0.31	76.1	YX12.1	1 roll(s)	
red	19 mm x 50 m	0.31	76.1	YX13.1	1 roll(s)	
blue	19 mm x 50 m	0.31	76.1	YX14.1	1 roll(s)	
green	19 mm x 50 m	0.31	76.1	YX15.1	1 roll(s)	
black	19 mm x 50 m	0.31	76.1	YX18.1	1 roll(s)	

Marking tapes, signs

Marking tape ROTI®Tape

ROTH SELECTION. Autoclavable: Yes.

Self-adhesive, coloured marking tapes. Wide range of applications, e.g. labelling samples, laboratory glass and laboratory dishes.

- Can be marked with pencil, ballpoint pen, felt-tipped pen, permanent marker, ink, etc.
- Can be removed without leaving any residue
- Resistant to oil, water and acids
- Temperature stability from: -23 °C to +121 °C



Core Ø 25.4 mm, width 13,00 mm

Colour	W x L	ØCore (mm)	Art. No.	Pack Qty.	
red	13 mm x 12.7 m	25.4	7982.1	1 roll(s)	
blue	13 mm x 12.7 m	25.4	7983.1	1 roll(s)	
grey	13 mm x 12.7 m	25.4	AL52.1	1 roll(s)	
pink	13 mm x 12.7 m	25.4	AL31.1	1 roll(s)	
pink	13 mm x 12.7 m	25.4	AL43.1	1 roll(s)	
beige	13 mm x 12.7 m	25.4	AL34.1	1 roll(s)	
black	13 mm x 12.7 m	25.4	AL55.1	1 roll(s)	
green	13 mm x 12.7 m	25.4	7985.1	1 roll(s)	
white	13 mm x 12.7 m	25.4	7981.1	1 roll(s)	
copper	13 mm x 12.7 m	25.4	AL40.1	1 roll(s)	
orange	13 mm x 12.7 m	25.4	7988.1	1 roll(s)	
salmon	13 mm x 12.7 m	25.4	AL37.1	1 roll(s)	
violet	13 mm x 12.7 m	25.4	AL46.1	1 roll(s)	
yellow	13 mm x 12.7 m	25.4	7987.1	1 roll(s)	
lavender	13 mm x 12.7 m	25.4	AL49.1	1 roll(s)	

Core Ø 25.4 mm, width 19,1 mm

Colour	W x L	ØCore (mm)	Art. No.	Pack Qty.	
red	19.1 mm x 12.7 m	25.4	8000.1	1 roll(s)	
blue	19.1 mm x 12.7 m	25.4	8002.1	1 roll(s)	
grey	19.1 mm x 12.7 m	25.4	AL53.1	1 roll(s)	
pink	19.1 mm x 12.7 m	25.4	AL32.1	1 roll(s)	
pink	19.1 mm x 12.7 m	25.4	AL44.1	1 roll(s)	
beige	19.1 mm x 12.7 m	25.4	AL35.1	1 roll(s)	
black	19.1 mm x 12.7 m	25.4	AL56.1	1 roll(s)	
green	19.1 mm x 12.7 m	25.4	8003.1	1 roll(s)	
white	19.1 mm x 12.7 m	25.4	7999.1	1 roll(s)	
copper	19.1 mm x 12.7 m	25.4	AL41.1	1 roll(s)	
orange	19.1 mm x 12.7 m	25.4	8014.1	1 roll(s)	
salmon	19.1 mm x 12.7 m	25.4	AL38.1	1 roll(s)	
violet	19.1 mm x 12.7 m	25.4	AL47.1	1 roll(s)	
yellow	19.1 mm x 12.7 m	25.4	8008.1	1 roll(s)	
lavender	19.1 mm x 12.7 m	25.4	AL50.1	1 roll(s)	

Core Ø 25.4 mm, width 25,4 mm

Colour	W x L	ØCore (mm)	Art. No.	Pack Qty.	
red	25.4 mm x 12.7 m	25.4	8037.1	1 roll(s)	
blue	25.4 mm x 12.7 m	25.4	8041.1	1 roll(s)	
grey	25.4 mm x 12.7 m	25.4	AL54.1	1 roll(s)	
pink	25.4 mm x 12.7 m	25.4	AL33.1	1 roll(s)	
pink	25.4 mm x 12.7 m	25.4	AL45.1	1 roll(s)	
beige	25.4 mm x 12.7 m	25.4	AL36.1	1 roll(s)	
black	25.4 mm x 12.7 m	25.4	AL57.1	1 roll(s)	
green	25.4 mm x 12.7 m	25.4	8042.1	1 roll(s)	
white	25.4 mm x 12.7 m	25.4	8036.1	1 roll(s)	
copper	25.4 mm x 12.7 m	25.4	AL42.1	1 roll(s)	
orange	25.4 mm x 12.7 m	25.4	8057.1	1 roll(s)	
salmon	25.4 mm x 12.7 m	25.4	AL39.1	1 roll(s)	
violet	25.4 mm x 12.7 m	25.4	AL48.1	1 roll(s)	
yellow	25.4 mm x 12.7 m	25.4	8055.1	1 roll(s)	
lavender	25.4 mm x 12.7 m	25.4	AL51.1	1 roll(s)	



Marking tapes, signs

Core Ø 76.2 mm, width 13,0 mm

Colour	W x L	ØCore (mm)	Art. No.	Pack Qty.	
red	13 mm x 55 m	76.2	7991.1	1 roll(s)	
blue	13 mm x 55 m	76.2	7993.1	1 roll(s)	
grey	13 mm x 55 m	76.2	AL79.1	1 roll(s)	
pink	13 mm x 55 m	76.2	AL58.1	1 roll(s)	
pink	13 mm x 55 m	76.2	AL70.1	1 roll(s)	
green	13 mm x 55 m	76.2	7994.1	1 roll(s)	
white	13 mm x 55 m	76.2	7990.1	1 roll(s)	
copper	13 mm x 55 m	76.2	AL67.1	1 roll(s)	
orange	13 mm x 55 m	76.2	7997.1	1 roll(s)	
salmon	13 mm x 55 m	76.2	AL64.1	1 roll(s)	
violet	13 mm x 55 m	76.2	AL73.1	1 roll(s)	
yellow	13 mm x 55 m	76.2	7996.1	1 roll(s)	
lavender	13 mm x 55 m	76.2	AL76.1	1 roll(s)	

Core Ø 76.2 mm, width 19,1 mm

Colour	W x L	ØCore (mm)	Art. No.	Pack Qty.	
red	19.1 mm x 55 m	76.2	8026.1	1 roll(s)	
blue	19.1 mm x 55 m	76.2	8027.1	1 roll(s)	
grey	19.1 mm x 55 m	76.2	AL80.1	1 roll(s)	
pink	19.1 mm x 55 m	76.2	AL59.1	1 roll(s)	
pink	19.1 mm x 55 m	76.2	AL71.1	1 roll(s)	
beige	19.1 mm x 55 m	76.2	AL62.1	1 roll(s)	
black	19.1 mm x 55 m	76.2	AL83.1	1 roll(s)	
green	19.1 mm x 55 m	76.2	8033.1	1 roll(s)	
white	19.1 mm x 55 m	76.2	8024.1	1 roll(s)	
copper	19.1 mm x 55 m	76.2	AL68.1	1 roll(s)	
orange	19.1 mm x 55 m	76.2	8035.1	1 roll(s)	
salmon	19.1 mm x 55 m	76.2	AL65.1	1 roll(s)	
violet	19.1 mm x 55 m	76.2	AL74.1	1 roll(s)	
yellow	19.1 mm x 55 m	76.2	8034.1	1 roll(s)	
lavender	19.1 mm x 55 m	76.2	AL77.1	1 roll(s)	

Core Ø 76.2 mm, width 25,4 mm

Colour	W x L	ØCore (mm)	Art. No.	Pack Qty.	
red	25.4 mm x 55 m	76.2	8061.1	1 roll(s)	
blue	25.4 mm x 55 m	76.2	8062.1	1 roll(s)	
grey	25.4 mm x 55 m	76.2	AL81.1	1 roll(s)	
pink	25.4 mm x 55 m	76.2	AL60.1	1 roll(s)	
pink	25.4 mm x 55 m	76.2	AL72.1	1 roll(s)	
green	25.4 mm x 55 m	76.2	8064.1	1 roll(s)	
white	25.4 mm x 55 m	76.2	8058.1	1 roll(s)	
orange	25.4 mm x 55 m	76.2	8069.1	1 roll(s)	
salmon	25.4 mm x 55 m	76.2	AL66.1	1 roll(s)	
violet	25.4 mm x 55 m	76.2	AL75.1	1 roll(s)	
yellow	25.4 mm x 55 m	76.2	8065.1	1 roll(s)	
lavender	25.4 mm x 55 m	76.2	AL78.1	1 roll(s)	

Marking tapes, signs



A 121 °C



Marking tape ROTI®Tape set

ROTH SELECTION. Autoclavable: Yes.

Self-adhesive, coloured marking tapes. Wide range of applications, e.g. labelling samples, laboratory glass and laboratory dishes.

- Can be marked with pencil, ballpoint pen, felt-tipped pen, permanent marker, ink, etc.
- Can be removed without leaving any residue
- Resistant to oil, water and acids
- Temperature stable in the range -23 to +121 °C


Set contains five rolls, colours: white, red, blue, green and yellow.

Core Ø 25.4 mm

W x L	ØCore (mm)	Art. No.	Pack Qty.
13.0 mm x 12.7 m	25.4	AK65.1	1 set
19.1 mm x 12.7 m	25.4	AK66.1	1 set
25.4 mm x 12.7 m	25.4	AK67.1	1 set

Core Ø 76.2 mm

W x L	ØCore (mm)	Art. No.	Pack Qty.
13.0 mm x 55 m	76.2	E287.1	1 set
19.1 mm x 55 m	76.2	E288.1	1 set
25.4 mm x 55 m	76.2	K325.1	1 set



Desktop marking tape dispenser

Cleaver Scientific. Material: PMMA (Acrylic glass).

Practical desktop dispenser made of acrylic glass. For simultaneous use of tapes with a core Ø of 25.4 mm and 76.2 mm. The small rolls can be used directly on the spindle. Use the adapter supplied for the large tapes.

There is a sharp, serrated tear bar made of metal.

Usable internal width: 198 mm.

Delivery incl. five roll adapter for a core Ø of 76.2 mm, does not include marking tapes, please order separately.

L x W x H (mm)	Art. No.	Pack Qty.
168 x 208 x 118	1H4K.1	1 unit(s)

Accessories for desktop marking tape dispenser

Cleaver Scientific.

Type	Art. No.	Pack Qty.
Roll adapter for a core Ø of 76.2 mm	1H4L.1	5 unit(s)



Marking tape dispenser

ROTH SELECTION.

For Roti®Tape and other marking tapes and adhesive tapes. Portable or benchtop. Benchtop dispensers are equipped with a hinged lid and suction cups for secure positioning.

Delivery without marking tapes.

Hand-held dispenser

Material: Plastic. Usable internal width: 34 mm. Suitable for 1 to 2 rolls with a 25.4 mm core.

L x W x H (mm)	Art. No.	Pack Qty.
117 x 47 x 90	CT05.1	1 unit(s)

Desktop dispenser for rolls with a 25.4 mm core

Material: PMMA (Acrylic glass). Usable internal width: 220 mm.

L x W x H (mm)	Art. No.	Pack Qty.
125 x 251 x 92	AL87.1	1 unit(s)

Desktop dispenser for rolls with a 76.2 mm core

Material: PMMA. Usable internal width: 240 mm.

L x W x H (mm)	Art. No.	Pack Qty.
191 x 248 x 162	AL88.1	1 unit(s)

Алматы (7273)495-231	Иваново (4932)77-34-06	Магнитогорск (3519)55-03-13	Ростов-на-Дону (863)308-18-15	Тольятти (8482)63-91-07
Ангарск (3955)60-70-56	Ижевск (3412)26-03-58	Москва (495)268-04-70	Рязань (4912)46-61-64	Томск (3822)98-41-53
Архангельск (8182)63-90-72	Иркутск (395)279-98-46	Мурманск (8152)59-64-93	Самара (846)206-03-16	Тула (4872)74-02-29
Астрахань (8512)99-46-04	Казань (843)206-01-48	Набережные Челны (8552)20-53-41	Саранск (8342)22-96-24	Тюмень (3452)66-21-18
Барнаул (3852)73-04-60	Калининград (4012)72-03-81	Нижний Новгород (831)429-08-12	Санкт-Петербург (812)309-46-40	Ульяновск (8422)24-23-59
Белгород (4722)40-23-64	Калуга (4842)92-23-67	Новокузнецк (3843)20-46-81	Саратов (845)249-38-78	Улан-Удэ (3012)59-97-51
Благовещенск (4162)22-76-07	Кемерово (3842)65-04-62	Ноябрьск (3496)41-32-12	Севастополь (8692)22-31-93	Уфа (347)229-48-12
Брянск (4832)59-03-52	Киров (8332)68-02-04	Новосибирск (383)227-86-73	Симферополь (3652)67-13-56	Хабаровск (4212)92-98-04
Владивосток (423)249-28-31	Коломна (4966)23-41-49	Омск (3812)21-46-40	Ставрополь (8652)20-65-13	Чебоксары (8352)28-53-07
Владикавказ (8672)28-90-48	Кострома (4942)77-07-48	Орел (4862)44-53-42	Сочи (862)225-72-31	Челябинск (351)202-03-61
Владимир (4922)49-43-18	Краснодар (861)203-40-90	Оренбург (3532)37-68-04	Сыктывкар (8212)25-95-17	Череповец (8202)49-02-64
Волгоград (844)278-03-48	Красноярск (391)204-63-61	Пенза (8412)22-31-16	Тамбов (4752)50-40-97	Чита (3022)38-34-83
Вологда (8172)26-41-59	Курск (4712)77-13-04	Петрозаводск (8142)55-98-37	Сургут (3462)77-98-35	Якутск (4112)23-90-97
Воронеж (473)204-51-73	Курган (3522)50-90-47	Псков (8112)59-10-37	Тверь (4822)63-31-35	Ярославль (4852)69-52-93
Екатеринбург (343)384-55-89	Липецк (4742)52-20-81	Пермь (342)205-81-47		
Россия (495)268-04-70	Казахстан (772)734-952-31	Киргизия (996)312-96-26-47		