

Удлинитель, таймеры CARL ROTH Eco, Eco line, MZ 20-1

Технические характеристики

Алматы (7273)495-231
Ангарск (3955)60-70-56
Архангельск (8182)63-90-72
Астрахань (8512)99-46-04
Барнаул (3852)73-04-60
Белгород (4722)40-23-64
Благовещенск (4162)22-76-07
Брянск (4832)59-03-52
Владивосток (423)249-28-31
Владикавказ (8672)28-90-48
Владимир (4922)49-43-18
Волгоград (844)278-03-48
Вологда (8172)26-41-59
Воронеж (473)204-51-73
Екатеринбург (343)384-55-89

Иваново (4932)77-34-06
Ижевск (3412)26-03-58
Иркутск (395)279-98-46
Казань (843)206-01-48
Калининград (4012)72-03-81
Калуга (4842)92-23-67
Кемерово (3842)65-04-62
Киров (8332)68-02-04
Коломна (4966)23-41-49
Кострома (4942)77-07-48
Краснодар (861)203-40-90
Красноярск (391)204-63-61
Курск (4712)77-13-04
Курган (3522)50-90-47
Липецк (4742)52-20-81

Магнитогорск (3519)55-03-13
Москва (495)268-04-70
Мурманск (8152)59-64-93
Набережные Челны (8552)20-53-41
Нижний Новгород (831)429-08-12
Новокузнецк (3843)20-46-81
Ноябрьск (3496)41-32-12
Новосибирск (383)227-86-73
Омск (3812)21-46-40
Орел (4862)44-53-42
Оренбург (3532)37-68-04
Пенза (8412)22-31-16
Петрозаводск (8142)55-98-37
Псков (8112)59-10-37
Пермь (342)205-81-47

Ростов-на-Дону (863)308-18-15
Рязань (4912)46-61-64
Самара (846)206-03-16
Саранск (8342)22-96-24
Санкт-Петербург (812)309-46-40
Саратов (845)249-38-78
Севастополь (8692)22-31-93
Симферополь (3652)67-13-56
Смоленск (4812)29-41-54
Сочи (862)225-72-31
Ставрополь (8652)20-65-13
Сыктывкар (8212)25-95-17
Тамбов (4752)50-40-97
Тургут (3462)77-98-35
Тверь (4822)63-31-35

Тольятти (8482)63-91-07
Томск (3822)98-41-53
Тула (4872)74-02-29
Тюмень (3452)66-21-18
Ульяновск (8422)24-23-59
Улан-Удэ (3012)59-97-51
Уфа (347)229-48-12
Хабаровск (4212)92-98-04
Чебоксары (8352)28-53-07
Челябинск (351)202-03-61
Череповец (8202)49-02-64
Чита (3022)38-34-83
Якутск (4112)23-90-97
Ярославль (4852)69-52-93


Россия (495)268-04-70

Казахстан (772)734-952-31

Киргизия (996)312-96-26-47



Multiple sockets



Socket strip Eco series

Power supply 250 V~, max. 3600 W, 16 A.

(1) 3-way socket strip model

With rotated sockets.

Dimensions: W 100 mm x H 60 mm x L 200 mm.

Version	Bar length (mm)	Cable length (m)	Art. No.	Pack Qty.	
3-way	200	1.4	XK32.1	1 unit(s)	

(2) 2+2-way socket strip model

With 2 Euro sockets and 2 safety sockets.

Dimensions: W 70 mm x H 50 mm x L 200 mm.

Version	Bar length (mm)	Cable length (m)	Art. No.	Pack Qty.	
2 +2-way	200	1.4	XK33.1	1 unit(s)	

(3) 6-way socket strip model

With rotated sockets. Dimensions: W 75 mm x H 60 mm x L 345 mm.

Version	Bar length (mm)	Cable length (m)	Art. No.	Pack Qty.	
6-way	345	1.4	XK34.1	1 unit(s)	



Socket strip Eco line, 3-way with switch

Brennenstuhl.

Inclined socket arrangement. Illuminated safety switch, 2-pole on/off switch.

Dimensions: W 240 mm x H 65 mm x D 100 mm. Max. 3500 W, 16 A. Power supply 230 V.

Version	Cable length (m)	Art. No.	Pack Qty.	
3-way	3	HHN0.1	1 unit(s)	
3-way	5	HHN1.1	1 unit(s)	



Socket strip

Brennenstuhl.

Made of special, highly break-resistant plastic. The ideal diagonal arrangement of the plug contacts allows easy simultaneous connection of 4/6 angle plugs. The integrated on/off switch indicates readiness for operation. With practical cable holder to store the cable after use. Can also be wall-mounted; hanging device is provided. 2 m connecting cable 2 m on 4-way strip, 3 m on 6-way strip. Colour: Anthracite/bordeaux.

Version	Colour	Bar length (mm)	Art. No.	Pack Qty.	
4-fold	anthracite, bordeaux red	320	E757.1	1 unit(s)	
6-fold	anthracite, bordeaux red	410	E758.1	1 unit(s)	



Socket strip 6-way

Brennenstuhl.

With overvoltage and lightning protection.

Protects connected devices from damage in the event of overvoltage through indirect lightning strikes or from voltage peaks in the mains supply up to 4500 A; for example, through inductive load switching. Diagonal arrangement of sockets for up to 6 central or angle plugs. Suitable for devices up to 16 A and 3680 W power consumption. Two-pole isolating mains switch with function indicator light. H05 VV-F 3G1.0 1.5 m connection cable. 16 A, 230 V safety plug.

Version	Colour	Art. No.	Pack Qty.	
6-way	black	P685.1	1 unit(s)	
6-way	light grey	P686.1	1 unit(s)	

Multiple sockets



Socket strip IP44, 4-way

Brennenstuhl.

Also for use outdoors. With self-closing lids, protection class IP 44. Approx. 2 m rubber/neoprene connection cable. Screw hole for fastening. H 50 mm x W 410 mm x D 100 mm. Max. 3680 W, 16 A. Power supply 250 V.

Type	Version	Cable length (m)	Art. No.	Pack Qty.	
Socket strip, 4-way, IP44	4-way	2	HHN7.1	1 unit(s)	



Socket strip IP54, 5-way

Brennenstuhl.

For rugged use and outdoor applications. Splashproof (IP 54). Impact and break-resistant plastic housing. Connection-cable with **FI plug (fault-current circuit breaker)** 30 mA protects against hazardous electrical accidents. Illuminated 2-pole On/Off switch with protective hood. 5 splash-proof sockets with sealing ring and self-closing hinged lids to protect against contamination, according to VDE. Sockets in 45° arrangement. Cable length 5 m. Dimensions: L 480 mm x W 80 mm x H 62 mm.

Type	Version	Bar length (mm)	Art. No.	Pack Qty.	
Socket block, 5-way, IP54	5-way	480	KP32.1	1 unit(s)	



Socket outlet distributor with 4-way socket

Brennenstuhl.

With safety plug. Housing made of special, highly break-resistant plastic. 3 m connection cable (can be rolled up into housing). Very flat (height 60 mm), Ø 180 mm. Colour: Black/white.

Version	Colour	Cable length (m)	Art. No.	Pack Qty.	
4 way	black, white	3	E759.1	1 unit(s)	



Safety cable reel

Brennenstuhl.

With automatic overheating and accident prevention function. If the temperature reaches +55 °C, current passage is interrupted and the red indicator light lights up. Connected load 220 V/4 A. Rating up to 3500 W when cable is unwound. Four Schuko plug sockets and cable with Schuko plug. Dimensions: H 230 mm x D 105 mm, Ø 190 mm.

Version	Cable length (m)	Art. No.	Pack Qty.	
4-way	5	HHN3.1	1 unit(s)	
4-way	10	4687.1	1 unit(s)	



Extension cable

PVC-hose line. With safety-plug.

Cable length (m)	Art. No.	Pack Qty.	
3	Y203.1	1 unit(s)	
5	Y204.1	1 unit(s)	



Timer MZ 20-1

Brennenstuhl.

Mechanical, with 96 switch on/switch off times per day. Minimum switching interval 15 min. With LED function display. Max. switching capacity 3500 W. Dimensions W 80 x D 70 x H 120 mm. Weight 160 g. Mains power 230 V.

Type	Art. No.	Pack Qty.	
MZ 20-1 timer	1K64.1	1 unit(s)	



Timer with temperature sensor

Allows time-controlled or temperature-controlled switching, or both combined. In **Time mode** there are three possible On/Off time pairs in a 24 hour cycle. In **Temperature mode**, the device switches itself on/off when the value falls below a freely-set temperature. Maximum load capacity 3500 W. Sensor cable length 1 m.

Technical specifications:

Art. No.	C012.1
Operating temperature	0 to +40 °C
Accuracy	1 °C
Width	55 mm
Depth	55 mm
Height	130 mm
Weight	250 g

Delivery incl. micro 1.5 V battery.

Version	Art. No.	Pack Qty.	
Timer with sensor	C012.1	1 unit(s)	



One-hour signal timer

In plastic housing. With spring drive. After the set time has expired, a subtle yet clearly audible ringing signal sounds. Dimensions: W 70 x D 40 x H 70 mm. Weight approx. 108 g.

Colour	Art. No.	Pack Qty.	
red	KN86.1	1 unit(s)	
black	KN87.1	1 unit(s)	
white	KN85.1	1 unit(s)	
yellow	KN88.1	1 unit(s)	



One-hour signal timer

Stainless steel housing, plastic coating. Shows remaining time in colour. Ringing signal once the time has elapsed. Metal winding movement. Magnetic fastener. Dimensions: Ø 79 x T 32 mm. Weight 118 g.

Type	Art. No.	Pack Qty.	
One-hour signal timer	EEC7.1	1 unit(s)	



Two-hour signal timer

With spring drive. Made of plastic. A clear ringing signal is heard at the end of the cycle. Can be wall-mounted. Dimensions: W 69 x D 40 x H 69 mm.

Type	Art. No.	Pack Qty.	
Two-hour signal timer	N022.1	1 unit(s)	

Алматы (7273)495-231
Ангарск (3955)60-70-56
Архангельск (8182)63-90-72
Астрахань (8512)99-46-04
Барнаул (3852)73-04-60
Белгород (4722)40-23-64
Благовещенск (4162)22-76-07
Брянск (4832)59-03-52
Владивосток (423)249-28-31
Владикавказ (8672)28-90-48
Владимир (4922)49-43-18
Волгоград (844)278-03-48
Вологда (8172)26-41-59
Воронеж (473)204-51-73
Екатеринбург (343)384-55-89

Иваново (4932)77-34-06
Ижевск (3412)26-03-58
Иркутск (395)279-98-46
Казань (843)206-01-48
Калининград (4012)72-03-81
Калуга (4842)92-23-67
Кемерово (3842)65-04-62
Киров (8332)68-02-04
Коломна (4966)23-41-49
Кострома (4942)77-07-48
Краснодар (861)203-40-90
Красноярск (391)204-63-61
Курск (4712)77-13-04
Курган (3522)50-90-47
Липецк (4742)52-20-81

Россия (495)268-04-70

Магнитогорск (3519)55-03-13
Москва (495)268-04-70
Мурманск (8152)59-64-93
Набережные Челны (8552)20-53-41
Нижний Новгород (831)429-08-12
Новокузнецк (3843)20-46-81
Ноябрьск (3496)41-32-12
Новосибирск (383)227-86-73
Омск (3812)21-46-40
Орел (4862)44-53-42
Оренбург (3532)37-68-04
Пенза (8412)22-31-16
Петрозаводск (8142)55-98-37
Псков (8112)59-10-37
Пермь (342)205-81-47

Казахстан (772)734-952-31

Ростов-на-Дону (863)308-18-15
Рязань (4912)46-61-64
Самара (846)206-03-16
Саранск (8342)22-96-24
Санкт-Петербург (812)309-46-40
Саратов (845)249-38-78
Севастополь (8692)22-31-93
Симферополь (3652)67-13-56
Смоленск (4812)29-41-54
Сочи (862)225-72-31
Ставрополь (8652)20-65-13
Сыктывкар (8212)25-95-17
Тамбов (4752)50-40-97
Сургут (3462)77-98-35
Тверь (4822)63-31-35

Киргизия (996)312-96-26-47

Тольятти (8482)63-91-07
Томск (3822)98-41-53
Тула (4872)74-02-29
Тюмень (3452)66-21-18
Ульяновск (8422)24-23-59
Улан-Удэ (3012)59-97-51
Уфа (347)229-48-12
Хабаровск (4212)92-98-04
Чебоксары (8352)28-53-07
Челябинск (351)202-03-61
Череповец (8202)49-02-64
Чита (3022)38-34-83
Якутск (4112)23-90-97
Ярославль (4852)69-52-93