

Очки защитные открытые CARL ROTH 5X7, OTG, 2800, OX 3000, ARMAMAX AX5, SQUALE, 9161, Max A1, XC, 511

Технические характеристики

Алматы (7273)495-231
Ангарск (3955)60-70-56
Архангельск (8182)63-90-72
Астрахань (8512)99-46-04
Барнаул (3852)73-04-60
Белгород (4722)40-23-64
Благовещенск (4162)22-76-07
Брянск (4832)59-03-52
Владивосток (423)249-28-31
Владикавказ (8672)28-90-48
Владимир (4922)49-43-18
Волгоград (844)278-03-48
Вологда (8172)26-41-59
Воронеж (473)204-51-73
Екатеринбург (343)384-55-89

Иваново (4932)77-34-06
Ижевск (3412)26-03-58
Иркутск (395)279-98-46
Казань (843)206-01-48
Калининград (4012)72-03-81
Калуга (4842)92-23-67
Кемерово (3842)65-04-62
Киров (8332)68-02-04
Коломна (4966)23-41-49
Кострома (4942)77-07-48
Краснодар (861)203-40-90
Красноярск (391)204-63-61
Курск (4712)77-13-04
Курган (3522)50-90-47
Липецк (4742)52-20-81

Магнитогорск (3519)55-03-13
Москва (495)268-04-70
Мурманск (8152)59-64-93
Набережные Челны (8552)20-53-41
Нижний Новгород (831)429-08-12
Новокузнецк (3843)20-46-81
Ноябрьск (3496)41-32-12
Новосибирск (383)227-86-73
Омск (3812)21-46-40
Орел (4862)44-53-42
Оренбург (3532)37-68-04
Пенза (8412)22-31-16
Петрозаводск (8142)55-98-37
Псков (8112)59-10-37
Пермь (342)205-81-47

Ростов-на-Дону (863)308-18-15
Рязань (4912)46-61-64
Самара (846)206-03-16
Саранск (8342)22-96-24
Санкт-Петербург (812)309-46-40
Саратов (845)249-38-78
Севастополь (8692)22-31-93
Симферополь (3652)67-13-56
Смоленск (4812)29-41-54
Сочи (862)225-72-31
Ставрополь (8652)20-65-13
Сыктывкар (8212)25-95-17
Тамбов (4752)50-40-97
Тургут (3462)77-98-35
Тверь (4822)63-31-35

Тольятти (8482)63-91-07
Томск (3822)98-41-53
Тула (4872)74-02-29
Тюмень (3452)66-21-18
Ульяновск (8422)24-23-59
Улан-Удэ (3012)59-97-51
Уфа (347)229-48-12
Хабаровск (4212)92-98-04
Чебоксары (8352)28-53-07
Челябинск (351)202-03-61
Череповец (8202)49-02-64
Чита (3022)38-34-83
Якутск (4112)23-90-97
Ярославль (4852)69-52-93

Россия (495)268-04-70

Казахстан (772)734-952-31

Киргизия (996)312-96-26-47



Over glasses

Over-spectacles 5X7

Univet.

Acc. to **EN 166**, **EN 170**, **EN 172** (grey lens only).

Innovative frame design prevents the arms from overlapping and offers absolute wearer comfort. UV protective lenses made of polycarbonate. Orange lenses: Protection against UV light and blue light up to 525 nm.

- 3x length adjustable arms
- SoftPad™ arms allow optimum adaptation to the face shape of the wearer
- Weight: 37 g



Pic.	Lens colour	Frame colour	Lens design	Manufacturer no.	Art. No.	Pack Qty.	
(1)	colourless	gunmetal, orange	clear, UV protection, anti-scratch	5X7.01.00.00	HAA6.1	1 unit(s)	
(2)	colourless	gunmetal, green	clear, UV protection, anti-scratch, anti-fog	5X7.03.11.00	APY1.1	1 unit(s)	
(3)	colourless	white, blue	clear, UV protection, anti-scratch, anti-fog	5X7.03.22.00	APY2.1	1 unit(s)	
(4)	grey	gunmetal, green	tinted, UV protection, anti-scratch	5X7.01.11.02	APY3.1	1 unit(s)	
(5)	orange	black, orange	tinted, UV protection, anti-scratch, anti-fog	5X7.03.00.04	APY4.1	1 unit(s)	

Over-spectacles super OTG

UVEX.

Acc. to **EN 166**, **EN 170** and **EN 172** (only Art. No. KX41.1). Can be worn as over-spectacles over most prescription glasses.

- PC lens, highly scratch-resistant on both sides
- Hingeless arms
- Flexible, soft ear pieces
- Weight 57 g



Lens colour	Frame colour	Lens design	Art. No.	Pack Qty.	
colourless	blue	clear, UV protection, anti-scratch	KX39.1	1 unit(s)	
colourless	black	clear, UV protection, anti-scratch	KX40.1	1 unit(s)	
grey	black	tinted, UV protection, anti-scratch	KX41.1	1 unit(s)	

Over glasses

Over-spectacles super f OTG

UVEX.

Acc. to **EN 166**, **EN 170** and **EN 172** (grey and brown lenses). Light-weight over-spectacles with excellent coverage of the eye area.

- Anti-scratch and chemical-resistant polycarbonate lens
- Can be worn over most prescription glasses
- Hingeless arms
- Flexible, soft ear pieces



Pic.	Lens colour	Frame colour	Lens design	Manufacturer no.	Art. No.	Pack Qty.	
(1)	colourless	black, white	clear, UV protection, anti-scratch, chemical-resistant	9169585	1E1N.1	1 unit(s)	
(2)	yellow	black, white	tinted, UV protection, anti-scratch, chemical-resistant	9169580	1E1P.1	1 unit(s)	
(3)	grey	black, white	tinted, UV protection, anti-scratch, chemical-resistant	9169586	1E1T.1	1 unit(s)	

CBR65

The tint on the CBR65 (contrast blue relax 65) version enhances the contrast, reduces blue light and eliminates strain on the eyes. Light transmission 65 %.

Pic.	Lens colour	Frame colour	Lens design	Manufacturer no.	Art. No.	Pack Qty.	
(4)	brown	black, white	tinted, UV protection, anti-scratch, chemical-resistant, anti-fog	9169164	1E1L.1	1 unit(s)	

Over-spectacles 2800

3M.

Acc. to **EN 166** and **EN 170**. Lenses made of PC with UV protection, anti-scratch coating. Dark-blue frame. Can be worn as over-goggles over most types of corrective spectacle.

- 4x adjustable arm length
- Adjustable lens angle for perfect fit
- Soft tip ear pieces for wearing comfort
- Yellow lenses filter UV radiation and blue light up to 480 nm and increase contrast even in weak light conditions.
- Weight 38 g



Lens colour	Frame colour	Lens design	Manufacturer no.	Art. No.	Pack Qty.	
colourless	dark blue	clear, UV protection, anti-scratch	2800	KA80.1	1 unit(s)	
yellow	dark blue	tinted, UV protection, anti-scratch	2802	AKT8.1	1 unit(s)	

Over-spectacles OX 3000

3M.

Acc. to **EN 160**, **EN 170**. Also suitable for work with UV light. Comfortable over-spectacles for glasses wearers; fit over any kind of prescription glasses.

- Clear polycarbonate lens, coating protects against fogging, scratches, static charge and chemical influences
- Straight arms, adjustable to 4 settings, ideal for use in combination with ear defenders
- Anti-slip, rubber coated earpieces for optimum comfort
- No metal parts; also suitable for electricians
- Weight 46 g



Lens design	Art. No.	Pack Qty.	
clear, UV protection, anti-scratch, anti-fog, chemical-resistant	KA31.1	1 unit(s)	



Over glasses



Over-spectacles ARMAMAX AX5

Honeywell Safety.

Acc. to **EN 166**. Clear, uncoated polycarbonate lens. Large over-spectacles that fit over most prescription glasses. Side sections and top edge in a frosted glass design reduce glare and reflections. Curved side arms and raised bridge for optimum fit. Weight 46 g.

Lens design	Art. No.	Pack Qty.	
clear	1726.1	1 unit(s)	



Over-spectacles SQUALE

Bollé.

Acc. to **EN 166** and **170**. Can be worn over corrective spectacles.

- Length-adjustable arms
- Additional top and bottom protection
- Weight 43 g

Delivery incl. thin spectacle cord.

Lens design	Art. No.	Pack Qty.	
clear, UV protection, anti-scratch, anti-fog	KP05.1	1 unit(s)	



Over-spectacles uvex 9161

UVEX.

Acc. to **EN 166**, **EN 170**. Also suitable for work with UV light. Fit over any prescription glasses. Unrestricted side view thanks to Super Panorama lens with 180° field of vision.

(1) Model 9161-014

Uncoated polycarbonate lens. With standard arms, length not adjustable.

Lens design	Art. No.	Pack Qty.	
clear, UV protection	1554.1	1 unit(s)	

(2) Model 9161-005

Polycarbonate lens, extremely scratch-resistant on both sides and highly resistant to chemicals.

Special arms, adjustable to 4 lengths, with cushioned arms for a pressure-free fit.

Lens design	Art. No.	Pack Qty.	
clear, UV protection, anti-scratch, chemical-resistant	N163.1	1 unit(s)	



Over-spectacles safety spectacles for visitors

Univet.

Acc. to **EN 166**. Rugged over-spectacle with uncoated PC lens. Ventilated side protectors. Can be worn over prescription glasses.

Lens design	Art. No.	Pack Qty.	
clear	CNH1.1	1 unit(s)	



Safety spectacles futura

UVEX.

Acc. to **EN 166**, **EN 170**. Excellent fit. Clear panes made of polycarbonate, extremely scratch-resistant and with a near unrestricted field of view. Arms with maximum wearing comfort, 4-stage individual adjustment, anti-slip, infinitely adjustable arm angle. Weight 46 g. Lenses can be replaced.

Lens design	Art. No.	Pack Qty.	
clear, UV protection, anti-scratch	C522.1	1 unit(s)	

Over glasses



Safety spectacles Max A1

HHW.

Acc. to **EN 166**. Polycarbonate lens. Integrated side protection. Arms are flexible and length can be adjusted; softpads reduce the pressure. Lens inclination to fit individual face shapes. Weight 34 g.

Lens design	Art. No.	Pack Qty.	
clear, anti-scratch, anti-fog	Y254.1	1 unit(s)	



Safety spectacles XC

Honeywell Safety.

Acc. to **EN 166**, **EN 170**. Anti-fog polycarbonate lens. Individually adjustable lens tilt, adjustable arm length. Can also be worn by people wearing prescription glasses by using the corrective lens insert (CK91.1).

Lens design	Art. No.	Pack Qty.	
clear, UV protection, anti-fog	CK90.1	1 unit(s)	



Safety spectacles 511

Univet.

Acc. to **EN 166**. Clear lenses made of PC. Narrow type is suitable for narrow faces and school pupils.

- Angle and length of arms can be adjusted
- Integrated side protection
- Weight 34 g

Version	Frame colour	Lens design	Art. No.	Pack Qty.	
Narrow type	blue	clear, anti-scratch	APY8.1	1 unit(s)	
Normal type	blue	clear, anti-scratch	APY7.1	1 unit(s)	
Normal type	black	clear, anti-fog	CNH0.1	1 unit(s)	

Adapter for corrective lenses for the XC safety spectacles

Honeywell Safety.

To be combined with the XC (CK90.1) UV safety spectacles. The insert must be fitted with customised lenses by your optician, according to your prescription.

- Can be inserted easily and securely behind the safety spectacle lens
- The lenses from your optician are protected by the lenses of the safety spectacles
- More comfortable to wear than over-spectacles or clip on spectacles

Version	Art. No.	Pack Qty.	
Adapter for corrective lenses	CK91.1	1 unit(s)	

Алматы (7273)495-231
Ангарск (3955)60-70-56
Архангельск (8182)63-90-72
Астрахань (8512)99-46-04
Барнаул (3852)73-04-60
Белгород (4722)40-23-64
Благовещенск (4162)22-76-07
Брянск (4832)59-03-52
Владивосток (423)249-28-31
Владикавказ (8672)28-90-48
Владимир (4922)49-43-18
Волгоград (844)278-03-48
Вологда (8172)26-41-59
Воронеж (473)204-51-73
Екатеринбург (343)384-55-89

Иваново (4932)77-34-06
Ижевск (3412)26-03-58
Иркутск (395)279-98-46
Казань (843)206-01-48
Калининград (4012)72-03-81
Калуга (4842)92-23-67
Кемерово (3842)65-04-62
Киров (8332)68-02-04
Коломна (4966)23-41-49
Кострома (4942)77-07-48
Краснодар (861)203-40-90
Красноярск (391)204-63-61
Курск (4712)77-13-04
Курган (3522)50-90-47
Липецк (4742)52-20-81

Россия (495)268-04-70

Магнитогорск (3519)55-03-13
Москва (495)268-04-70
Мурманск (8152)59-64-93
Набережные Челны (8552)20-53-41
Нижний Новгород (831)429-08-12
Новокузнецк (3843)20-46-81
Ноябрьск (3496)41-32-12
Новосибирск (383)227-86-73
Омск (3812)21-46-40
Орел (4862)44-53-42
Оренбург (3532)37-68-04
Пенза (8412)22-31-16
Петрозаводск (8142)55-98-37
Псков (8112)59-10-37
Пермь (342)205-81-47

Казахстан (772)734-952-31

Ростов-на-Дону (863)308-18-15
Рязань (4912)46-61-64
Самара (846)206-03-16
Саранск (8342)22-96-24
Санкт-Петербург (812)309-46-40
Саратов (845)249-38-78
Севастополь (8692)22-31-93
Симферополь (3652)67-13-56
Смоленск (4812)29-41-54
Сочи (862)225-72-31
Ставрополь (8652)20-65-13
Сыктывкар (8212)25-95-17
Тамбов (4752)50-40-97
Тверь (4822)63-31-35

Киргизия (996)312-96-26-47

Тольятти (8482)63-91-07
Томск (3822)98-41-53
Тула (4872)74-02-29
Тюмень (3452)66-21-18
Ульяновск (8422)24-23-59
Улан-Удэ (3012)59-97-51
Уфа (347)229-48-12
Хабаровск (4212)92-98-04
Чебоксары (8352)28-53-07
Челябинск (351)202-03-61
Череповец (8202)49-02-64
Чита (3022)38-34-83
Якутск (4112)23-90-97
Ярославль (4852)69-52-93