

Чашки Петри и аксессуары CARL ROTH Steriplan, DUROPLAN, ROTILABO, Delta, Drigalski, Petriturn-E, Petriturn-M

Технические характеристики

Алматы (7273)495-231
Ангарск (3955)60-70-56
Архангельск (8182)63-90-72
Астрахань (8512)99-46-04
Барнаул (3852)73-04-60
Белгород (4722)40-23-64
Благовещенск (4162)22-76-07
Брянск (4832)59-03-52
Владивосток (423)249-28-31
Владикавказ (8672)28-90-48
Владимир (4922)49-43-18
Волгоград (844)278-03-48
Вологда (8172)26-41-59
Воронеж (473)204-51-73
Екатеринбург (343)384-55-89

Иваново (4932)77-34-06
Ижевск (3412)26-03-58
Иркутск (395)279-98-46
Казань (843)206-01-48
Калининград (4012)72-03-81
Калуга (4842)92-23-67
Кемерово (3842)65-04-62
Киров (8332)68-02-04
Коломна (4966)23-41-49
Кострома (4942)77-07-48
Краснодар (861)203-40-90
Красноярск (391)204-63-61
Курск (4712)77-13-04
Курган (3522)50-90-47
Липецк (4742)52-20-81

Магнитогорск (3519)55-03-13
Москва (495)268-04-70
Мурманск (8152)59-64-93
Набережные Челны (8552)20-53-41
Нижний Новгород (831)429-08-12
Новокузнецк (3843)20-46-81
Ноябрьск (3496)41-32-12
Новосибирск (383)227-86-73
Омск (3812)21-46-40
Орел (4862)44-53-42
Оренбург (3532)37-68-04
Пенза (8412)22-31-16
Петрозаводск (8142)55-98-37
Псков (8112)59-10-37
Пермь (342)205-81-47

Ростов-на-Дону (863)308-18-15
Рязань (4912)46-61-64
Самара (846)206-03-16
Саранск (8342)22-96-24
Санкт-Петербург (812)309-46-40
Саратов (845)249-38-78
Севастополь (8692)22-31-93
Симферополь (3652)67-13-56
Смоленск (4812)29-41-54
Сочи (862)225-72-31
Ставрополь (8652)20-65-13
Сыктывкар (8212)25-95-17
Тамбов (4752)50-40-97
Сургут (3462)77-98-35
Тверь (4822)63-31-35

Тольятти (8482)63-91-07
Томск (3822)98-41-53
Тула (4872)74-02-29
Тюмень (3452)66-21-18
Ульяновск (8422)24-23-59
Улан-Удэ (3012)59-97-51
Уфа (347)229-48-12
Хабаровск (4212)92-98-04
Чебоксары (8352)28-53-07
Челябинск (351)202-03-61
Череповец (8202)49-02-64
Чита (3022)38-34-83
Якутск (4112)23-90-97
Ярославль (4852)69-52-93

Россия (495)268-04-70

Казахстан (772)734-952-31

Киргизия (996)312-96-26-47

Petri dishes and accessories



A 121 °C

Petri dish stands for Ø 60 mm

ROTH SELECTION. Material: PP, base made of steel, powder-coated. Autoclavable: Yes.

With carry handle. For Petri dishes with Ø max. 60 mm.

Number of petri dishes	L x W x H (mm)	Art. No.	Pack Qty.	
6 x 9	267 x 171 x 171	CXP2.1	1 unit(s)	



A 121 °C

Petri dish stands for Ø 60 mm

ROTH SELECTION. Material: Steel, powder-coated. Autoclavable: Yes. For Petri dishes with Ø max. 72 mm.

Number of petri dishes	L x W x H (mm)	Art. No.	Pack Qty.	
1 x 10	82 x 82 x 140	CXP3.1	1 unit(s)	
3 x 10	82 x 246 x 140	CXP4.1	1 unit(s)	



Petri dish stands ROTILABO®

ROTH SELECTION.

For Petri dishes with Ø 100 mm. stand height 230 mm, total height 250 mm.

Plastic-coated

Material: Steel PE-coated.

Ø ext. (mm)	Art. No.	Pack Qty.	
120	L057.1	1 unit(s)	

Stainless steel

Material: Stainless steel electrolytically polished. Autoclavable: Yes.

Ø ext. (mm)	Art. No.	Pack Qty.	
120	L058.1	1 unit(s)	



Adhesive tape for closing petri dishes

ROTH SELECTION.

Elastic, self-adhesive. Also for microtiter plates, bottles and cans as an alternative to shrink tubes. Prevents water loss, gas exchange and contamination. Waterproof and resistant to most solvents. Flexible even at low temperatures (-30 °C).

Resistant from -40 to +77 °C (short-term up to +100 °C).

Colour	Width (mm)	Length (m)	Thickn. (mm)	ØCore (mm)	Art. No.	Pack Qty.	
red	13	33	0,13	77	K429.1	1 unit(s)	
blue	13	33	0,13	77	K431.1	1 unit(s)	
white	13	33	0,13	77	K428.1	1 unit(s)	
yellow	13	33	0,13	77	K430.1	1 unit(s)	
colour-less	13	33	0,13	77	K427.1	1 unit(s)	



Petri dishes and accessories



Adhesive tape for closing petri dishes gas permeable

ROTH SELECTION. Material: PU (based on polyurethane).

Elastic, self-adhesive. Particularly suitable for the cultivation of aerobic bacteria, yeast cultures or plant seedlings.

- Safe sealing of Petri dishes
- Prevents contamination
- Ensures even exchange of oxygen and CO₂
- Temperature stability: -80 to +100 °C

Width (mm)	Length (mm)	Art. No.	Pack Qty.
15.88	282.58	AEA2.1	100 unit(s)



A 121 °C

Petri dishes ROTILABO®

ROTH SELECTION. Material: Soda-lime glass. Autoclavable: Yes.

Ø x H (mm)	Art. No.	Pack Qty.
60 x 15	KHY7.1	18 unit(s)
80 x 15	KHY8.1	18 unit(s)
100 x 20	0690.1	18 unit(s)
100 x 15	KHY9.1	18 unit(s)
120 x 20	KKA0.1	18 unit(s)
150 x 25	KKA1.1	18 unit(s)



S

Petri dishes

ROTH SELECTION. Material: PS. **Sterile.**

- Flat surfaces for reproducible agar filling levels
- Temperature stable up to 55 °C
- Versatile: has a wide range of uses in microbiology and bacteriology
- Gamma-sterilised

Technical specifications:

Art. No.	N224.2	N223.2	TA19.1	N221.2	NP90.1
Ø Outer upper	58 mm		92 mm		
Ø Outer lower	55 mm		88 mm		

With vents

Slightly raised lid, for optimum gas exchange.

Ø x H (mm)	Sterility	Pack.	Art. No.	Pack Qty.
55 x 15	Sterile	108 x 15	N223.2	1,620 unit(s)
90 x 14	Sterile	25 x 33	N221.2	825 unit(s)

With vents, high shape

Slightly raised lid, for optimum gas exchange. High version, ideal for the germination of plant seeds.

Ø x H (mm)	Sterility	Pack.	Art. No.	Pack Qty.
90 x 25	Sterile	50 x 10	NP90.1	500 unit(s)

Without vents

Flush-fit lid for long incubation periods at 37 °C.

Ø x H (mm)	Sterility	Pack.	Art. No.	Pack Qty.
55 x 15	Sterile	108 x 15	N224.2	1,620 unit(s)
90 x 14	Sterile	25 x 33	TA19.1	825 unit(s)

Petri dishes and accessories

Petri dishes Steriplan®

DWK Life Sciences. Material: Soda-lime glass. Autoclavable: Yes.



A 121 °C



Technical specifications:

Art. No.	T946.1	T947.1	T937.1	T938.1	T939.1	PY88.1	T940.1	T941.1	T942.1	T943.1	T944.1	T945.1
Ø Outer lower	191.5 mm		34 mm	55 mm	75 mm	84 mm	95 mm			115 mm	141 mm	171 mm
Height without closure	30 mm	45 mm	12 mm	15 mm			10 mm	15 mm	20 mm		25 mm	30 mm

Ø x H (mm)	Art. No.	Pack Qty.	
40 x 12	T937.1	10 unit(s)	
60 x 15	T938.1	10 unit(s)	
80 x 15	T939.1	10 unit(s)	
90 x 15	PY88.1	10 unit(s)	
100 x 10	T940.1	10 unit(s)	
100 x 15	T941.1	10 unit(s)	
100 x 20	T942.1	10 unit(s)	
120 x 20	T943.1	10 unit(s)	
150 x 25	T944.1	10 unit(s)	
180 x 30	T945.1	10 unit(s)	
200 x 30	T946.1	10 unit(s)	
200 x 45	T947.1	10 unit(s)	

Petri dishes DUROPLAN®

DWK Life Sciences. Material: DURAN® glass. Autoclavable: Yes.

DIN EN ISO 13132 certified. Microscopically level, free of blisters and streaks due to a special manufacturing process. Enable a uniform culture distributions and an undistorted view.



A 121 °C



Technical specifications:

Art. No.	K608.1	K609.1	K610.1	K611.1	K612.1	K613.1
Ø Outer lower	54.5 mm	74 mm	94 mm		114 mm	142 mm

Ø x H (mm)	Total height (mm)	Art. No.	Pack Qty.	
60 x 20	22	K608.1	10 unit(s)	
80 x 20	22	K609.1	10 unit(s)	
100 x 15	17	K610.1	10 unit(s)	
100 x 20	22	K611.1	10 unit(s)	
120 x 20	22	K612.1	10 unit(s)	
150 x 30	32	K613.1	10 unit(s)	



Petri dishes and accessories

Petri dishes

Greiner Bio-One. Material: PS.

- Flat stacking surfaces ensure high dimensional stability
- Versatile: has a wide range of uses in microbiology and bacteriology
- Ideal for microscopy



With vents

Slightly raised lid, for optimum gas exchange.

Technical specifications:

Art. No.	EL49.1	XH90.1	EL46.1	XH88.1	EL47.1	XH89.1	ALA5.1	EL48.1
Ø Outer upper	143.5 mm		39 mm		59 mm		93 mm	
Ø Outer lower	138.8 mm		35 mm		55.8 mm	54.4 mm	87 mm	89 mm
Height with lid	21.4 mm		13.4 mm		15.4 mm		17 mm	
Height without closure	19.5 mm		12 mm		13.8 mm		15.5 mm	

Ø x H (mm)	Sterility	Pack.	Art. No.	Pack Qty.	
35 x 10	Non-sterile	74 x 10	EL46.1	740 unit(s)	
35 x 10	Sterile	74 x 10	XH88.1	740 unit(s)	
60 x 15	Non-sterile	30 x 20	EL47.1	600 unit(s)	
60 x 15	Sterile	30 x 20	XH89.1	600 unit(s)	
90 x 16	Sterile	24 x 20	ALA5.1	480 unit(s)	
90 x 16	Non-sterile	24 x 20	EL48.1	480 unit(s)	
145 x 20	Non-sterile	8 x 15	EL49.1	120 unit(s)	
145 x 20	Sterile	8 x 15	XH90.1	120 unit(s)	

Without vents

Flush-fit lid for long incubation periods at 37 °C.

Technical specifications:

Art. No.	EL45.1	EN16.1
Ø Outer upper	93 mm	
Ø Outer lower	89.3 mm	
Height with lid	16.5 mm	
Height without closure	15.5 mm	

Ø x H (mm)	Sterility	Pack.	Art. No.	Pack Qty.	
90 x 16	Non-sterile	24 x 20	EL45.1	480 unit(s)	
90 x 16	Sterile	24 x 20	EN16.1	480 unit(s)	

Petri dishes and accessories

Petri dishes heavy duty version

Greiner Bio-One. Material: PS.

Optimised for use in automatic systems and higher temperature stability when working with hot agar.

- Flat stacking surfaces ensure high dimensional stability
- Versatile: has a wide range of uses in microbiology and bacteriology
- Ideal for microscopy
- Optional ally available as sterile (Gamma-sterilised)



Technical specifications:

Art. No.	PX82.1	PX84.1	PX81.1	PX83.1
Ø Outer upper	93 mm			
Ø Outer lower	89 mm			
Height with lid	16.7 mm		17 mm	
Height without closure	14.2 mm		15.5 mm	

With vents

Slightly raised lid, for optimum gas exchange.

Ø x H (mm)	Sterility	Pack.	Art. No.	Pack Qty.
90 x 16	Sterile	24 x 20	PX81.1	480 unit(s)
90 x 16	Non-sterile	24 x 20	PX83.1	480 unit(s)

Without vents

Flush-fit lid for long incubation periods at 37 °C.

Ø x H (mm)	Sterility	Pack.	Art. No.	Pack Qty.
90 x 16	Sterile	24 x 20	PX82.1	480 unit(s)
90 x 16	Non-sterile	24 x 20	PX84.1	480 unit(s)



Petri dishes and accessories



Petri dishes with vents

Sarstedt. Material: PS. Non-sterile.

Coloured Petri dishes for various coding possibilities and to provide a better contrast. The vents enable improved gas exchange.

Technical specifications:

Art. No.	1A0P.1	1A0T.1	1A0X.1	1A0Y.1
Ø Outer upper	92 mm			
Ø Outer lower	88.3 mm			
Height with lid	16.4 mm			
Height without closure	14.9 mm			

Vol. (ml)	Colour	Sterility	Pack.	Art. No.	Pack Qty.
80	red	Non-sterile	24 x 20	1A0P.1	480 unit(s)
80	yellow	Non-sterile	24 x 20	1A0T.1	480 unit(s)
80	blue	Non-sterile	24 x 20	1A0X.1	480 unit(s)
80	green	Non-sterile	24 x 20	1A0Y.1	480 unit(s)



S

Petri dishes

ROTH SELECTION. Material: PS. **Sterile.**

Stackable, tight-sealing and therefore suitable for long incubation times without drying out. Lid with matt white labelling space and projecting edge for single-handed opening.

Technical specifications:

Art. No.	AEN0.1	AEN1.1
Ø Outer upper	52 mm	
Ø Outer lower	55 mm	
Ø Inner lower	50 mm	

For 47 mm filters

For use with filter paper Ø 47 mm.

Ø x H (mm)	Sterility	Pack.	Art. No.	Pack Qty.
50 x 9	Sterile	25 x 20	AEN0.1	500 unit(s)

With absorptive paper

With absorptive paper inserted, e.g. for growing plant seedlings.

Ø x H (mm)	Sterility	Pack.	Art. No.	Pack Qty.
50 x 9	Sterile	25 x 20	AEN1.1	500 unit(s)



Petri dishes square

Greiner Bio-One. Material: PS.


With vents (slightly raised lid, for optimum gas exchange).

- Versatile: has a wide range of uses in microbiology and bacteriology
- Easy to stack
- Optionally available as sterile

Technical specifications:

Art. No.	EL50.1	PX67.1
Height with lid	16.5 mm	
Height without closure	14.6 mm	

L x W x H (mm)	Sterility	Pack.	Art. No.	Pack Qty.
120 x 120 x 17	Non-sterile	24 x 10	EL50.1	240 unit(s)
120 x 120 x 17	Sterile	24 x 10	PX67.1	240 unit(s)



S

Petri dishes square with grid

ROTH SELECTION. Material: PS. **Sterile.**

Volume 110 ml. Ideal for phage typing or colony counting, for example. With 13 mm grid on bottom, alphanumeric coding. With vents to prevent condensation.

L x W x H (mm)	Sterility	Pack.	Art. No.	Pack Qty.
100 x 100 x 15	Sterile	50 x 10	AEL9.1	500 unit(s)

Petri dishes and accessories



S

Contact dishes

Greiner Bio-One. Material: PS. **Sterile.**

To detect contamination and/or check the effectiveness of cleaning and disinfection on flat surfaces using contact cultures.

- Optimised dish design produces a meniscus on the surface of the agar when the contact dish is filled
- Graduated and divided into 10 mm squares to allow quick and easy analysis

Technical specifications:

Art. No.	PX86.1	PX85.1
Ø Outer upper	62.5 mm	
Ø Outer lower	66.3 mm	
Height with lid	15 mm	12.5 mm
Height without closure	8.7 mm	
Inner height	4.8 mm	


With vents

For an enhanced gas exchange.

Vol. (ml)	Ø x H (mm)	Sterility	Pack.	Art. No.	Pack Qty.
12.5	65 x 12.5	Sterile	30 x 20	PX85.1	600 unit(s)

Without vents

Vol. (ml)	Ø x H (mm)	Sterility	Pack.	Art. No.	Pack Qty.
13.5	65 x 15	Sterile	30 x 20	PX86.1	600 unit(s)



Petri dishes divided 2 chambers

Greiner Bio-One. Material: PS.

- Versatile: has a wide range of uses in microbiology and bacteriology
- Easy to stack
- With vents
- Volume per chamber: 25 ml

Technical specifications:

Art. No.	EP50.1	HLY9.1
Ø Outer upper	93 mm	
Ø Outer lower	89.3 mm	
Height with lid	15.8 mm	
Height without closure	14.35 mm	

Ø x H (mm)	Sterility	Pack.	Art. No.	Pack Qty.
90 x 15	Non-sterile	24 x 20	EP50.1	480 unit(s)
90 x 15	Sterile	24 x 20	HLY9.1	480 unit(s)



A 121 °C

DURAN
WHEATON
KIMBLE

Petri dishes graduated

DWK Life Sciences. Material: DURAN® glass. Autoclavable: Yes. Compliant with DIN 12339.

2 chambers

Ø x H (mm)	Art. No.	Pack Qty.
100 x 20	T948.1	10 unit(s)

3 chambers

Ø x H (mm)	Art. No.	Pack Qty.
100 x 20	T949.1	10 unit(s)

4 chambers

Ø x H (mm)	Art. No.	Pack Qty.
100 x 20	T950.1	10 unit(s)



A 121 °C

Petri dishes ROTILABO® stainless steel

Bochem. Material: Stainless steel, 18/10. Autoclavable: Yes.

Ø x H (mm)	Art. No.	Pack Qty.
60 x 20	YT00.1	1 unit(s)
75 x 20	YT01.1	1 unit(s)
90 x 20	YT02.1	1 unit(s)
100 x 15	YT03.1	1 unit(s)
120 x 20	YT04.1	1 unit(s)



Petri dishes and accessories



S

Bacterial cell spreaders Delta™

ROTH SELECTION. Material: ABS. **Sterile.**

With smooth surface, prevents scratching for agar surfaces. Delta-shaped head distributes the contact pressure evenly for a smooth application. Individually packed.

Total length (mm)	Width (mm)	Ø (mm)	Art. No.	Pack Qty.	
172	37	4	PC59.1	500 unit(s)	



S

Bacterial cell spreaders

ROTH SELECTION. Material: PS. **Sterile.**

For easy spreading of cells on agar plates.

Total length (mm)	Width (mm)	Pack.	Art. No.	Pack Qty.	
171	36	individual	AY19.1	100 unit(s)	



A 121 °C

Bacterial cell spreaders L-shaped 90°

Hammacher. Material: Stainless steel Wironit (1.4301). Autoclavable: Yes.

Total length (mm)	Width (mm)	Ø (mm)	Art. No.	Pack Qty.	
195	40	4	KAP9.1	1 unit(s)	




S

Bacterial cell spreaders L-shaped

ROTH SELECTION. Material: ABS. **Sterile.**

With smooth surface, prevents scratching for agar surfaces.

Total length (mm)	Width (mm)	Ø (mm)	Pack.	Art. No.	Pack Qty.	
146	38	4	individually	PC57.1	500 unit(s)	
146	38	4	50 x 10	PC58.1	500 unit(s)	



A 121 °C

Bacterial cell spreaders Drigalski

ROTH SELECTION. Autoclavable: Yes.

For uniform distribution of bacterial material on a solid culture. Also usable as stirrer.

Stainless steel

Material: Stainless steel 18/10 (Remanit 4301).


Total length (mm)	Width (mm)	Ø (mm)	Art. No.	Pack Qty.	
165	40	3	AL98.1	1 unit(s)	
165	30	3	K732.1	1 unit(s)	
195	40	4	1C5H.1	5 unit(s)	

Glass

Material: Soda-lime glass.

Total length (mm)	Width (mm)	Ø (mm)	Art. No.	Pack Qty.	
145	50	5	T724.2	10 unit(s)	

Petri dishes and accessories



A 121 °C

Bacterial cell spreaders Drigalski

Hammacher. Material: Stainless steel Wironit (1.4301).
Autoclavable: Yes.

Straight

Total length (mm)	Width (mm)	Ø (mm)	Art. No.	Pack Qty.	
150	25	3	KAP0.1	1 unit(s)	
195	36	4	KAP1.1	1 unit(s)	

Angled

Hünebeck, angled 10°.

Total length (mm)	Width (mm)	Ø (mm)	Art. No.	Pack Qty.	
195	45	3	KAP2.1	1 unit(s)	



Petri dish revolving table

schuett biotec.

For uniform plating of liquids on agar surfaces in Petri dishes.

Technical specifications:

Art. No.	N962.1	HT52.1
Ø x H	160 x 45 mm	160 x 70 mm
Weight	2,3 kg	1,0 kg
Mains connection		12 V

Petriturn-M

- Manual operation
- The high mass of the revolving table produces high vibrations and ensures a long operating time
- Usable on both sides
- For Petri dishes up to Ø 100 mm, or up to Ø 150 mm when turned

Pic.	Type	Art. No.	Pack Qty.	
(1)	Petriturn-M	N962.1	1 unit(s)	

Petriturn-E

- Electric drive
- Operation of the revolving table contactlessly using a sensor with automatic shutdown (3 seconds to 2 minutes)
- Operation using a footswitch is possible (please order separately)
- Continuous operation is possible
- for Petri dishes up to Ø 100 mm (with attachment up to Ø 150 mm, please order separately)
- Speed regulation from 10 to 100 rpm, continuous

Pic.	Type	Art. No.	Pack Qty.	
(2)	Petriturn-E	HT52.1	1 unit(s)	



Accessories for Petriturn-E

schuett biotec.

Footswitch

Pic.	Designation	Art. No.	Pack Qty.	
(3)	Footswitch for Petriturn-E	HT53.1	1 unit(s)	

Revolving table attachment

Pic.	Designation	Art. No.	Pack Qty.	
(4)	Revolving table attachment for Petri dishes Ø 150 mm for Petriturn-E	HT54.1	1 unit(s)	

Алматы (7273)495-231
Ангарск (3955)60-70-56
Архангельск (8182)63-90-72
Астрахань (8512)99-46-04
Барнаул (3852)73-04-60
Белгород (4722)40-23-64
Благовещенск (4162)22-76-07
Брянск (4832)59-03-52
Владивосток (423)249-28-31
Владикавказ (8672)28-90-48
Владимир (4922)49-43-18
Волгоград (844)278-03-48
Вологда (8172)26-41-59
Воронеж (473)204-51-73
Екатеринбург (343)384-55-89

Иваново (4932)77-34-06
Ижевск (3412)26-03-58
Иркутск (395)279-98-46
Казань (843)206-01-48
Калининград (4012)72-03-81
Калуга (4842)92-23-67
Кемерово (3842)65-04-62
Киров (8332)68-02-04
Коломна (4966)23-41-49
Кострома (4942)77-07-48
Краснодар (861)203-40-90
Красноярск (391)204-63-61
Курск (4712)77-13-04
Курган (3522)50-90-47
Липецк (4742)52-20-81

Россия (495)268-04-70

Магнитогорск (3519)55-03-13
Москва (495)268-04-70
Мурманск (8152)59-64-93
Набережные Челны (8552)20-53-41
Нижний Новгород (831)429-08-12
Новокузнецк (3843)20-46-81
Ноябрьск (3496)41-32-12
Новосибирск (383)227-86-73
Омск (3812)21-46-40
Орел (4862)44-53-42
Оренбург (3532)37-68-04
Пенза (8412)22-31-16
Петрозаводск (8142)55-98-37
Псков (8112)59-10-37
Пермь (342)205-81-47

Казахстан (772)734-952-31

Ростов-на-Дону (863)308-18-15
Рязань (4912)46-61-64
Самара (846)206-03-16
Саранск (8342)22-96-24
Санкт-Петербург (812)309-46-40
Саратов (845)249-38-78
Севастополь (8692)22-31-93
Симферополь (3652)67-13-56
Смоленск (4812)29-41-54
Сочи (862)225-72-31
Ставрополь (8652)20-65-13
Сыктывкар (8212)25-95-17
Тамбов (4752)50-40-97
Сургут (3462)77-98-35
Тверь (4822)63-31-35

Киргизия (996)312-96-26-47

Тольятти (8482)63-91-07
Томск (3822)98-41-53
Тула (4872)74-02-29
Тюмень (3452)66-21-18
Ульяновск (8422)24-23-59
Улан-Удэ (3012)59-97-51
Уфа (347)229-48-12
Хабаровск (4212)92-98-04
Чебоксары (8352)28-53-07
Челябинск (351)202-03-61
Череповец (8202)49-02-64
Чита (3022)38-34-83
Якутск (4112)23-90-97
Ярославль (4852)69-52-93