

# Платформенные тележки CARL ROTH ROTILABO, CLAX, ESD, Mini

## Технические характеристики

**Алматы** (7273)495-231  
**Ангарск** (3955)60-70-56  
**Архангельск** (8182)63-90-72  
**Астрахань** (8512)99-46-04  
**Барнаул** (3852)73-04-60  
**Белгород** (4722)40-23-64  
**Благовещенск** (4162)22-76-07  
**Брянск** (4832)59-03-52  
**Владивосток** (423)249-28-31  
**Владикавказ** (8672)28-90-48  
**Владимир** (4922)49-43-18  
**Волгоград** (844)278-03-48  
**Вологда** (8172)26-41-59  
**Воронеж** (473)204-51-73  
**Екатеринбург** (343)384-55-89

**Иваново** (4932)77-34-06  
**Ижевск** (3412)26-03-58  
**Иркутск** (395)279-98-46  
**Казань** (843)206-01-48  
**Калининград** (4012)72-03-81  
**Калуга** (4842)92-23-67  
**Кемерово** (3842)65-04-62  
**Киров** (8332)68-02-04  
**Коломна** (4966)23-41-49  
**Кострома** (4942)77-07-48  
**Краснодар** (861)203-40-90  
**Красноярск** (391)204-63-61  
**Курск** (4712)77-13-04  
**Курган** (3522)50-90-47  
**Липецк** (4742)52-20-81

**Магнитогорск** (3519)55-03-13  
**Москва** (495)268-04-70  
**Мурманск** (8152)59-64-93  
**Набережные Челны** (8552)20-53-41  
**Нижний Новгород** (831)429-08-12  
**Новокузнецк** (3843)20-46-81  
**Ноябрьск** (3496)41-32-12  
**Новосибирск** (383)227-86-73  
**Омск** (3812)21-46-40  
**Орел** (4862)44-53-42  
**Оренбург** (3532)37-68-04  
**Пенза** (8412)22-31-16  
**Петрозаводск** (8142)55-98-37  
**Псков** (8112)59-10-37  
**Пермь** (342)205-81-47

**Ростов-на-Дону** (863)308-18-15  
**Рязань** (4912)46-61-64  
**Самара** (846)206-03-16  
**Саранск** (8342)22-96-24  
**Санкт-Петербург** (812)309-46-40  
**Саратов** (845)249-38-78  
**Севастополь** (8692)22-31-93  
**Симферополь** (3652)67-13-56  
**Смоленск** (4812)29-41-54  
**Сочи** (862)225-72-31  
**Ставрополь** (8652)20-65-13  
**Сыктывкар** (8212)25-95-17  
**Тамбов** (4752)50-40-97  
**Тургут** (3462)77-98-35  
**Тверь** (4822)63-31-35

**Тольятти** (8482)63-91-07  
**Томск** (3822)98-41-53  
**Тула** (4872)74-02-29  
**Тюмень** (3452)66-21-18  
**Ульяновск** (8422)24-23-59  
**Улан-Удэ** (3012)59-97-51  
**Уфа** (347)229-48-12  
**Хабаровск** (4212)92-98-04  
**Чебоксары** (8352)28-53-07  
**Челябинск** (351)202-03-61  
**Череповец** (8202)49-02-64  
**Чита** (3022)38-34-83  
**Якутск** (4112)23-90-97  
**Ярославль** (4852)69-52-93

**Россия** (495)268-04-70

**Казахстан** (772)734-952-31

**Киргизия** (996)312-96-26-47



# Platform trolleys



## Platform trolley

ROTH SELECTION.

With handlebar, folds onto platform.

Two swivel castors and two fixed castors, lockable swivel castors.

### Technical specifications:

| Art. No.      | HTX8.1 | HTY0.1 | HTX9.1 | HTY1.1 |
|---------------|--------|--------|--------|--------|
| Length        | 815 mm |        | 995 mm |        |
| Width         | 470 mm |        | 620 mm |        |
| Height        | 930 mm |        | 965 mm |        |
| Roller Ø      | 125 mm |        | 160 mm |        |
| Load capacity | 250 kg | 200 kg | 250 kg | 200 kg |
| Weight        | 16 kg  | 11 kg  | 25 kg  | 18 kg  |

## Wood

Material: Steel powder-coated, Wooden platform material, surface in beech finish.

| Number of bases | Platform (mm) | Colour        | Art. No. | Pack Qty. |
|-----------------|---------------|---------------|----------|-----------|
| 1               | 720 x 450     | blue, natural | HTX8.1   | 1 unit(s) |
| 1               | 900 x 600     | blue, natural | HTX9.1   | 1 unit(s) |

## Aluminium

Material: Aluminium.

| Number of bases | Platform (mm) | Colour | Art. No. | Pack Qty. |
|-----------------|---------------|--------|----------|-----------|
| 1               | 720 x 450     | silver | HTY0.1   | 1 unit(s) |
| 1               | 900 x 600     | silver | HTY1.1   | 1 unit(s) |



## Platform trolley

ROTH SELECTION. Material: Steel powder-coated, Wooden platform, surface in beech finish.

- Removable push handle
- Two swivel castors and two fixed castors, lockable steering wheels

### Technical specifications:

| Art. No.      | HTY2.1 | HTY3.1   | HTY4.1 | HTY5.1   |
|---------------|--------|----------|--------|----------|
| Length        | 970 mm | 1,120 mm |        | 1,325 mm |
| Width         | 509 mm | 609 mm   | 709 mm | 809 mm   |
| Height        | 948 mm | 990 mm   |        |          |
| Roller Ø      | 160 mm | 200 mm   |        |          |
| Load capacity | 500 kg | 600 kg   |        |          |
| Weight        | 23 kg  | 27 kg    | 30 kg  | 35 kg    |

| Number of bases | Platform (mm) | Art. No. | Pack Qty. |
|-----------------|---------------|----------|-----------|
| 1               | 850 x 500     | HTY2.1   | 1 unit(s) |
| 1               | 1000 x 600    | HTY3.1   | 1 unit(s) |
| 1               | 1000 x 700    | HTY4.1   | 1 unit(s) |
| 1               | 1200 x 800    | HTY5.1   | 1 unit(s) |



## Platform trolley ROTILABO®

ROTH SELECTION. Material: Steel powder-coated, Panels made of beech plywood, surface-treated, castors made of solid rubber.

Two swivel castors and two fixed castors.

### Technical specifications:

| Art. No.        | N176.1 | N177.1 |
|-----------------|--------|--------|
| Total height    | 975 mm | 980 mm |
| Platform height | 270 mm |        |
| Roller Ø        | 200 mm |        |
| Load capacity   | 500 kg |        |

| Number of bases | Platform (mm) | Art. No. | Pack Qty. |
|-----------------|---------------|----------|-----------|
| 1               | 850 x 500     | N176.1   | 1 unit(s) |
| 1               | 1200 x 700    | N177.1   | 1 unit(s) |



## Platform trolley ROTILABO® stainless steel

ROTH SELECTION. Material: Stainless steel.

- Smooth platform underlaid with sound-insulating material, 80 mm folded edges, with safety crimping on the inside
- Curved push handle consisting of square tubes, Ø 25 mm, securely welded on
- Four swivel castors with rubber tyres; two of these castors are lockable
- Two solid bumpers protect against damage

### Technical specifications:

| Art. No.        | N136.1   | N137.1   |
|-----------------|----------|----------|
| Length          | 740 mm   | 1,000 mm |
| Width           | 600 mm   |          |
| Height          | 1,020 mm |          |
| Platform height | 243 mm   |          |
| Roller Ø        | 125 mm   |          |
| Load capacity   | 120 kg   |          |
| Weight          | 16 kg    | 20 kg    |

| Number of bases | Platform (mm) | Art. No. | Pack Qty. |
|-----------------|---------------|----------|-----------|
| 1               | 545 x 545     | N136.1   | 1 unit(s) |
| 1               | 820 x 545     | N137.1   | 1 unit(s) |

# Platform trolleys



## Platform trolley ROTILABO® stainless steel

ROTH SELECTION. Material: Stainless steel.

- Welded frame structure consisting of round tubes, Ø 25 mm
- With welded-on tray 1.5 mm thick
- Curved push handle, height 450 mm, with grid design
- Four securely welded-on mounting plates for fastening the castors with rubber tyres
- With two fixed castors and two lockable swivel castors

### Technical specifications:

| Art. No.        | N138.1 | N139.1   |
|-----------------|--------|----------|
| Length          | 970 mm | 1,120 mm |
| Width           | 500 mm | 700 mm   |
| Height          | 940 mm |          |
| Platform height | 270 mm |          |
| Roller Ø        | 200 mm |          |
| Load capacity   | 500 kg |          |
| Weight          | 27 kg  | 34 kg    |

| Number of bases | Platform (mm) | Art. No. | Pack Qty. |
|-----------------|---------------|----------|-----------|
| 1               | 850 x 500     | N138.1   | 1 unit(s) |
| 1               | 1000 x 700    | N139.1   | 1 unit(s) |



## Platform trolley with mesh panels

ROTH SELECTION. Material: Steel powder-coated, Wooden platform, surface in beech finish.

Front and side panels made of wire mesh 50 x 50 x 4 mm, panel height 500 mm, one side panel is removable. Two swivel castors and two fixed castors, lockable swivel castors.

### Technical specifications:

| Art. No.      | HTY6.1   | HTY7.1   | HTY8.1 | HTY9.1   |
|---------------|----------|----------|--------|----------|
| Length        | 1,030 mm | 1,180 mm |        | 1,380 mm |
| Width         | 509 mm   | 609 mm   | 709 mm | 809 mm   |
| Height        | 958 mm   | 990 mm   |        |          |
| Roller Ø      | 160 mm   | 200 mm   |        |          |
| Load capacity | 500 kg   | 600 kg   |        |          |
| Weight        | 38 kg    | 47 kg    | 51 kg  | 59 kg    |

| Number of bases | Platform (mm) | Art. No. | Pack Qty. |
|-----------------|---------------|----------|-----------|
| 1               | 850 x 500     | HTY6.1   | 1 unit(s) |
| 1               | 1000 x 600    | HTY7.1   | 1 unit(s) |
| 1               | 1000 x 700    | HTY8.1   | 1 unit(s) |
| 1               | 1200 x 800    | HTY9.1   | 1 unit(s) |



## Shelf trolley wood

ROTH SELECTION. Material: Metal, powder-coated, panels made of multi-ply beech plywood.

Two steering wheels and two fixed wheels, solid rubber smooth-running wheels with ball bearings.

### Technical specifications:

| Art. No.        | 5390.1   |
|-----------------|----------|
| Length          | 1,040 mm |
| Width           | 620 mm   |
| Height          | 810 mm   |
| Total height    | 900 mm   |
| Floor clearance | 520 mm   |
| Roller Ø        | 125 mm   |
| Load capacity   | 200 kg   |
| Weight          | 33 kg    |

| Number of bases | Platform (mm) | Art. No. | Pack Qty. |
|-----------------|---------------|----------|-----------|
| 2               | 1000 x 600    | 5390.1   | 1 unit(s) |



## Shelf trolley plastic

ROTH SELECTION. Material: PE (Shelves).

- Shelves with folded edge all the way round
- On trolleys with three shelves, the height of the middle shelf can be adjusted by 25 mm
- Load-bearing capacity per shelf 30 kg

### Technical specifications:

| Art. No.        | K492.1 | K493.1 | K494.1   | K495.1 |
|-----------------|--------|--------|----------|--------|
| Length          | 535 mm |        | 686 mm   |        |
| Width           | 857 mm |        | 1,003 mm |        |
| Height          | 890 mm |        |          |        |
| Total height    | 940 mm |        |          |        |
| Floor clearance | 550 mm | 250 mm | 550 mm   | 250 mm |
| Load capacity   | 60 kg  | 90 kg  | 60 kg    | 90 kg  |

Delivery incl. four swivel castors with rubber tyres, not assembled.

| Number of bases | Platform (mm) | Art. No. | Pack Qty. |
|-----------------|---------------|----------|-----------|
| 2               | 475 x 735     | K492.1   | 1 unit(s) |
| 2               | 620 x 880     | K494.1   | 1 unit(s) |
| 3               | 475 x 735     | K493.1   | 1 unit(s) |
| 3               | 620 x 880     | K495.1   | 1 unit(s) |



# Platform trolleys



## Shelf trolley plastic with tray shelves

ROTH SELECTION. Material: PE (Tray shelves).

- Shelves in the form of trays
- Tray depth 70 mm
- On trolleys with three shelves, the height of the middle shelf can be adjusted by 25 mm
- Load-bearing capacity per shelf 65 kg

### Technical specifications:

| Art. No.        | X446.1   | X447.1 | X448.1 | X449.1 |
|-----------------|----------|--------|--------|--------|
| Length          | 540 mm   |        | 690 mm |        |
| Width           | 840 mm   |        | 995 mm |        |
| Height          | 1,060 mm |        |        |        |
| Floor clearance | 610 mm   | 280 mm | 610 mm | 280 mm |
| Load capacity   | 130 kg   | 195 kg | 130 kg | 195 kg |

Delivery incl. four swivel castors with rubber tyres, not assembled.

| Number of bases | Platform (mm) | Art. No. | Pack Qty. |  |
|-----------------|---------------|----------|-----------|--|
| 2               | 480 x 730     | X446.1   | 1 unit(s) |  |
| 2               | 625 x 885     | X448.1   | 1 unit(s) |  |
| 3               | 480 x 730     | X447.1   | 1 unit(s) |  |
| 3               | 625 x 885     | X449.1   | 1 unit(s) |  |



## Shelf trolley ESD

ROTH SELECTION. Material: Steel powder-coated, Shelves made of wooden composite board, wheels with TPE-ESD tyres (thermoplastic elastomer).

- Electrically conductive design
- Two swivel castors and two fixed castors, lockable steering wheels
- Load-bearing capacity of top loading surface 80 kg

### Technical specifications:

| Art. No.        | HXA0.1   | HXA2.1 | HXA1.1   | HXA3.1 |
|-----------------|----------|--------|----------|--------|
| Length          | 980 mm   |        | 1,130 mm |        |
| Width           | 509 mm   |        | 609 mm   |        |
| Height          | 1,020 mm |        |          |        |
| Floor clearance | 620 mm   | 310 mm | 620 mm   | 310 mm |
| Roller Ø        | 125 mm   |        |          |        |
| Load capacity   | 250 kg   |        |          |        |
| Weight          | 30 kg    | 39 kg  |          | 54 kg  |

| Number of bases | Platform (mm) | Art. No. | Pack Qty. |  |
|-----------------|---------------|----------|-----------|--|
| 2               | 850 x 500     | HXA0.1   | 1 unit(s) |  |
| 2               | 1000 x 600    | HXA1.1   | 1 unit(s) |  |
| 3               | 850 x 500     | HXA2.1   | 1 unit(s) |  |
| 3               | 1000 x 600    | HXA3.1   | 1 unit(s) |  |



## Shelf trolley CLAX®

ROTH SELECTION. Material: Aluminium, Plastic.

Foldable. Stable hard rubber, also with footbrake for safe loading and unloading. Folding box on top transport floor can be fixed using securing straps. Top floor folds up easily to accommodate bulky objects. Can be built up and dismantled in a matter of seconds simply by pressing one button.

Dimensions when folded up: L 670 x W 470 x H 170 mm.

Load-bearing capacity of top shelf 20 kg, bottom shelf 40 kg.

### Technical specifications:

| Art. No.      | HNX7.1   |
|---------------|----------|
| Length        | 890 mm   |
| Width         | 550 mm   |
| Height        | 1,030 mm |
| Load capacity | 60 kg    |
| Weight        | 8,5 kg   |

Delivery incl. one CLAX® transport box.

| Number of bases | Colour | Art. No. | Pack Qty. |  |
|-----------------|--------|----------|-----------|--|
| 2               | grey   | HNX7.1   | 1 unit(s) |  |



## Shelf trolley with wire baskets

ROTH SELECTION. Material: Steel, Baskets covered with soft plastic.

With two baskets, volume of 65 and 24 litres, load-bearing capacity per basket 30 kg. Castors rotate all the way round.

### Technical specifications:

| Art. No.      | 1927.1  |
|---------------|---------|
| Length        | 730 mm  |
| Width         | 410 mm  |
| Height        | 850 mm  |
| Total height  | 970 mm  |
| Roller Ø      | 100 mm  |
| Load capacity | 60 kg   |
| Weight        | 13.5 kg |

| Number of bases | Art. No. | Pack Qty. |  |
|-----------------|----------|-----------|--|
| 2               | 1927.1   | 1 unit(s) |  |

# Platform trolleys



## Shelf trolley

ROTH SELECTION. Material: Stainless steel 18/10.

Price plus transport costs of €35.00 within Germany.

With welded-in shelves, load-bearing capacity per shelf 40 kg. Four castors with wall deflectors, including two with wheel brakes. No protruding edges or screws, thereby largely preventing accidents and making it easy to clean. Anti-static tyres.

### Technical specifications:

| Art. No.        | 0033.1   | A206.1  | Y497.1   |
|-----------------|----------|---------|----------|
| Length          | 895 mm   |         |          |
| Width           | 595 mm   |         |          |
| Height          | 949 mm   |         | 1,264 mm |
| Floor clearance | 591 mm   | 278 mm  |          |
| Roller Ø        | 125 mm   |         |          |
| Load capacity   | 80 kg    | 120 kg  | 150 kg   |
| Weight          | 15,63 kg | 19,1 kg | 23,62 kg |

| Number of bases | Platform (mm) | Art. No. | Pack Qty. |
|-----------------|---------------|----------|-----------|
| 2               | 800 x 500     | 0033.1   | 1 unit(s) |
| 3               | 800 x 500     | A206.1   | 1 unit(s) |
| 4               | 800 x 500     | Y497.1   | 1 unit(s) |



## Shelf trolley ROTILABO® for self-assembly

ROTH SELECTION. Material: Stainless steel 18/10.

- Stable support surfaces, thickness 0.8 mm
- Load-bearing capacity of each shelf 40 kg
- Bases are coated with sound-insulating material

### Technical specifications:

| Art. No.        | YE87.1 | YE88.1 |
|-----------------|--------|--------|
| Length          | 860 mm |        |
| Width           | 560 mm |        |
| Height          | 950 mm |        |
| Floor clearance | 570 mm | 260 mm |
| Roller Ø        | 125 mm |        |
| Load capacity   | 80 kg  | 120 kg |
| Weight          | 13 kg  | 17 kg  |

**Delivery incl.** four swivel castors, two of which are lockable. Fully disassembled.

| Number of bases | Platform (mm) | Art. No. | Pack Qty. |
|-----------------|---------------|----------|-----------|
| 2               | 760 x 440     | YE87.1   | 1 unit(s) |
| 3               | 760 x 440     | YE88.1   | 1 unit(s) |



## Shelf trolley with tray shelves

ROTH SELECTION. Material: Stainless steel, stainless steel wheel housing, solid rubber rollers, plastic grip.

Tray depth 40 mm. Roller Ø 160 mm, 2 steering rollers and 2 fixed rollers, steering rollers with brake.

### Technical specifications:

| Art. No.        | 1C3L.1 | 1C3N.1 |
|-----------------|--------|--------|
| Length          | 940 mm |        |
| Width           | 500 mm |        |
| Height          | 915 mm |        |
| Floor clearance | 653 mm | 312 mm |
| Load capacity   | 250 kg | 350 kg |

| Number of bases | Platform (mm) | Art. No. | Pack Qty. |
|-----------------|---------------|----------|-----------|
| 2               | 900 x 500     | 1C3L.1   | 1 unit(s) |
| 3               | 900 x 500     | 1C3N.1   | 1 unit(s) |



## Shelf trolley mini

ROTH SELECTION. Material: Stainless steel 1.4301.

Price plus transport costs of €35.00 within Germany.

- Sturdy and hygienic design
- Four swivel castors, including two with full locking brake
- Castors are not electrically conductive
- Smooth shelves, underlaid with sound-insulating material
- Shelves rigidly welded with four round tubes, Ø 25 mm

### Technical specifications:

| Art. No.      | AXL5.1 |
|---------------|--------|
| Length        | 450 mm |
| Width         | 450 mm |
| Height        | 510 mm |
| Roller Ø      | 125 mm |
| Load capacity | 120 kg |

| Number of bases | Art. No. | Pack Qty. |
|-----------------|----------|-----------|
| 2               | AXL5.1   | 1 unit(s) |

**Алматы** (7273)495-231  
**Ангарск** (3955)60-70-56  
**Архангельск** (8182)63-90-72  
**Астрахань** (8512)99-46-04  
**Барнаул** (3852)73-04-60  
**Белгород** (4722)40-23-64  
**Благовещенск** (4162)22-76-07  
**Брянск** (4832)59-03-52  
**Владивосток** (423)249-28-31  
**Владикавказ** (8672)28-90-48  
**Владимир** (4922)49-43-18  
**Волгоград** (844)278-03-48  
**Вологда** (8172)26-41-59  
**Воронеж** (473)204-51-73  
**Екатеринбург** (343)384-55-89

**Иваново** (4932)77-34-06  
**Ижевск** (3412)26-03-58  
**Иркутск** (395)279-98-46  
**Казань** (843)206-01-48  
**Калининград** (4012)72-03-81  
**Калуга** (4842)92-23-67  
**Кемерово** (3842)65-04-62  
**Киров** (8332)68-02-04  
**Коломна** (4966)23-41-49  
**Кострома** (4942)77-07-48  
**Краснодар** (861)203-40-90  
**Красноярск** (391)204-63-61  
**Курск** (4712)77-13-04  
**Курган** (3522)50-90-47  
**Липецк** (4742)52-20-81

**Магнитогорск** (3519)55-03-13  
**Москва** (495)268-04-70  
**Мурманск** (8152)59-64-93  
**Набережные Челны** (8552)20-53-41  
**Нижний Новгород** (831)429-08-12  
**Новокузнецк** (3843)20-46-81  
**Ноябрьск** (3496)41-32-12  
**Новосибирск** (383)227-86-73  
**Омск** (3812)21-46-40  
**Орел** (4862)44-53-42  
**Оренбург** (3532)37-68-04  
**Пенза** (8412)22-31-16  
**Петрозаводск** (8142)55-98-37  
**Псков** (8112)59-10-37  
**Пермь** (342)205-81-47

**Ростов-на-Дону** (863)308-18-15  
**Рязань** (4912)46-61-64  
**Самара** (846)206-03-16  
**Саранск** (8342)22-96-24  
**Санкт-Петербург** (812)309-46-40  
**Саратов** (845)249-38-78  
**Севастополь** (8692)22-31-93  
**Симферополь** (3652)67-13-56  
**Смоленск** (4812)29-41-54  
**Сочи** (862)225-72-31  
**Ставрополь** (8652)20-65-13  
**Сыктывкар** (8212)25-95-17  
**Тамбов** (4752)50-40-97  
**Сургут** (3462)77-98-35  
**Тверь** (4822)63-31-35

**Тольятти** (8482)63-91-07  
**Томск** (3822)98-41-53  
**Тула** (4872)74-02-29  
**Тюмень** (3452)66-21-18  
**Ульяновск** (8422)24-23-59  
**Улан-Удэ** (3012)59-97-51  
**Уфа** (347)229-48-12  
**Хабаровск** (4212)92-98-04  
**Чебоксары** (8352)28-53-07  
**Челябинск** (351)202-03-61  
**Череповец** (8202)49-02-64  
**Чита** (3022)38-34-83  
**Якутск** (4112)23-90-97  
**Ярославль** (4852)69-52-93

**Россия** (495)268-04-70

**Казахстан** (772)734-952-31

**Киргизия** (996)312-96-26-47