

Средства дезинфицирующие для рук CARL ROTH

Технические характеристики

Алматы (7273)495-231
Ангарск (3955)60-70-56
Архангельск (8182)63-90-72
Астрахань (8512)99-46-04
Барнаул (3852)73-04-60
Белгород (4722)40-23-64
Благовещенск (4162)22-76-07
Брянск (4832)59-03-52
Владивосток (423)249-28-31
Владикавказ (8672)28-90-48
Владимир (4922)49-43-18
Волгоград (844)278-03-48
Вологда (8172)26-41-59
Воронеж (473)204-51-73
Екатеринбург (343)384-55-89

Иваново (4932)77-34-06
Ижевск (3412)26-03-58
Иркутск (395)279-98-46
Казань (843)206-01-48
Калининград (4012)72-03-81
Калуга (4842)92-23-67
Кемерово (3842)65-04-62
Киров (8332)68-02-04
Коломна (4966)23-41-49
Кострома (4942)77-07-48
Краснодар (861)203-40-90
Красноярск (391)204-63-61
Курск (4712)77-13-04
Курган (3522)50-90-47
Липецк (4742)52-20-81

Магнитогорск (3519)55-03-13
Москва (495)268-04-70
Мурманск (8152)59-64-93
Набережные Челны (8552)20-53-41
Нижний Новгород (831)429-08-12
Новокузнецк (3843)20-46-81
Ноябрьск (3496)41-32-12
Новосибирск (383)227-86-73
Омск (3812)21-46-40
Орел (4862)44-53-42
Оренбург (3532)37-68-04
Пенза (8412)22-31-16
Петрозаводск (8142)55-98-37
Псков (8112)59-10-37
Пермь (342)205-81-47

Ростов-на-Дону (863)308-18-15
Рязань (4912)46-61-64
Самара (846)206-03-16
Саранск (8342)22-96-24
Санкт-Петербург (812)309-46-40
Саратов (845)249-38-78
Севастополь (8692)22-31-93
Симферополь (3652)67-13-56
Смоленск (4812)29-41-54
Сочи (862)225-72-31
Ставрополь (8652)20-65-13
Сыктывкар (8212)25-95-17
Тамбов (4752)50-40-97
Тургут (3462)77-98-35
Тверь (4822)63-31-35

Тольятти (8482)63-91-07
Томск (3822)98-41-53
Тула (4872)74-02-29
Тюмень (3452)66-21-18
Ульяновск (8422)24-23-59
Улан-Удэ (3012)59-97-51
Уфа (347)229-48-12
Хабаровск (4212)92-98-04
Чебоксары (8352)28-53-07
Челябинск (351)202-03-61
Череповец (8202)49-02-64
Чита (3022)38-34-83
Якутск (4112)23-90-97
Ярославль (4852)69-52-93

Россия (495)268-04-70

Казахстан (772)734-952-31

Киргизия (996)312-96-26-47



Skin disinfection



Hand sanitiser Sterillium®

BODE Chemie.

Propanol-based rub-in hand disinfectant. No need for a wash basin or water. For all hygiene-sensitive clinical and industrial applications. Protects against infection in public buildings and during travel.

Efficacy range: bactericidal, tuberculocidal, limited virucidal efficacy (HBV, HIV, HCV), effective against herpes simplex, influenza A, SARS coronavirus, adeno-associated viruses, polyoma viruses and rotavirus.

Listing: BfArM Approval No. 603.00.01. RKI list area A, VAH, IHO list for virucidal products.

Sterillium: Active substances: propan-2-ol, propan-1-ol, mecatronium ethyl sulphate. Ingredients: 100 g of solution contains: Active substances: propan-2-ol 45.0 g, propan-1-ol 30.0 g, mecatronium ethyl sulphate 0.2 g. Other Ingredients: glycerol 85 %, tetradecan-1-ol, fragrances, blue patent V 85 %, purified water. **Areas of application:** for hygienic and surgical hand disinfection. For skin disinfection prior to injections and punctures.

Contraindications: unsuitable for the disinfection of mucus membranes. Do not use in close proximity to the eyes or open wounds. Hypersensitivity (allergy) to one of the ingredients. **Side effects:** slight dryness or irritation of the skin can occur occasionally. In such cases, more intensive general skin care is recommended. Allergic reactions are rare. **Warnings:** Sterillium should not be used on newly or prematurely born infants. Wait until dry before using electrical devices. Do not expose to naked flame. Do not use in the vicinity of ignition sources. Flash point: 23 °C, flammable. There are no fire or explosion hazards associated with the proper use of this product. After spillage of the disinfectant, the following steps should be taken: soak up the spilt liquid straight away, dilute with copious amounts of water, ventilate the room and remove ignition sources. Refrain from smoking. In the event of fire, extinguish with water, extinguishing powder, foam or CO₂. Refilling may only be performed under aseptic (clean bench) conditions.



Warning H226-H319-H336

Pack.	Art. No.	Pack Qty.	
100 ml bottle	L276.3	1 unit(s)	
500 ml bottle	L276.1	1 unit(s)	
1000 ml bottle	L276.2	1 unit(s)	
5 l canister	L276.4	1 unit(s)	



Hand sanitiser Sterillium® classic pure

BODE Chemie.

Hygienic and surgical rub-in hand disinfectant. Ideal for users with sensitive skin (colorant and fragrance free). For all hygiene-sensitive clinical and industrial applications.

Efficacy range: bactericidal, tuberculocidal, limited virucidal efficacy (incl. HBV, HIV, HCV). Effective against herpes simplex, influenza A, SARS coronavirus, adeno-associated viruses, polyoma virus and rotavirus.

Listing: BfArM Approval No. 25918.00.00, RKI list area A, VAH certification, IHO list for virucidal products. Actual product not shown (similar).

Sterillium classic pure: Active substances : propan-2-ol, propan-1-ol, mecatronium ethyl sulphate. Composition: 100 g solution contains: Active substances: 45.0 g propane-2-ol, 30.0 g propane-1-ol, 0.2 g mecatronium ethyl sulphate. **Other ingredients:** 85 % glycerol, tetradecan-1-ol, purified water. **Areas of application:** for hygienic and surgical hand disinfection. For skin disinfection prior to injections and punctures. **Contraindications:** unsuitable for the disinfection of mucus membranes. Do not use in close proximity to the eyes or open wounds. Do not use in case of hypersensitivity (allergic reaction) to one of the active substances or other ingredients.

Side effects: slight dryness or irritation of the skin may occasionally occur. In such cases, more intensive general skin care is recommended. Allergic reactions are rare. **Warnings:** hand disinfection helps prevent the transmission of infection, e.g. in nursing and health care. Sterillium classic pure should not be used on newly or prematurely born infants. Always consult a doctor prior to use on infants and small children. It is important to ensure that the solution does not come into contact with the eyes. After contact with the eyes, rinse the eyes under running water for several minutes holding the eyelids open. Avoid transferring the solution from one container into another in order to prevent contamination. If this is unavoidable, the solution should be transferred under aseptic conditions (e.g. using sterile containers under a laminar air flow hood). Wait until dry before using electrical devices. Do not expose to naked flame. Do not use in the vicinity of ignition sources. Flash point: 23 °C, flammable. There are no fire or explosion hazards associated with the proper use of this product. After spillage of the disinfectant, the following steps should be taken: soak up the spilt liquid straight away, dilute with copious amounts of water, ventilate the room and remove ignition sources. Refrain from smoking. In the event of fire, extinguish with water, extinguishing powder, foam or CO₂.



Warning H226-H319-H336

Pack.	Art. No.	Pack Qty.	
100 ml bottle	EH72.1	1 unit(s)	
500 ml bottle	EH72.2	1 unit(s)	
1000 ml bottle	EH72.3	1 unit(s)	
5 l canister	EH72.4	1 unit(s)	

Skin disinfection



Hand sanitiser Sterillium® Virugard

BODE Chemie.

Ethanol-based rub-in hand disinfectant. Especially useful for all working areas with an increased infection hazard, such as clinics, laboratories, hospitals etc.

Efficacy range: bactericidal, fungicidal, tuberculocidal, limited virucidal efficacy (including HBV, HIV, HCV), virucidal. Effective against herpes simplex, adeno-associated viruses, polyoma viruses, polio and rotavirus.

Listing: BfArM Approval No. 13814.00.00. RKI list area A/B, VAH, IHO list for virucidal products.

Sterillium Virugard: Active substance: ethanol. **Ingredients:** 100 g solution contain: Active substance: ethanol 99 % 95.0 g. **Other ingredients:** butan-2-on, glycerol, tetradecan-1-ol, petroleum. **Areas of application:** hygienic and surgical hand disinfection.

Contraindications: Do not apply to mucus membranes. Hypersensitivity to ingredients. **Side effects:** slight, diffuse reddening of the skin may occur rarely. In such cases, more intensive general skin care is recommended. **Warning:** do not expose to naked flame. Do not use in the vicinity of ignition sources. Close bottle after use. Flash point according to DIN 51755: 0 °C. Highly flammable. After spillage of the disinfectant, the following steps should be taken: soak up the spilt liquid straight away, dilute with copious amounts of water, ventilate the room and remove ignition sources. Refrain from smoking. Refilling may only be performed under aseptic (clean bench) conditions.



Danger H225-H319-H412

Pack.	Art. No.	Pack Qty.	
100 ml bottle	L313.3	1 unit(s)	
500 ml bottle	L313.1	1 unit(s)	
1000 ml bottle	L313.2	1 unit(s)	



Metering pump - disposable

Hartmann. Material: Plastic.

Metering pump with long outlet. For hygienic removal of product from BODE original bottles, Sterillium®, Sterillium® classic pure and Sterillium® Virugard, as well as wash lotion and creams.

Not a medical device / Not an IVD product

Suitable for	Pack.	Art. No.	Pack Qty.	
300/500 ml Bode bottles	5 x 1	KKK4.2	5 unit(s)	
1000 ml Bode bottles	5 x 1	KKK5.2	5 unit(s)	



Skin disinfectants Cutasept® F

BODE Chemie.

For skin disinfection, e.g. in the event of accident or minor injuries. Fast acting and comprehensive. Excellent skin tolerance. Ready-to use, colourless solution.

Spectrum of activity: Bactericidal (incl. MRSA), fungicidal, tuberculocidal, limited virucidal efficacy (incl. HBV, HIV, HCV), rotavirus. **Listing:** BfArM Approval No. 6281157.00.00, VAH.

Cutasept F active ingredient: Propane-2-ol. **Composition of 100 g solution:** **Active ingredient** 63.0 g propane-2-ol, corresponding to 72% vol. **Other ingredients:** Benzalkonium chloride, purified water. **Areas of application:** Skin disinfection before punctures,

injections and surgical operations. Surgical and hygienic hand disinfection. **Where not to use:** Do not apply in the immediate proximity of the eyes. Intolerance to ingredients. If applied properly, Cutasept F can be used when pregnant or breastfeeding. **Side effects:** Slight, scattered skin irritations are common. May produce an allergic reaction. **Warning:** Has not been sufficiently tested as a treatment for infants and small children. In these cases, this product may only be applied after stringent diagnosis and under medical supervision. Benzalkonium chloride may cause skin irritation. Do not apply to the skin beneath exsanguination cuffs. Do not apply surgical film until dry. Wait until dry before using electrical devices. Avoid accumulation on patient beds/seats. Do not expose to naked flame. Keep clear of ignition sources. There are no fire or explosion hazards associated with the proper use of this product. If the solution comes into contact with eyes, hold the eyes open and rinse with running water for several minutes. After spillage of the disinfectant, the following steps should be taken: Soak up the spilt liquid straight away, dilute with copious amounts of water, ventilate the room and remove ignition sources. Flash point according to DIN 51755: 21 °C. Flammable. Refilling may only be performed under aseptic (clean bench) conditions.



Danger H225-H319-H336

Delivery incl. overhead sprayer for 50, 250 and 500 ml bottles. Please order the hand-held spray head for the 1000 ml bottle separately.

Pack.	Art. No.	Pack Qty.	
50 ml spray bottle	AK64.1	1 unit(s)	
250 ml spray bottle	AK64.2	1 unit(s)	
1000 ml bottle	AK64.4	1 unit(s)	



Skin disinfection



Hand sanitiser Softa-Man®

B. Braun.

Ready-to-use, alcohol-based hand sanitiser.

Efficacy: effective against bacteria (including MRSA, TbB) and fungi. Limited virucidal efficacy (including HBV, HCV, HIV), effective against rota, influenza, adeno and noro viruses (surrogate virus MNV).

Listing: DGHM/VAH, RKI listed (efficacy range A) and in the IHO List of Virucidal Products.

- For rapid and long lasting skin disinfection
- Contains Panthenol (Provitamin B5), Bisabolol and Allantoin for hand care
- Dye-free, low-allergen fragrance
- Dermatologically tested
- Hygienic hand disinfection 30 sec, surgical hand disinfection 60 sec

Composition: 100 ml of solution contain: Active substances: ethanol (100 %) 45 g, 1-propanol (Ph. Eur.) 18 g. Other constituents: purified water, diisopropyl adipate, macrogol-6-glycerolcaprylocaprate (Ph. Eur.), dexpanthenol, (+/-)alpha-bisabolol, fragrances (contain lemons and linalool), allantoin.

Applications: hygienic and surgical hand disinfection. **Contraindications:** hypersensitivity (allergy) to ethanol or 1-propanol or one of the other constituents. **Side effects:** contact allergy. Skin irritations such as inflammation and redness and burning, particularly if used frequently.

Warnings: flammable. Keep container tightly closed. Keep clear of ignition sources. - Refrain from smoking! Avoid contact with the eyes. Do not apply to injured skin or mucus membranes. For external use only. 21-22 °C flash point according to DIN 51 755.

Danger H225-H318-H336

Pack.	Art. No.	Pack Qty.	
100 ml bottle	XP54.1	1 unit(s)	
500 ml bottle	XP54.2	1 unit(s)	
1000 ml bottle	XP54.3	1 unit(s)	
5 l canister	XP54.4	1 unit(s)	



Hand sanitiser Softa-Man® ViscoRub

B. Braun.

Ready-to-use, gel-like, alcohol-based hand disinfectant.

Efficacy: effective against bacteria (including MRSA, TbB) and fungi. Limited virucidal efficacy (including HBV, HCV, HIV), effective against rota, influenza and noro viruses (surrogate virus MNV).

Listing: DGHM/VAH listed and included in the IHO List of Virucidal Products.

- Gel-like structure allows drip free dispensing
- Colorant and fragrance free, i.e. reduced allergenic potential
- Excellent skin compatibility - dermatologically tested
- Especially gentle to the skin
- Hygienic hand disinfection 30 sec, surgical hand disinfection 90 sec

Composition: 100 ml of solution contain: Active substances: ethanol (100 %) 45 g, 1-propanol (Ph. Eur.) 18 g. Other ingredients: purified water, butane-2-on, glycerol, isopropyl myristate (Ph. Eur.), (hexadecyl, octadecyl) [(RS)-2-ethyl hexanoate], (+/-)alpha-bisabolol. **Applications:** hygienic and surgical hand disinfection. **Contraindications:** hypersensitivity (allergy) to ethanol or 1-propanol or one of the other ingredients of Softa-Man® ViscoRub. **Side effects:** contact allergy. Skin irritations such as inflammation and redness and burning, particularly if used frequently. **Warnings:** flammable. Keep container tightly closed. Keep clear of ignition sources. - Refrain from smoking! Avoid contact with the eyes. Do not apply to injured skin or mucus membranes. For external use only. 52.3 % ethanol by weight, 20.9 % 1-propanol by weight. 21 °C flash point according to DIN 51 755.

Danger H225-H318-H336

Pack.	Art. No.	Pack Qty.	
100 ml bottle	XP55.1	1 unit(s)	
500 ml bottle	XP55.2	1 unit(s)	
1000 ml bottle	XP55.3	1 unit(s)	
5 l canister	XP55.4	1 unit(s)	



Dosing pump for B. Braun bottles

B. Braun. Material: PP, PE.

For hygienic dispensing. Integrated non-return valve prevents leakage of contents, e.g. when tilting the bottle. 2 ml per stroke. Suitable for B. Braun bottles.

Not a medical device / Not an IVD product

Suitable for	Art. No.	Pack Qty.	
500 ml bottles	NK88.1	1 unit(s)	
1000 ml bottles	NK89.1	1 unit(s)	

Skin disinfection



Hand sanitiser Sterillium-Tissue®

BODE Chemie.

For hand and skin disinfection. Based on propan-2-ol, propan-1-ol and mecetronium ethyl sulphate.

Efficacy range: bactericidal, yeasticidal, tuberculocidal, mycobactericidal, limited virucidal efficacy (including HBV, HIV, HCV). Effective against herpes simplex and rotavirus. **Listing:** BfArM Approval No. 603.00.00.VAH.

Sterillium® Tissue: Active substances: 2-propanol (Ph. Eur.), 1-propanol (Ph. Eur.), mecetronium ethyl sulphate. **Composition:** 1 fleece wet wipe contains: **Active substances:** 1.341 mg propan-2-ol, 894 mg propan-1-ol and 5.96 mg mecetronium ethyl sulphate. Other constituents: tetradecane-1-ol, glycerol 85 %, fragrances, purified water. **Applications:** for hygienic hand disinfection, for skin disinfection after injections and punctures in low-sebaceous areas of skin. **Contraindications:** Sterillium® Tissue must not be used in persons with an allergic hypersensitivity to 2-propanol (Ph. Eur.), 1-propanol (Ph. Eur.), mecetronium ethyl sulphate or any of the other constituents, in immediate proximity to the eyes or open wounds, in premature and new-born infants, and for disinfection of mucus membranes. **Side effects:** slight dryness or irritation of the skin may occasionally occur. In such cases, more intensive general skin care is recommended. Allergic reactions are rare. **Warnings:** always consult a doctor prior to use on infants and small children. Avoid contact with the eyes. In case of contact with the eyes, rinse immediately with flowing water for several minutes with the eyelid open. Do not use electrical equipment until the substance has dried. Keep away from naked flame. Do not use in the vicinity of ignition sources. Flash point: 23.5 °C, flammable. In the event of fire, extinguish with water, fire extinguisher or CO₂.



Warning H226-H319

Pack.	Art. No.	Pack Qty.
10 wipes	T037.1	10 unit(s)



Disinfectant dispenser RX5 Touchless

BODE Chemie.

- Non-contact dispenser made of sturdy plastic
- Slim and modern design with rounded surfaces
- Replaceable and durable plastic pump
- Reliable sensor-controlled dosing of 1.5 ml per stroke
- Adjustable stroke rate (1-3)
- Multifunctional: As a wall-mounted dispenser or for desktops
- Easy installation even in difficult space conditions
- Suitable for all commercially available 500 ml Euro bottles
- Removable front for easy bottle and pump replacement
- Drip pan can be clicked on (please order separately)

Delivery incl. batteries and mounting material, without drip pan or bottle (please order separately).

Not a medical device / Not an IVD product

Suitable for	W x D x H (mm)	Art. No.	Pack Qty.
500 ml Euro bottles	102 x 142 x 269	1H49.1	1 unit(s)

Drip pan for the RX5 touchless disinfectant dispenser

BODE Chemie. Material: Plastic.

Suitable for	Art. No.	Pack Qty.
RX5 Touchless	1H4A.1	1 unit(s)

Алматы (7273)495-231
Ангарск (3955)60-70-56
Архангельск (8182)63-90-72
Астрахань (8512)99-46-04
Барнаул (3852)73-04-60
Белгород (4722)40-23-64
Благовещенск (4162)22-76-07
Брянск (4832)59-03-52
Владивосток (423)249-28-31
Владикавказ (8672)28-90-48
Владимир (4922)49-43-18
Волгоград (844)278-03-48
Вологда (8172)26-41-59
Воронеж (473)204-51-73
Екатеринбург (343)384-55-89

Иваново (4932)77-34-06
Ижевск (3412)26-03-58
Иркутск (395)279-98-46
Казань (843)206-01-48
Калининград (4012)72-03-81
Калуга (4842)92-23-67
Кемерово (3842)65-04-62
Киров (8332)68-02-04
Коломна (4966)23-41-49
Кострома (4942)77-07-48
Краснодар (861)203-40-90
Красноярск (391)204-63-61
Курск (4712)77-13-04
Курган (3522)50-90-47
Липецк (4742)52-20-81

Россия (495)268-04-70

Магнитогорск (3519)55-03-13
Москва (495)268-04-70
Мурманск (8152)59-64-93
Набережные Челны (8552)20-53-41
Нижний Новгород (831)429-08-12
Новокузнецк (3843)20-46-81
Ноябрьск (3496)41-32-12
Новосибирск (383)227-86-73
Омск (3812)21-46-40
Орел (4862)44-53-42
Оренбург (3532)37-68-04
Пенза (8412)22-31-16
Петрозаводск (8142)55-98-37
Псков (8112)59-10-37
Пермь (342)205-81-47

Казахстан (772)734-952-31

Ростов-на-Дону (863)308-18-15
Рязань (4912)46-61-64
Самара (846)206-03-16
Саранск (8342)22-96-24
Санкт-Петербург (812)309-46-40
Саратов (845)249-38-78
Севастополь (8692)22-31-93
Симферополь (3652)67-13-56
Смоленск (4812)29-41-54
Сочи (862)225-72-31
Ставрополь (8652)20-65-13
Сыктывкар (8212)25-95-17
Тамбов (4752)50-40-97
Тверь (4822)63-31-35

Киргизия (996)312-96-26-47

Тольятти (8482)63-91-07
Томск (3822)98-41-53
Тула (4872)74-02-29
Тюмень (3452)66-21-18
Ульяновск (8422)24-23-59
Улан-Удэ (3012)59-97-51
Уфа (347)229-48-12
Хабаровск (4212)92-98-04
Чебоксары (8352)28-53-07
Челябинск (351)202-03-61
Череповец (8202)49-02-64
Чита (3022)38-34-83
Якутск (4112)23-90-97
Ярославль (4852)69-52-93