

Колбы конические стандартные CARL ROTH ROTILABO

Технические характеристики

Алматы (7273)495-231
Ангарск (3955)60-70-56
Архангельск (8182)63-90-72
Астрахань (8512)99-46-04
Барнаул (3852)73-04-60
Белгород (4722)40-23-64
Благовещенск (4162)22-76-07
Брянск (4832)59-03-52
Владивосток (423)249-28-31
Владикавказ (8672)28-90-48
Владимир (4922)49-43-18
Волгоград (844)278-03-48
Вологда (8172)26-41-59
Воронеж (473)204-51-73
Екатеринбург (343)384-55-89

Иваново (4932)77-34-06
Ижевск (3412)26-03-58
Иркутск (395)279-98-46
Казань (843)206-01-48
Калининград (4012)72-03-81
Калуга (4842)92-23-67
Кемерово (3842)65-04-62
Киров (8332)68-02-04
Коломна (4966)23-41-49
Кострома (4942)77-07-48
Краснодар (861)203-40-90
Красноярск (391)204-63-61
Курск (4712)77-13-04
Курган (3522)50-90-47
Липецк (4742)52-20-81

Магнитогорск (3519)55-03-13
Москва (495)268-04-70
Мурманск (8152)59-64-93
Набережные Челны (8552)20-53-41
Нижний Новгород (831)429-08-12
Новокузнецк (3843)20-46-81
Ноябрьск (3496)41-32-12
Новосибирск (383)227-86-73
Омск (3812)21-46-40
Орел (4862)44-53-42
Оренбург (3532)37-68-04
Пенза (8412)22-31-16
Петрозаводск (8142)55-98-37
Псков (8112)59-10-37
Пермь (342)205-81-47

Ростов-на-Дону (863)308-18-15
Рязань (4912)46-61-64
Самара (846)206-03-16
Саранск (8342)22-96-24
Санкт-Петербург (812)309-46-40
Саратов (845)249-38-78
Севастополь (8692)22-31-93
Симферополь (3652)67-13-56
Смоленск (4812)29-41-54
Сочи (862)225-72-31
Ставрополь (8652)20-65-13
Сыктывкар (8212)25-95-17
Тамбов (4752)50-40-97
Тургут (3462)77-98-35
Тверь (4822)63-31-35

Тольятти (8482)63-91-07
Томск (3822)98-41-53
Тула (4872)74-02-29
Тюмень (3452)66-21-18
Ульяновск (8422)24-23-59
Улан-Удэ (3012)59-97-51
Уфа (347)229-48-12
Хабаровск (4212)92-98-04
Чебоксары (8352)28-53-07
Челябинск (351)202-03-61
Череповец (8202)49-02-64
Чита (3022)38-34-83
Якутск (4112)23-90-97
Ярославль (4852)69-52-93

Россия (495)268-04-70

Казахстан (772)734-952-31

Киргизия (996)312-96-26-47



Standard ground joint flasks

Round bottom flasks

Lenz. Material: DURAN® glass. Autoclavable: Yes.
With ground glass joint.



A121 °C

Clear glass

Vol. (ml)	Standard ground glass joint sleeve	Ø Outer flask (mm)	Height (mm)	Art. No.	Pack Qty.	
5	14/23	30	58	HY49.1	1 unit(s)	
10	14/23	35	70	HY50.1	1 unit(s)	
25	14/23	41	85	E588.1	1 unit(s)	
25	19/26	41	85	KY27.1	1 unit(s)	
50	14/23	51	90	E589.1	1 unit(s)	
50	19/26	51	90	KY28.1	1 unit(s)	
50	24/29	51	90	KY32.1	1 unit(s)	
50	29/32	51	90	E590.1	1 unit(s)	
100	14/23	64	105	E591.1	1 unit(s)	
100	19/26	64	105	KY29.1	1 unit(s)	
100	24/29	64	105	KY33.1	1 unit(s)	
100	29/32	64	105	E592.1	1 unit(s)	
250	14/23	85	140	KY26.1	1 unit(s)	
250	19/26	85	140	KY30.1	1 unit(s)	
250	24/29	85	140	KY34.1	1 unit(s)	
250	29/32	85	145	E593.1	1 unit(s)	
250	45/40	85	145	E594.1	1 unit(s)	
500	19/26	105	168	KY31.1	1 unit(s)	
500	24/29	105	165	KY35.1	1 unit(s)	
500	29/32	105	175	E595.1	1 unit(s)	
500	45/40	105	175	E596.1	1 unit(s)	
1,000	24/29	131	195	KY36.1	1 unit(s)	
1,000	29/32	131	200	E597.1	1 unit(s)	
1,000	45/40	131	200	E598.1	1 unit(s)	
2,000	24/29	166	260	KY37.1	1 unit(s)	
2,000	29/32	166	260	E599.1	1 unit(s)	
2,000	45/40	166	260	E600.1	1 unit(s)	
3,000	29/32	185	265	TE93.1	1 unit(s)	
3,000	45/40	185	265	TE94.1	1 unit(s)	
4,000	29/32	207	290	TE95.1	1 unit(s)	
4,000	45/40	207	315	E601.1	1 unit(s)	
5,000	29/32	223	315	TE96.1	1 unit(s)	
5,000	45/40	223	315	TE97.1	1 unit(s)	
6,000	29/32	236	360	ELA0.1	1 unit(s)	
6,000	45/40	236	360	ELA1.1	1 unit(s)	
10,000	29/32	279	375	ELA2.1	1 unit(s)	
10,000	45/40	279	375	ELA3.1	1 unit(s)	
20,000	29/32	345	495	ELA4.1	1 unit(s)	
20,000	45/40	345	495	ELA5.1	1 unit(s)	

Brown glass

Vol. (ml)	Standard ground glass joint sleeve	Ø Outer flask (mm)	Height (mm)	Art. No.	Pack Qty.	
50	29/32	51	90	ELA6.1	1 unit(s)	
100	29/32	64	115	Y646.1	1 unit(s)	
250	29/32	85	145	Y647.1	1 unit(s)	
500	29/32	105	175	Y648.1	1 unit(s)	
1,000	29/32	131	210	Y649.1	1 unit(s)	

Standard ground joint flasks

Round bottom flasks ROTILABO® with ground glass joint

ROTH SELECTION. Material: Borosilicate glass 3.3. Autoclavable: Yes.
Acc. to ISO 4797.



Vol. (ml)	Standard ground glass joint sleeve	Ø Outer flask (mm)	Height (mm)	Art. No.	Pack Qty.	
50	14/23	51	105	ACH0.1	10 unit(s)	
50	19/26	51	105	ACH1.1	10 unit(s)	
50	29/32	51	105	ACH2.1	10 unit(s)	
100	14/23	64	115	ACH3.1	10 unit(s)	
100	19/26	64	115	ACH4.1	10 unit(s)	
100	29/32	64	115	ACH5.1	10 unit(s)	
250	29/32	85	145	ACH6.1	10 unit(s)	
250	45/40	85	145	ACH7.1	1 unit(s)	
500	29/32	105	175	ACH8.1	10 unit(s)	
500	45/40	105	175	ACH9.1	1 unit(s)	
1,000	29/32	131	210	ACK0.1	1 unit(s)	
1,000	45/40	131	210	ACK1.1	1 unit(s)	
2,000	29/32	166	260	ACK2.1	1 unit(s)	
2,000	45/40	166	260	ACK3.1	1 unit(s)	
4,000	45/40	207	315	ACK4.1	1 unit(s)	
6,000	60/46	236	355	ACK5.1	1 unit(s)	
10,000	60/46	279	420	ACK6.1	1 unit(s)	

Round bottom flasks ROTILABO® with beaded rim

ROTH SELECTION. Material: Borosilicate glass 3.3. Autoclavable: Yes.



Narrow neck

Vol. (ml)	Ø Outer flask (mm)	Ø Outer neck (mm)	Height (mm)	Art. No.	Pack Qty.	
50	51	22	105	NT88.1	10 unit(s)	
100	64	22	115	NT89.1	10 unit(s)	
250	85	34	147	NT90.1	10 unit(s)	
500	105	34	175	NT91.1	10 unit(s)	
1,000	131	42	210	NT92.1	1 unit(s)	
2,000	166	50	260	NT93.1	1 unit(s)	
4,000	207	50	315	NT94.1	1 unit(s)	
6,000	236	65	355	NT95.1	1 unit(s)	
10,000	279	65	420	NT96.1	1 unit(s)	
20,000	345	80	500	NT97.1	1 unit(s)	



Standard ground joint flasks

Wide neck

Vol. (ml)	Ø Outer flask (mm)	Ø Outer neck (mm)	Height (mm)	Art. No.	Pack Qty.	
50	51	34	105	NT98.1	10 unit(s)	
100	64	34	115	NT99.1	10 unit(s)	
250	85	50	145	NX00.1	10 unit(s)	
500	105	50	175	NX01.1	10 unit(s)	
1,000	131	50	210	NX02.1	1 unit(s)	
2,000	166	76	260	NX03.1	1 unit(s)	
4,000	207	76	315	NX04.1	1 unit(s)	
6,000	236	89	355	NX05.1	1 unit(s)	
10,000	279	89	420	NX06.1	1 unit(s)	

Round bottom flasks

Vitlab. Material: PFA, Transparent. Autoclavable: Yes.

- High chemical resistance
- Temperature resistant in the range -200 to +260 °C
- Hydrophobic and anti-adhesive, extremely smooth surfaces allow easy cleaning
- High purity, ideal for use in trace analysis and for storage of reference solutions
- No memory effect
- Also suitable for use in rotary evaporator as safety flask
- Autoclavable



A121 °C



Vol. (ml)	Standard ground glass joint	Standard ground glass joint sleeve	Ø Outer flask (mm)	Height (mm)	Art. No.	Pack Qty.	
100	29/32	29/32	65	117	XY62.1	1 unit(s)	
250	29/32	29/32	88	147	XY63.1	1 unit(s)	
500	29/32	29/32	107	177	XY64.1	1 unit(s)	

Kjeldahl flasks

Lenz. Material: DURAN® glass. Autoclavable: Yes.

With ground glass joint. Acc. to DIN 12360.



A121 °C

Vol. (ml)	Standard ground glass joint sleeve	Ø Outer flask (mm)	Height (mm)	Art. No.	Pack Qty.	
50	14/23	51	200	Y659.1	1 unit(s)	
50	19/26	51	200	Y660.1	1 unit(s)	
100	14/23	60	200	Y661.1	1 unit(s)	
100	19/26	60	200	Y662.1	1 unit(s)	
250	29/32	81	270	Y663.1	1 unit(s)	
500	29/32	101	300	Y664.1	1 unit(s)	
750	29/32	115	340	Y665.1	1 unit(s)	
1,000	29/32	126	350	Y666.1	1 unit(s)	

Standard ground joint flasks

Pear-shaped flasks

Lenz. Material: DURAN® glass. Autoclavable: Yes.



A 121 °C

Vol. (ml)	Standard ground glass joint sleeve	Ø Outer flask (mm)	Height (mm)	Art. No.	Pack Qty.	
5	14/23	27	68	TK67.1	1 unit(s)	
10	14/23	30	75	E602.1	1 unit(s)	
25	14/23	40	90	E603.1	1 unit(s)	
25	19/26	42	90	TK68.1	1 unit(s)	
50	14/23	50	110	E604.1	1 unit(s)	
50	19/26	51	100	TK69.1	1 unit(s)	
50	29/32	51	100	TK70.1	1 unit(s)	
100	14/23	62	125	E605.1	1 unit(s)	
100	19/26	64	130	TK71.1	1 unit(s)	
100	29/32	64	130	TK72.1	1 unit(s)	
250	14/23	85	195	TK73.1	1 unit(s)	
250	19/26	85	195	TK74.1	1 unit(s)	
250	29/32	85	190	TK75.1	1 unit(s)	

Two-necked, pear-shaped flasks

Lenz. Material: DURAN® glass. Autoclavable: Yes.

With angled side neck (angle 25°).



A 121 °C

Vol. (ml)	Centre neck with ground glass joints	Side neck with ground glass joints	Ø Outer flask (mm)	Height (mm)	Art. No.	Pack Qty.	
25	14/23	14/23	40	90	TH63.1	1 unit(s)	
25	19/26	14/23	40	90	TH64.1	1 unit(s)	
50	14/23	14/23	50	100	TH65.1	1 unit(s)	
50	19/26	14/23	50	100	TH66.1	1 unit(s)	
100	14/23	14/23	64	130	TH67.1	1 unit(s)	
100	19/26	14/23	64	130	TH68.1	1 unit(s)	
250	14/23	14/23	85	195	TH69.1	1 unit(s)	
250	19/26	14/23	85	195	TH70.1	1 unit(s)	



Standard ground joint flasks

Double neck round bottom flasks side neck parallel

Lenz. Material: DURAN® glass. Autoclavable: Yes.

Centre neck MS 29/32, with parallel side neck.



A 121 °C

Vol. (ml)	Centre neck with ground glass joints	Side neck with ground glass joints	Ø Outer flask (mm)	Height (mm)	Art. No.	Pack Qty.	
100	29/32	14/23	64	105	ELA7.1	1 unit(s)	
250	29/32	14/23	85	140	ELA8.1	1 unit(s)	
250	29/32	29/32	85	140	ELA9.1	1 unit(s)	
500	29/32	14/23	105	163	ELC0.1	1 unit(s)	
500	29/32	29/32	105	163	ELC1.1	1 unit(s)	
1,000	29/32	14/23	131	200	ELC2.1	1 unit(s)	
1,000	29/32	29/32	131	200	ELC3.1	1 unit(s)	
2,000	29/32	14/23	166	240	ELC4.1	1 unit(s)	
2,000	29/32	29/32	166	240	ELC5.1	1 unit(s)	
4,000	29/32	29/32	207	290	ELC6.1	1 unit(s)	

Double neck round bottom flasks ROTILABO®

ROTH SELECTION. Material: Borosilicate glass 3.3. Autoclavable: Yes.

With ground glass joints.



A 121 °C



Vol. (ml)	Centre neck with ground glass joints	Side neck with ground glass joints	Art. No.	Pack Qty.	
250	29/32	14/23	ACE4.1	1 unit(s)	
500	29/32	14/23	ACE5.1	1 unit(s)	
1,000	29/32	14/23	ACE6.1	1 unit(s)	
2,000	29/32	14/23	ACE7.1	1 unit(s)	
4,000	45/40	14/23	ACE8.1	1 unit(s)	
6,000	60/46	14/23	ACE9.1	1 unit(s)	

Standard ground joint flasks

Double neck round bottom flasks

Lenz. Material: DURAN® glass. Autoclavable: Yes.

With angled side neck (angle 20°).



A 121 °C

Vol. (ml)	Centre neck with ground glass joints	Side neck with ground glass joints	Ø Outer flask (mm)	Height (mm)	Art. No.	Pack Qty.	
25	14/23	14/23	41	85	KY12.1	1 unit(s)	
50	14/23	14/23	51	90	KY13.1	1 unit(s)	
100	14/23	14/23	64	105	KY14.1	1 unit(s)	
100	24/29	14/23	64	105	ELC7.1	1 unit(s)	
100	24/29	19/26	64	105	KY24.1	1 unit(s)	
100	29/32	14/23	64	105	E606.1	1 unit(s)	
100	29/32	19/26	64	105	ELC8.1	1 unit(s)	
100	29/32	29/32	64	105	ELC9.1	1 unit(s)	
250	14/23	14/23	85	140	ELE0.1	1 unit(s)	
250	24/29	14/23	85	140	ELE1.1	1 unit(s)	
250	24/29	19/26	85	140	KY25.1	1 unit(s)	
250	29/32	14/23	85	140	E607.1	1 unit(s)	
250	29/32	19/26	85	140	ELE2.1	1 unit(s)	
250	29/32	29/32	85	140	ELE3.1	1 unit(s)	
500	24/29	14/23	105	163	ELE4.1	1 unit(s)	
500	24/29	19/26	105	163	ELE5.1	1 unit(s)	
500	29/32	14/23	105	163	E608.1	1 unit(s)	
500	29/32	19/26	105	163	ELE6.1	1 unit(s)	
500	29/32	29/32	105	163	ELE7.1	1 unit(s)	
1,000	24/29	19/26	131	200	ELE8.1	1 unit(s)	
1,000	29/32	14/23	131	200	E609.1	1 unit(s)	
1,000	29/32	19/26	131	200	ELE9.1	1 unit(s)	
1,000	29/32	29/32	131	200	ELH0.1	1 unit(s)	
2,000	29/32	14/23	166	240	E610.1	1 unit(s)	
2,000	29/32	19/26	166	240	ELH1.1	1 unit(s)	
2,000	29/32	29/32	166	240	ELH2.1	1 unit(s)	
4,000	29/32	29/32	207	290	ELH3.1	1 unit(s)	



Standard ground joint flasks

Three-necked round-bottom flasks parallel side necks

Lenz. Material: DURAN® glass. Autoclavable: Yes.



A 121 °C

Vol. (ml)	Centre neck with ground glass joints	Side neck 1+2 with ground glass joints	Ø Outer flask (mm)	Height (mm)	Art. No.	Pack Qty.	
100	24/29	19/26	64	105	ELH4.1	1 unit(s)	
100	29/32	19/26	64	105	ELH5.1	1 unit(s)	
100	29/32	14/23	64	105	KY15.1	1 unit(s)	
100	29/32	29/32	64	105	KY16.1	1 unit(s)	
250	24/29	19/26	85	105	ELH6.1	1 unit(s)	
250	29/32	14/23	85	140	E615.1	1 unit(s)	
250	29/32	19/26	85	140	ELH7.1	1 unit(s)	
250	29/32	29/32	85	140	KY17.1	1 unit(s)	
500	24/29	19/26	105	163	ELH8.1	1 unit(s)	
500	29/32	14/23	105	163	E616.1	1 unit(s)	
500	29/32	29/32	105	163	E617.1	1 unit(s)	
500	29/32	19/26	105	163	ELH9.1	1 unit(s)	
1,000	24/29	19/26	131	200	ELK0.1	1 unit(s)	
1,000	29/32	14/23	131	200	E618.1	1 unit(s)	
1,000	29/32	29/32	131	200	E619.1	1 unit(s)	
1,000	29/32	19/26	131	200	ELK1.1	1 unit(s)	
1,000	45/40	29/32	131	200	ELK2.1	1 unit(s)	
2,000	24/29	19/26	166	240	ELK3.1	1 unit(s)	
2,000	29/32	14/23	166	240	E620.1	1 unit(s)	
2,000	29/32	29/32	166	240	E621.1	1 unit(s)	
2,000	29/32	19/26	166	240	ELK4.1	1 unit(s)	
2,000	45/40	29/32	166	240	ELK5.1	1 unit(s)	
3,000	29/32	14/23	185	265	ELK6.1	1 unit(s)	
3,000	29/32	29/32	185	265	ELK7.1	1 unit(s)	
3,000	45/40	29/32	185	265	ELK8.1	1 unit(s)	
4,000	29/32	14/23	207	290	ELK9.1	1 unit(s)	
4,000	29/32	29/32	207	290	ELL0.1	1 unit(s)	
4,000	45/40	29/32	207	290	ELL1.1	1 unit(s)	
5,000	29/32	29/32	223	315	ELL2.1	1 unit(s)	
5,000	45/40	29/32	223	315	ELL3.1	1 unit(s)	
6,000	29/32	14/23	236	360	ELL4.1	1 unit(s)	
6,000	29/32	29/32	236	360	ELL5.1	1 unit(s)	
6,000	45/40	29/32	236	360	ELL6.1	1 unit(s)	
10,000	29/32	29/32	279	375	ELL7.1	1 unit(s)	
10,000	45/40	29/32	279	375	ELL8.1	1 unit(s)	
20,000	45/40	29/32	345	495	ELL9.1	1 unit(s)	

Standard ground joint flasks

Three-necked round-bottom flasks side necks, bevelled

Lenz. Material: DURAN® glass. Autoclavable: Yes.

With two angled side necks (angle 20°).



A 121 °C

Vol. (ml)	Centre neck with ground glass joints	Side neck 1+2 with ground glass joints	Ø Outer flask (mm)	Height (mm)	Art. No.	Pack Qty.	
25	14/23	14/23	41	70	ELN0.1	1 unit(s)	
50	14/23	14/23	51	90	KY18.1	1 unit(s)	
100	14/23	14/23	64	105	KY19.1	1 unit(s)	
100	24/29	14/23	64	105	ELN1.1	1 unit(s)	
100	24/29	19/26	64	105	ELN2.1	1 unit(s)	
100	29/32	14/23	64	105	E611.1	1 unit(s)	
100	29/32	19/26	64	105	ELN3.1	1 unit(s)	
100	29/32	29/32	64	105	ELN4.1	1 unit(s)	
250	24/29	14/23	85	140	ELN5.1	1 unit(s)	
250	24/29	19/26	85	140	ELN6.1	1 unit(s)	
250	29/32	14/23	85	140	E612.1	1 unit(s)	
250	29/32	19/26	85	140	ELN7.1	1 unit(s)	
250	29/32	29/32	85	140	KY20.1	1 unit(s)	
500	24/29	14/23	105	163	ELN8.1	1 unit(s)	
500	24/29	19/26	105	163	ELN9.1	1 unit(s)	
500	29/32	14/23	105	163	E613.1	1 unit(s)	
500	29/32	19/26	105	163	ELP0.1	1 unit(s)	
500	29/32	29/32	105	163	KY21.1	1 unit(s)	
1,000	24/29	14/23	131	200	ELP1.1	1 unit(s)	
1,000	24/29	19/26	131	200	ELP2.1	1 unit(s)	
1,000	29/32	14/23	131	200	E614.1	1 unit(s)	
1,000	29/32	19/26	131	200	ELP3.1	1 unit(s)	
1,000	29/32	29/32	131	200	KY22.1	1 unit(s)	
1,000	45/40	29/32	131	200	ELP4.1	1 unit(s)	
2,000	24/29	19/26	166	240	ELP5.1	1 unit(s)	
2,000	29/32	14/23	166	240	ELP6.1	1 unit(s)	
2,000	29/32	19/26	166	240	ELP7.1	1 unit(s)	
2,000	29/32	29/32	166	240	KY23.1	1 unit(s)	
2,000	45/40	29/32	166	240	ELP8.1	1 unit(s)	
3,000	29/32	14/23	185	265	ELP9.1	1 unit(s)	
3,000	29/32	29/32	185	265	ELT0.1	1 unit(s)	
3,000	45/40	29/32	185	265	ELT1.1	1 unit(s)	
4,000	29/32	14/23	207	290	ELT2.1	1 unit(s)	
4,000	29/32	29/32	207	290	ELT3.1	1 unit(s)	
4,000	45/40	29/32	207	290	ELT4.1	1 unit(s)	
5,000	29/32	29/32	223	315	ELT5.1	1 unit(s)	
5,000	45/40	29/32	223	315	ELT6.1	1 unit(s)	
6,000	29/32	14/23	236	360	ELT7.1	1 unit(s)	
6,000	29/32	29/32	236	360	ELT8.1	1 unit(s)	
6,000	45/40	29/32	236	360	ELT9.1	1 unit(s)	
10,000	29/32	29/32	279	375	ELX0.1	1 unit(s)	
10,000	45/40	29/32	279	375	ELX1.1	1 unit(s)	
20,000	45/40	29/32	345	495	ELX2.1	1 unit(s)	



Standard ground joint flasks

Round bottom flasks

Bohlender. Material: PFA, highly pure.

Chemically inert. Hydrophobic, anti-adhesive surfaces. Centre neck MS 29/32. Temperature-stable from -200 to +250 °C. Transparent and pore-free, partially suitable for vacuum (e.g. 30 mbar at 50 °C).



Single neck flasks

Vol. (ml)	Standard ground glass joint	Standard ground glass joint sleeve	Ø Outer flask (mm)	Height (mm)	Art. No.	Pack Qty.	
100	29/32	29/32	67	117	NY39.1	1 unit(s)	
250	29/32	29/32	88	149	NY40.1	1 unit(s)	
500	29/32	29/32	107	177	NY41.1	1 unit(s)	

Double neck flasks

Vol. (ml)	Centre neck with ground glass joints	Side neck with ground glass joints	Ø Outer flask (mm)	Height (mm)	Art. No.	Pack Qty.	
100	29/32	14/23	67	117	NY42.1	1 unit(s)	
250	29/32	29/32	88	149	NY43.1	1 unit(s)	
500	29/32	29/32	107	177	NY44.1	1 unit(s)	

Triple neck flasks

Vol. (ml)	Centre neck with ground glass joints	Side neck 1+2 with ground glass joints	Ø Outer flask (mm)	Height (mm)	Art. No.	Pack Qty.	
100	29/32	14/23	67	117	NY45.1	1 unit(s)	
250	29/32	29/32	88	149	NY46.1	1 unit(s)	
500	29/32	29/32	107	177	NY47.1	1 unit(s)	

Sulphuration flasks

Bohemia. Material: Borosilicate glass 3.3. Autoclavable: Yes.

With three Side necks with ground glass joints.



A 121 °C



Vol. (ml)	Centre neck with ground glass joints	Side neck 1+2 with ground glass joints	Side neck 3 with ground glass joints	Art. No.	Pack Qty.	
500	45/40	14/23	14/23	TK78.1	1 unit(s)	
1,500	71/51	29/32	14/23	TK79.1	1 unit(s)	
2,500	71/51	29/32	14/23	TK80.1	1 unit(s)	
4,000	71/51	29/32	14/23	TK81.1	1 unit(s)	
6,000	71/51	29/32	14/23	TK82.1	1 unit(s)	

Standard ground joint flasks

Four-necked round bottom flask

Lenz. Material: DURAN® glass. Autoclavable: Yes.



A 121 °C

(1) Parallel side necks

Vol. (ml)	Centre neck with ground glass joints	Side neck 1+2 with ground glass joints	Side neck 3 with ground glass joints	Ø Outer flask (mm)	Art. No.	Pack Qty.	
500	29/32	29/32	29/32	105	TH78.1	1 unit(s)	
1,000	29/32	29/32	29/32	131	TH79.1	1 unit(s)	
1,000	45/40	29/32	29/32	131	ELX3.1	1 unit(s)	
2,000	29/32	29/32	29/32	166	TH80.1	1 unit(s)	
2,000	45/40	29/32	29/32	166	ELX4.1	1 unit(s)	
3,000	29/32	29/32	29/32	185	TH81.1	1 unit(s)	
3,000	45/40	29/32	29/32	185	ELX5.1	1 unit(s)	
4,000	29/32	29/32	29/32	207	ELX6.1	1 unit(s)	
4,000	45/40	29/32	29/32	207	ELX7.1	1 unit(s)	
5,000	45/40	29/32	29/32	223	TH82.1	1 unit(s)	
6,000	29/32	29/32	29/32	236	ELX8.1	1 unit(s)	
6,000	45/40	29/32	29/32	236	ELX9.1	1 unit(s)	
10,000	45/40	29/32	29/32	279	ELY0.1	1 unit(s)	

(2) Side necks bevelled, angle 15°

Vol. (ml)	Centre neck with ground glass joints	Side neck 1+2 with ground glass joints	Side neck 3 with ground glass joints	Ø Outer flask (mm)	Art. No.	Pack Qty.	
250	29/32	29/32	29/32	85	TH76.1	1 unit(s)	
500	29/32	29/32	29/32	105	TH77.1	1 unit(s)	

Receiving flask with PUR coating

Lenz. Material: DURAN® glass, with coating made of PUR. Autoclavable: Yes.

With spherical joint connection KS 35. Specifically for rotary evaporators. Highly transparent coating provides protection from scratches, impacts and light (absorption up to approx. 380 nm). In the event of glass breakage, the coating helps contain broken glass and leakage. Temperature stability -30 to +140 °C.



A 121 °C



Vol. (ml)	Spherical connection for ground glass joint	Ø Outer flask (mm)	Height (mm)	Art. No.	Pack Qty.	
100	KS 35	64	100	TH18.1	1 unit(s)	
250	KS 35	85	124	TH19.1	1 unit(s)	
500	KS 35	105	150	TH20.1	1 unit(s)	
1,000	KS 35	131	185	TH21.1	1 unit(s)	
2,000	KS 35	166	240	TH22.1	1 unit(s)	



Standard ground joint flasks

Receiving flask

Lenz. Material: DURAN® glass. Autoclavable: Yes.

With spherical joint connection KS 35. Specifically for rotary evaporators.



A 121 °C

Vol. (ml)	Spherical connection for ground glass joint	Ø Outer flask (mm)	Height (mm)	Art. No.	Pack Qty.	
250	KS 35	85	140	KY57.1	1 unit(s)	
500	KS 35	105	155	KY58.1	1 unit(s)	
1,000	KS 35	131	200	KY59.1	1 unit(s)	
2,000	KS 35	166	245	KY65.1	1 unit(s)	

Powder flasks

Lenz. Material: DURAN® glass. Autoclavable: Yes.

With centred ground glass joint 29/32. For drying substances at the rotary evaporator.



A 121 °C

Vol. (ml)	Standard ground glass joint sleeve	Ø Outer flask (mm)	Height (mm)	Art. No.	Pack Qty.	
100	29/32	60	110	TH71.1	1 unit(s)	
250	29/32	81	125	TH72.1	1 unit(s)	
500	29/32	101	155	TH73.1	1 unit(s)	
1,000	29/32	126	195	TH74.1	1 unit(s)	
2,000	29/32	158	245	TH75.1	1 unit(s)	

Evaporating flasks with PUR coating

Lenz. Material: DURAN® glass, with coating made of PUR. Autoclavable: Yes.

With ground glass joint, pear-shaped.

Highly transparent coating provides protection from scratches, impacts and light (absorption up to approx. 380 nm). In the event of glass breakage, the coating helps contain broken glass and leakage. Temperature-stable from -30 to +140 °C.



A 121 °C



Vol. (ml)	Standard ground glass joint sleeve	Ø Outer flask (mm)	Height (mm)	Art. No.	Pack Qty.	
50	29/32	56	95	TH11.1	1 unit(s)	
100	29/32	60	110	TH12.1	1 unit(s)	
250	29/32	81	140	TH13.1	1 unit(s)	
500	29/32	101	170	TH14.1	1 unit(s)	
1,000	29/32	126	210	TH15.1	1 unit(s)	
2,000	29/32	158	245	TH16.1	1 unit(s)	
3,000	29/32	175	270	TH17.1	1 unit(s)	

Standard ground joint flasks

Evaporating flasks

Lenz. Material: DURAN® glass. Autoclavable: Yes.
With ground glass joint, pear-shaped.



A 121 °C

Vol. (ml)	Standard ground glass joint sleeve	Ø Outer flask (mm)	Height (mm)	Art. No.	Pack Qty.	
5	14/23	25	55	TH04.1	1 unit(s)	
10	14/23	33	65	TH05.1	1 unit(s)	
25	14/23	40	75	TH06.1	1 unit(s)	
50	14/23	50	88	TH07.1	1 unit(s)	
50	29/32	56	95	TH08.1	1 unit(s)	
100	29/32	60	110	K263.1	1 unit(s)	
250	29/32	81	140	K264.1	1 unit(s)	
500	29/32	101	170	K265.1	1 unit(s)	
1,000	29/32	126	210	K266.1	1 unit(s)	
2,000	29/32	158	245	TH09.1	1 unit(s)	
3,000	29/32	175	270	TH10.1	1 unit(s)	

Nitrogen round flask with valve cock

Lenz. Material: DURAN® glass, valve cock made of PTFE.
Valve bore 2.5 mm.



Vol. (ml)	Standard ground glass joint sleeve	Art. No.	Pack Qty.	
25	14/23	TH35.1	1 unit(s)	
50	14/23	TH36.1	1 unit(s)	
50	29/32	TH37.1	1 unit(s)	
100	14/23	TH38.1	1 unit(s)	
100	29/32	TH39.1	1 unit(s)	
250	14/23	TH40.1	1 unit(s)	
250	29/32	TH41.1	1 unit(s)	
500	29/32	TH42.1	1 unit(s)	
1,000	29/32	TH43.1	1 unit(s)	



Standard ground joint flasks




Nitrogen round flask with cock

Lenz. Material: DURAN® glass.

With ground glass joint. Stop cock MS 14.5, borehole 2.5 mm.
Ø olive 9 mm.

Vol. (ml)	Standard ground glass joint sleeve	Height (mm)	Art. No.	Pack Qty.	
25	14/23	85	KY38.1	1 unit(s)	
50	14/23	90	KY39.1	1 unit(s)	
50	29/32	90	KY42.1	1 unit(s)	
100	14/23	105	KY40.1	1 unit(s)	
100	29/32	105	KY43.1	1 unit(s)	
250	14/23	140	KY41.1	1 unit(s)	
250	29/32	137	KY44.1	1 unit(s)	
500	29/32	160	KY45.1	1 unit(s)	
1,000	29/32	192	KY46.1	1 unit(s)	



Nitrogen round flask with stop cock, special sizes

Winzer. Material: Borosilicate glass 3.3.

With standard ground joint and stop cock 12.5, borehole 2.5 mm.
Connector for hoses with 8 mm inside Ø.

Vol. (ml)	Standard ground glass joint sleeve	Art. No.	Pack Qty.	
10	14/23	AAP1.1	1 unit(s)	
2,000	29/32	AAP2.1	1 unit(s)	



Nitrogen tube

Lenz. Material: DURAN® glass.

With stop cock MS 14.5, borehole 2.5 mm. Ø Olive 9 mm.

(2) With ground glass cone 14/23

Vol. (ml)	Standard ground glass joint core	Art. No.	Pack Qty.	
10	14/23	KY52.1	1 unit(s)	
25	14/23	KY53.1	1 unit(s)	
50	14/23	KY54.1	1 unit(s)	
100	14/23	KY55.1	1 unit(s)	
250	14/23	KY56.1	1 unit(s)	

(1) With ground glass sleeve 14/23

Vol. (ml)	Standard ground glass joint sleeve	Art. No.	Pack Qty.	
10	14/23	KY47.1	1 unit(s)	
25	14/23	KY48.1	1 unit(s)	
50	14/23	KY49.1	1 unit(s)	
100	14/23	KY50.1	1 unit(s)	
250	14/23	KY51.1	1 unit(s)	



Nitrogen template with valve cock

Lenz. Material: DURAN® glass, valve cock made of PTFE.

Valve bore 2.5 mm.

(1) With ground glass sleeve 14/23

Vol. (ml)	Standard ground glass joint sleeve	Art. No.	Pack Qty.	
10	14/23	TH25.1	1 unit(s)	
25	14/23	TH26.1	1 unit(s)	
50	14/23	TH27.1	1 unit(s)	
100	14/23	TH28.1	1 unit(s)	
250	14/23	TH29.1	1 unit(s)	

(2) With ground glass cone 14/23

Vol. (ml)	Standard ground glass joint core	Art. No.	Pack Qty.	
10	14/23	TH30.1	1 unit(s)	
25	14/23	TH31.1	1 unit(s)	
50	14/23	TH32.1	1 unit(s)	
100	14/23	TH33.1	1 unit(s)	
250	14/23	TH34.1	1 unit(s)	

Алматы (7273)495-231
Ангарск (3955)60-70-56
Архангельск (8182)63-90-72
Астрахань (8512)99-46-04
Барнаул (3852)73-04-60
Белгород (4722)40-23-64
Благовещенск (4162)22-76-07
Брянск (4832)59-03-52
Владивосток (423)249-28-31
Владикавказ (8672)28-90-48
Владимир (4922)49-43-18
Волгоград (844)278-03-48
Вологда (8172)26-41-59
Воронеж (473)204-51-73
Екатеринбург (343)384-55-89

Иваново (4932)77-34-06
Ижевск (3412)26-03-58
Иркутск (395)279-98-46
Казань (843)206-01-48
Калининград (4012)72-03-81
Калуга (4842)92-23-67
Кемерово (3842)65-04-62
Киров (8332)68-02-04
Коломна (4966)23-41-49
Кострома (4942)77-07-48
Краснодар (861)203-40-90
Красноярск (391)204-63-61
Курск (4712)77-13-04
Курган (3522)50-90-47
Липецк (4742)52-20-81

Россия (495)268-04-70

Магнитогорск (3519)55-03-13
Москва (495)268-04-70
Мурманск (8152)59-64-93
Набережные Челны (8552)20-53-41
Нижний Новгород (831)429-08-12
Новокузнецк (3843)20-46-81
Ноябрьск (3496)41-32-12
Новосибирск (383)227-86-73
Омск (3812)21-46-40
Орел (4862)44-53-42
Оренбург (3532)37-68-04
Пенза (8412)22-31-16
Петрозаводск (8142)55-98-37
Псков (8112)59-10-37
Пермь (342)205-81-47

Казахстан (772)734-952-31

Ростов-на-Дону (863)308-18-15
Рязань (4912)46-61-64
Самара (846)206-03-16
Саранск (8342)22-96-24
Санкт-Петербург (812)309-46-40
Саратов (845)249-38-78
Севастополь (8692)22-31-93
Симферополь (3652)67-13-56
Смоленск (4812)29-41-54
Сочи (862)225-72-31
Ставрополь (8652)20-65-13
Сыктывкар (8212)25-95-17
Тамбов (4752)50-40-97
Сургут (3462)77-98-35
Тверь (4822)63-31-35

Киргизия (996)312-96-26-47

Тольятти (8482)63-91-07
Томск (3822)98-41-53
Тула (4872)74-02-29
Тюмень (3452)66-21-18
Ульяновск (8422)24-23-59
Улан-Удэ (3012)59-97-51
Уфа (347)229-48-12
Хабаровск (4212)92-98-04
Чебоксары (8352)28-53-07
Челябинск (351)202-03-61
Череповец (8202)49-02-64
Чита (3022)38-34-83
Якутск (4112)23-90-97
Ярославль (4852)69-52-93