

Переходники CARL ROTH ROTILABO

Технические характеристики

Алматы (7273)495-231
Ангарск (3955)60-70-56
Архангельск (8182)63-90-72
Астрахань (8512)99-46-04
Барнаул (3852)73-04-60
Белгород (4722)40-23-64
Благовещенск (4162)22-76-07
Брянск (4832)59-03-52
Владивосток (423)249-28-31
Владикавказ (8672)28-90-48
Владимир (4922)49-43-18
Волгоград (844)278-03-48
Вологда (8172)26-41-59
Воронеж (473)204-51-73
Екатеринбург (343)384-55-89

Иваново (4932)77-34-06
Ижевск (3412)26-03-58
Иркутск (395)279-98-46
Казань (843)206-01-48
Калининград (4012)72-03-81
Калуга (4842)92-23-67
Кемерово (3842)65-04-62
Киров (8332)68-02-04
Коломна (4966)23-41-49
Кострома (4942)77-07-48
Краснодар (861)203-40-90
Красноярск (391)204-63-61
Курск (4712)77-13-04
Курган (3522)50-90-47
Липецк (4742)52-20-81

Магнитогорск (3519)55-03-13
Москва (495)268-04-70
Мурманск (8152)59-64-93
Набережные Челны (8552)20-53-41
Нижний Новгород (831)429-08-12
Новокузнецк (3843)20-46-81
Ноябрьск (3496)41-32-12
Новосибирск (383)227-86-73
Омск (3812)21-46-40
Орел (4862)44-53-42
Оренбург (3532)37-68-04
Пенза (8412)22-31-16
Петрозаводск (8142)55-98-37
Псков (8112)59-10-37
Пермь (342)205-81-47

Ростов-на-Дону (863)308-18-15
Рязань (4912)46-61-64
Самара (846)206-03-16
Саранск (8342)22-96-24
Санкт-Петербург (812)309-46-40
Саратов (845)249-38-78
Севастополь (8692)22-31-93
Симферополь (3652)67-13-56
Смоленск (4812)29-41-54
Сочи (862)225-72-31
Ставрополь (8652)20-65-13
Сыктывкар (8212)25-95-17
Тамбов (4752)50-40-97
Тургут (3462)77-98-35
Тверь (4822)63-31-35

Тольятти (8482)63-91-07
Томск (3822)98-41-53
Тула (4872)74-02-29
Тюмень (3452)66-21-18
Ульяновск (8422)24-23-59
Улан-Удэ (3012)59-97-51
Уфа (347)229-48-12
Хабаровск (4212)92-98-04
Чебоксары (8352)28-53-07
Челябинск (351)202-03-61
Череповец (8202)49-02-64
Чита (3022)38-34-83
Якутск (4112)23-90-97
Ярославль (4852)69-52-93

Россия (495)268-04-70

Казахстан (772)734-952-31

Киргизия (996)312-96-26-47

Standard ground transition pieces



Bellows ROTILABO®

ROTH SELECTION. Material: PTFE. Autoclavable: Yes.

Angle bend up to 120°. Prevents tensions between components in glass apparatus.

Standard ground glass joint	Art. No.	Pack Qty.	
14/23	7235.1	1 unit(s)	
19/26	7236.1	1 unit(s)	
24/29	7239.1	1 unit(s)	
29/32	7240.1	1 unit(s)	



Reduction piece ROTILABO® made of fluoroplastic

ROTH SELECTION. Material: PTFE. Autoclavable: Yes.

Usable without ground joint grease. Chemically inert, temperature-stable from -200 to +250 °C.

Standard ground glass joint sleeve	Standard ground glass joint core	Art. No.	Pack Qty.	
14/23	19/26	NX82.1	1 unit(s)	
14/23	24/29	NX83.1	1 unit(s)	
19/26	24/29	NX84.1	1 unit(s)	
19/26	29/32	NX85.1	1 unit(s)	
19/26	34/35	NX86.1	1 unit(s)	
24/29	29/32	NX87.1	1 unit(s)	
24/29	34/35	NX88.1	1 unit(s)	
24/29	45/40	NX89.1	1 unit(s)	
29/32	34/35	NX90.1	1 unit(s)	
29/32	45/40	NX91.1	1 unit(s)	



Tube connection stopper

Kartell. Material: PP, transparent. Autoclavable: Yes.

With 2 tubing connections Ø 8 mm.

Standard ground glass joint core	Art. No.	Pack Qty.	
29/32	TT21.1	1 unit(s)	



Ground glass joint reduction set

Bohlender. Material: PTFE.

Highly pure, chemically inert. Consisting of 7 reductions: MS 14, MS 19, MS 24, MS 29, MS 34, MS 45, MS 60. Height of each 20 mm, suitable for standard ground joints acc. to DIN 12242.

Temperature-stable from -200 to +250 °C. Suitable for vacuum.

Version	Art. No.	Pack Qty.	
Ground glass joint reduction set	NY32.1	1 unit(s)	



Extension piece

Lenz. Material: DURAN® glass.

Standard ground glass joint sleeve	Standard ground glass joint core	Ø (mm)	Wall thickness (mm)	Length (mm)	Art. No.	Pack Qty.	
14/23	14/23	17	1,8	120	TK08.1	1 unit(s)	
14/23	29/32	26	2,0	130	TK09.1	1 unit(s)	
19/26	19/26	22	1,8	125	TK10.1	1 unit(s)	
29/32	29/32	33	2,0	150	TK11.1	1 unit(s)	



Standard ground transition pieces



Transition piece

Lenz. Material: DURAN® glass.

Standard ground glass joint sleeve	Standard ground glass joint core	Art. No.	Pack Qty.	
14/23	19/26	K267.1	1 unit(s)	
14/23	24/29	K268.1	1 unit(s)	
14/23	29/32	K269.1	1 unit(s)	
19/26	14/23	K270.1	1 unit(s)	
19/26	24/29	K271.1	1 unit(s)	
19/26	29/32	K272.1	1 unit(s)	
24/29	14/23	K273.1	1 unit(s)	
24/29	19/26	K274.1	1 unit(s)	
24/29	29/32	K275.1	1 unit(s)	
29/32	14/23	K276.1	1 unit(s)	
29/32	19/26	K277.1	1 unit(s)	
29/32	24/29	K278.1	1 unit(s)	
29/32	45/40	KN64.1	1 unit(s)	
29/32	60/46	TK15.1	1 unit(s)	
45/40	29/32	KN65.1	1 unit(s)	
45/40	60/46	TK16.1	1 unit(s)	
60/46	29/32	TK17.1	1 unit(s)	
60/46	45/40	TK18.1	1 unit(s)	



Transition piece NS-KS

Lenz. Material: DURAN® glass.

Ground joint socket to spherical socket

Standard ground glass joint sleeve	Spherical ball ground glass joint	Art. No.	Pack Qty.	
29/32	29	TH95.1	1 unit(s)	
29/32	35	TH96.1	1 unit(s)	

Ground joint cone on spherical joint connection

Standard ground glass joint core	Spherical connection for ground glass joint	Art. No.	Pack Qty.	
29/32	29	TH93.1	1 unit(s)	
29/32	35	TH94.1	1 unit(s)	



Transition piece with olive

Lenz. Material: DURAN® glass.

With standard ground cone and tubing olive Ø 10 mm.

Straight tubing olive

Standard ground glass joint core	Art. No.	Pack Qty.	
14/23	CA80.1	1 unit(s)	
19/26	CA81.1	1 unit(s)	
24/29	CA82.1	1 unit(s)	
29/32	CA83.1	1 unit(s)	

Curved tubing olive (90°)

Standard ground glass joint core	Art. No.	Pack Qty.	
14/23	CA84.1	1 unit(s)	
19/26	CA85.1	1 unit(s)	
24/29	CA86.1	1 unit(s)	
29/32	CA87.1	1 unit(s)	



Transition piece with olive

Material: DURAN® glass.

With tube and tubing olive Ø 10 mm.

Straight tubing olive

Standard ground glass joint sleeve	Art. No.	Pack Qty.	
14/23	LK46.1	1 unit(s)	
19/26	LK47.1	1 unit(s)	
24/29	LK48.1	1 unit(s)	
29/32	LK49.1	1 unit(s)	

Curved tubing olive (90°)

Standard ground glass joint sleeve	Art. No.	Pack Qty.	
14/23	LK50.1	1 unit(s)	
19/26	LK51.1	1 unit(s)	
24/29	LK52.1	1 unit(s)	
29/32	LK53.1	1 unit(s)	

Standard ground transition pieces



Transition piece with core and stop cock

Lenz. Material: DURAN® glass.

With standard ground core and stop cock with solid glass plug, borehole 2.5 mm. Tubing olive Ø 10 mm.

Straight tubing olive

Standard ground glass joint core	Art. No.	Pack Qty.	
14/23	CC24.1	1 unit(s)	
19/26	CC25.1	1 unit(s)	
24/29	CC26.1	1 unit(s)	
29/32	CC27.1	1 unit(s)	

Curved tubing olive

Standard ground glass joint core	Art. No.	Pack Qty.	
14/23	CC28.1	1 unit(s)	
19/26	CC29.1	1 unit(s)	
24/29	CC30.1	1 unit(s)	
29/32	CC31.1	1 unit(s)	



Transition piece with sleeve and stop cock

Lenz. Material: DURAN® glass.

With curved tubing olive. Stop cock MS 14.5 with solid glass plug, borehole 2.5 mm. Tubing olive Ø 10 mm.

Standard ground glass joint sleeve	Art. No.	Pack Qty.	
14/23	LK54.1	1 unit(s)	
19/26	LK55.1	1 unit(s)	
24/29	LK56.1	1 unit(s)	
29/32	LK57.1	1 unit(s)	



Adapter piece with cock

Lenz. Material: DURAN® glass.

With solid glass plugs and screw retaining devices for Art. No. EPE9.1 or rubber seal for Art. No. EPH0.1.

Standard ground glass joint sleeve	Standard ground glass joint core	Ø Hole (mm)	Art. No.	Pack Qty.	
14/23	14/23	2.5	EPE9.1	1 unit(s)	
29/32	29/32	8.0	EPH0.1	1 unit(s)	



Ground swivel screw fitting

Bohlender. Material: PTFE, Screw cap made of PPS.

Enables the secure fixing of thermometers, measuring gauges, tubes or sleeves to prevent collisions in the test tube, e.g. when using a stirring shaft.

Temperature-stable from -20 to +230 °C.

Standard ground glass joint core	Thread	Ø Hole (mm)	Max. deflection angle (°)	Art. No.	Pack Qty.	
19/26	GL 18	6	4	NY48.1	1 unit(s)	
29/32	GL 25	6	8	NY49.1	1 unit(s)	
29/32	GL 25	8	7	NY50.1	1 unit(s)	
29/32	GL 25	10	6	NY51.1	1 unit(s)	
29/32	GL 25	12	5	NY52.1	1 unit(s)	

Алматы (7273)495-231
Ангарск (3955)60-70-56
Архангельск (8182)63-90-72
Астрахань (8512)99-46-04
Барнаул (3852)73-04-60
Белгород (4722)40-23-64
Благовещенск (4162)22-76-07
Брянск (4832)59-03-52
Владивосток (423)249-28-31
Владикавказ (8672)28-90-48
Владимир (4922)49-43-18
Волгоград (844)278-03-48
Вологда (8172)26-41-59
Воронеж (473)204-51-73
Екатеринбург (343)384-55-89

Иваново (4932)77-34-06
Ижевск (3412)26-03-58
Иркутск (395)279-98-46
Казань (843)206-01-48
Калининград (4012)72-03-81
Калуга (4842)92-23-67
Кемерово (3842)65-04-62
Киров (8332)68-02-04
Коломна (4966)23-41-49
Кострома (4942)77-07-48
Краснодар (861)203-40-90
Красноярск (391)204-63-61
Курск (4712)77-13-04
Курган (3522)50-90-47
Липецк (4742)52-20-81

Магнитогорск (3519)55-03-13
Москва (495)268-04-70
Мурманск (8152)59-64-93
Набережные Челны (8552)20-53-41
Нижний Новгород (831)429-08-12
Новокузнецк (3843)20-46-81
Ноябрьск (3496)41-32-12
Новосибирск (383)227-86-73
Омск (3812)21-46-40
Орел (4862)44-53-42
Оренбург (3532)37-68-04
Пенза (8412)22-31-16
Петрозаводск (8142)55-98-37
Псков (8112)59-10-37
Пермь (342)205-81-47

Ростов-на-Дону (863)308-18-15
Рязань (4912)46-61-64
Самара (846)206-03-16
Саранск (8342)22-96-24
Санкт-Петербург (812)309-46-40
Саратов (845)249-38-78
Севастополь (8692)22-31-93
Симферополь (3652)67-13-56
Смоленск (4812)29-41-54
Сочи (862)225-72-31
Ставрополь (8652)20-65-13
Сыктывкар (8212)25-95-17
Тамбов (4752)50-40-97
Сургут (3462)77-98-35
Тверь (4822)63-31-35

Тольятти (8482)63-91-07
Томск (3822)98-41-53
Тула (4872)74-02-29
Тюмень (3452)66-21-18
Ульяновск (8422)24-23-59
Улан-Удэ (3012)59-97-51
Уфа (347)229-48-12
Хабаровск (4212)92-98-04
Чебоксары (8352)28-53-07
Челябинск (351)202-03-61
Череповец (8202)49-02-64
Чита (3022)38-34-83
Якутск (4112)23-90-97
Ярославль (4852)69-52-93

Россия (495)268-04-70

Казахстан (772)734-952-31

Киргизия (996)312-96-26-47