

Термометры аналоговые CARL ROTH

Технические характеристики

Алматы (7273)495-231
Ангарск (3955)60-70-56
Архангельск (8182)63-90-72
Астрахань (8512)99-46-04
Барнаул (3852)73-04-60
Белгород (4722)40-23-64
Благовещенск (4162)22-76-07
Брянск (4832)59-03-52
Владивосток (423)249-28-31
Владикавказ (8672)28-90-48
Владимир (4922)49-43-18
Волгоград (844)278-03-48
Вологда (8172)26-41-59
Воронеж (473)204-51-73
Екатеринбург (343)384-55-89

Иваново (4932)77-34-06
Ижевск (3412)26-03-58
Иркутск (395)279-98-46
Казань (843)206-01-48
Калининград (4012)72-03-81
Калуга (4842)92-23-67
Кемерово (3842)65-04-62
Киров (8332)68-02-04
Коломна (4966)23-41-49
Кострома (4942)77-07-48
Краснодар (861)203-40-90
Красноярск (391)204-63-61
Курск (4712)77-13-04
Курган (3522)50-90-47
Липецк (4742)52-20-81

Магнитогорск (3519)55-03-13
Москва (495)268-04-70
Мурманск (8152)59-64-93
Набережные Челны (8552)20-53-41
Нижний Новгород (831)429-08-12
Новокузнецк (3843)20-46-81
Ноябрьск (3496)41-32-12
Новосибирск (383)227-86-73
Омск (3812)21-46-40
Орел (4862)44-53-42
Оренбург (3532)37-68-04
Пенза (8412)22-31-16
Петрозаводск (8142)55-98-37
Псков (8112)59-10-37
Пермь (342)205-81-47

Ростов-на-Дону (863)308-18-15
Рязань (4912)46-61-64
Самара (846)206-03-16
Саранск (8342)22-96-24
Санкт-Петербург (812)309-46-40
Саратов (845)249-38-78
Севастополь (8692)22-31-93
Симферополь (3652)67-13-56
Смоленск (4812)29-41-54
Сочи (862)225-72-31
Ставрополь (8652)20-65-13
Сыктывкар (8212)25-95-17
Тамбов (4752)50-40-97
Тургут (3462)77-98-35
Тверь (4822)63-31-35

Тольятти (8482)63-91-07
Томск (3822)98-41-53
Тула (4872)74-02-29
Тюмень (3452)66-21-18
Ульяновск (8422)24-23-59
Улан-Удэ (3012)59-97-51
Уфа (347)229-48-12
Хабаровск (4212)92-98-04
Чебоксары (8352)28-53-07
Челябинск (351)202-03-61
Череповец (8202)49-02-64
Чита (3022)38-34-83
Якутск (4112)23-90-97
Ярославль (4852)69-52-93

Россия (495)268-04-70

Казахстан (772)734-952-31

Киргизия (996)312-96-26-47

Thermometers, analogue

Low temperature thermometer

ROTH SELECTION.

With bimetallic pointer. With hanger eyelet.



Temperature measuring range (°C)	Graduation (°C)	Accuracy (°C)	Ø (mm)	Art. No.	Pack Qty.	
-50 to +50	1	±2	70	H717.1	1 unit(s)	

Soil thermometer

ROTH SELECTION.

With sharp sensor. Suitable for determining the temperature in lower layers. Sensor ø 3 mm, Sensor length 200 mm. ø Head 40 mm.



Temperature measuring range (°C)	Graduation (°C)	Accuracy (°C)	Art. No.	Pack Qty.	
-20 to +60	1	±2	E755.1	1 unit(s)	

Maximum/minimum thermometer bimetal

ROTH SELECTION.

Plastic housing. Adjustable red markers indicate the Max/Min temperatures. Reset by turning the dial. With hanger eyelet.



Temperature measuring range (°C)	Graduation (°C)	Depth (mm)	Width (mm)	Height (mm)	Art. No.	Pack Qty.	
-50 to +50	1	35	95	135	LX81.1	1 unit(s)	

Maximum/minimum thermometer environmentally friendly

ROTH SELECTION.

With mercury-free thermometer fluid (red). Metal markers indicate the max./min. temperatures. Reset by push-button. With hanger eyelet.



Pic.	Temperature measuring range (°C)	Graduation (°C)	Housing material	Fill fluid	Width (mm)	Height (mm)	Art. No.	Pack Qty.	
(1)	-30 to +50	1	Plastic	red	79	230	KA34.1	1 unit(s)	
(2)	-30 to +50	1	Aluminium	red	50	220	CK40.1	1 unit(s)	



Thermometers, analogue

Thermometers for autoclaves

ROTH SELECTION. Autoclavable: Yes.

For monitoring the temperature during autoclaving.

- Max. temperature is indicated by the moving red marker
- Manual resetting by turn screw
- Bimetallic thermometer with housing and removable base made of stainless steel, dust cap made of silicone rubber
- Waterproof glass window, pressure resistant



A121 °C

Temperature measuring range (°C)	Graduation (°C)	Accuracy (°C)	Housing material	Ø (mm)	Depth (mm)	Height (mm)	Art. No.	Pack Qty.	
-20 to +150	2	±1,5	Stainless steel	81	85	95	CXP0.1	1 unit(s)	

Plastic thermometer

ROTH SELECTION. Material: Plastic.

Fill fluid: Special filling. Calibrated fully immersed: Yes



Temperature measuring range (°C)	Graduation (°C)	Accuracy (°C)	Length (mm)	Thermometer Ø (mm)	Fill fluid	Art. No.	Pack Qty.	
-50 to +50	1	±2	200	20	blue	H718.1	1 unit(s)	

All-purpose thermometer

ROTH SELECTION.

- Rod type
- Fill fluid: Special filling
- Capillary form: Coated, white
- In yellow plastic sleeve with clip.




Temperature measuring range (°C)	Graduation (°C)	Accuracy (°C)	Length (mm)	Thermometer Ø (mm)	Fill fluid	Art. No.	Pack Qty.	
-10 to +100	1	±2	165	10	red	Y932.1	1 unit(s)	
-30 to +50	1	±2	165	10	red	Y931.1	1 unit(s)	

Stirring thermometer

ROTH SELECTION.

- With reinforced vessel base for stirring in beakers, etc.
- Fill fluid: Special filling, biodegradable
- Capillary form: Uncoated
- Calibrated fully immersed: Yes



Temperature measuring range (°C)	Graduation (°C)	Accuracy (°C)	Length (mm)	Thermometer Ø (mm)	Fill fluid	Art. No.	Pack Qty.	
-35 to +50	1	±3 - 4	260	7 - 8	red	PE82.1	1 unit(s)	
-20 to +110	1	±3 - 4	260	7 - 8	red	PE85.1	1 unit(s)	
-10 to +60	1	±3 - 4	200	7 - 8	red	PE83.1	1 unit(s)	
-10 to +110	1	±3 - 4	260	7 - 8	red	PE84.1	1 unit(s)	
-10 to +150	1	±3 - 4	260	7 - 8	red	PE86.1	1 unit(s)	
-10 to +200	1	±3 - 4	300	7 - 8	red	PE87.1	1 unit(s)	

Thermometers, analogue

Glass thermometer with green special filling

ROTH SELECTION.

- Rod type, upper with ring
- Fill fluid: Special filling, biodegradable
- Capillary form: Coated, white



Temperature measuring range (°C)	Graduation (°C)	Accuracy (°C)	Immersion depth (mm)	Length (mm)	Thermometer Ø (mm)	Fill fluid	Art. No.	Pack Qty.	
-10 to +110	1	±3	76	300	5,5 – 7	green	ET02.1	1 unit(s)	
-10 to +150	1	±3	76	300	5,5 – 7	green	ET04.1	1 unit(s)	
-10 to +250	2	±3	76	300	5,5 – 7	green	ET05.1	1 unit(s)	
-10 to +360	2	±3	76	300	5,5 – 7	green	ET06.1	1 unit(s)	
-10 to +110	0,5	±3	76	300	5,5 – 7	green	ET03.1	1 unit(s)	

Glass thermometer with temperature limiter

ROTH SELECTION.

For monitoring cooling units and temperature control units.

- Fill fluid: Special filling
- With safety coating (PTFE/FEP)
- Supplied in plastic bottle containing filling medium for precise temperature determination
- Can be mounted using magnets (exception: YE26.1)



Bottle filling medium: Sand

Temperature measuring range (°C)	Graduation (°C)	Accuracy (°C)	Length (mm)	Fill fluid	Art. No.	Pack Qty.	
-90 to +20	1,0	±2,0	180	red	YE17.1	1 unit(s)	

Bottle fill medium: Ethylene glycol mixture

Temperature measuring range (°C)	Graduation (°C)	Accuracy (°C)	Length (mm)	Fill fluid	Art. No.	Pack Qty.	
-25 to -5	0,1	±0,2	235	blue	YE18.1	1 unit(s)	
-30 to 0	0,5	±1,0	130	red	YE19.1	1 unit(s)	
-2 to +10	0,1	±0,2	230	blue	YE20.1	1 unit(s)	
-5 to +15	0,5	±1,0	130	red	YE21.1	1 unit(s)	
+15 to +30	0,1	±0,2	180	blue	YE22.1	1 unit(s)	
+18 to +50	0,5	±1,0	130	red	YE23.1	1 unit(s)	
+25 to +45	0,1	±0,2	190	blue	YE24.1	1 unit(s)	

Bottle filling medium: Vermiculite

Temperature measuring range (°C)	Graduation (°C)	Accuracy (°C)	Length (mm)	Fill fluid	Art. No.	Pack Qty.	
+20 to +130	1,0	±2,0	135	red	YE25.1	1 unit(s)	
+35 to +200	1,0	±2,0 °C (>100 °C ±3,0)	180	red	YE26.1	1 unit(s)	



Thermometers, analogue

Glass thermometer standard

ROTH SELECTION.

For day-to-day laboratory use.

- Rod type
- Fill fluid: Special filling
- Calibrated fully immersed: Yes



Temperature measuring range (°C)	Graduation (°C)	Accuracy (°C)	Length (mm)	Thermometer Ø (mm)	Fill fluid	Art. No.	Pack Qty.	
-35 to +50	1	±3	300	5,5 – 7	red	E740.1	1 unit(s)	
-20 to +110	1	±3	300	5,5 – 7	red	E742.1	1 unit(s)	
-20 to +150	1	±3	300	5,5 – 7	red	E743.1	1 unit(s)	
-10 to +60	1	±3	200	5,5 – 7	red	E741.1	1 unit(s)	
-10 to +200	1	±3	300	5,5 – 7	red	E744.1	1 unit(s)	
-10 to +250	1	±3	300	5,5 – 7	blue	E745.1	1 unit(s)	

Precision thermometer with high accuracy

ROTH SELECTION.

- Enclosed type
- Fill fluid: Special filling
- Capillary form: Uncoated, prismatic
- Calibrated fully immersed: Yes



Standard

Temperature measuring range (°C)	Graduation (°C)	Accuracy (°C)	Length (mm)	Thermometer Ø (mm)	Fill fluid	Art. No.	Pack Qty.	
-10 to +50	0,5	±0,5	220	8 – 10	blue	HKX4.1	1 unit(s)	
-10 to +100	0,5	±0,5	270	8 – 10	blue	HKX5.1	1 unit(s)	
-10 to +150	0,5	±0,5	350	8 – 10	blue	HKX6.1	1 unit(s)	
-10 to +200	0,5	±0,5	450	8 – 10	blue	HKX7.1	1 unit(s)	
-5 to +50	0,2	±0,3	350	8 – 10	blue	HKX8.1	1 unit(s)	
-5 to +100	0,2	±0,3	420	8 – 10	blue	HKX9.1	1 unit(s)	
-5 to +201	0,2	±0,4	550	8 – 10	blue	HKY0.1	1 unit(s)	
-10 to +50	0,1	±0,2	420	8 – 10	blue	HKY1.1	1 unit(s)	
0 to +100	0,1	±0,2	550	8 – 10	blue	HKY2.1	1 unit(s)	

With FEP safety coating

Temperature measuring range (°C)	Graduation (°C)	Accuracy (°C)	Length (mm)	Thermometer Ø (mm)	Fill fluid	Art. No.	Pack Qty.	
-10 to +50	0,5	±0,5	220	8 – 10	blue	HKY3.1	1 unit(s)	
-10 to +100	0,5	±0,5	270	8 – 10	blue	HKY4.1	1 unit(s)	
-10 to +150	0,5	±0,5	350	8 – 10	blue	HKY5.1	1 unit(s)	
-10 to +200	0,5	±0,5	450	8 – 10	blue	HKY6.1	1 unit(s)	
-5 to +50	0,2	±0,3	350	8 – 10	blue	HKY7.1	1 unit(s)	
-5 to +100	0,2	±0,3	420	8 – 10	blue	HKY8.1	1 unit(s)	
-5 to +201	0,2	±0,4	550	8 – 10	blue	HKY9.1	1 unit(s)	
-10 to +50	0,1	±0,2	420	8 – 10	blue	HLA0.1	1 unit(s)	
0 to +100	0,1	±0,2	550	8 – 10	blue	HLA1.1	1 unit(s)	

Thermometers, analogue

Glass thermometer calibrated

ROTH SELECTION.

With official calibration certificate.

- Enclosed type
- Fill fluid: Special filling
- Capillary form: Uncoated, prismatic
- Calibrated fully immersed: Yes



Temperature measuring range (°C)	Graduation (°C)	Total length (mm)	ThermometerØ (mm)	Fill fluid	Art. No.	Pack Qty.	
0 to 200	1	300	8 – 9	red	HXC3.1	1 unit(s)	
0 to +50	0,5	220	8 – 9	red	HXC1.1	1 unit(s)	
0 to +100	0,5	240	8 – 9	red	HXC2.1	1 unit(s)	

Low-temperature thermometer

ROTH SELECTION.

Enclosed type. Calibrated fully immersed: Yes



Version	Temperature measuring range (°C)	Graduation (°C)	Length (mm)	Fill fluid	Art. No.	Pack Qty.	
Capillary form: Blue luminous, prismatic	-150 to +30	1	300	Pentane	X576.1	1 unit(s)	
Capillary form: Uncoated, prismatic	-100 to +30	1	300	Alcohol	X578.1	1 unit(s)	
Capillary form: Uncoated, prismatic	-100 to +100	1	300	Alcohol	X577.1	1 unit(s)	



Thermometers, analogue

Glass thermometer with red special filling

ROTH SELECTION.

Calibrated fully immersed: Yes



Rod type

Capillary form: Coated, round, yellow

Temperature measuring range (°C)	Graduation (°C)	Length (mm)	Thermometer Ø (mm)	Fill fluid	Art. No.	Pack Qty.	
-10 to +100	1	305	5 – 7	red	ALH6.1	1 unit(s)	
-10 to +150	1	305	5 – 7	red	ALH7.1	1 unit(s)	
-10 to +200	1	350	5 – 7	red	ALH8.1	1 unit(s)	
-10 to +50	0,5	220	5 – 7	red	ALH9.1	1 unit(s)	
-10 to +100	0,5	270	5 – 7	red	ALK0.1	1 unit(s)	
-10 to +150	0,5	350	5 – 7	red	ALK1.1	1 unit(s)	
-5 to +50	0,2	350	5 – 7	red	ALK2.1	1 unit(s)	
-5 to +100	0,2	420	5 – 7	red	ALK3.1	1 unit(s)	
-1 to +200	0,2	610	5 – 7	red	ALK4.1	1 unit(s)	
-10 to +30	0,1	300	5 – 7	red	ALK5.1	1 unit(s)	
-10 to +50	0,1	420	5 – 7	red	ALK6.1	1 unit(s)	
-1 to +101	0,1	610	5 – 7	red	ALK7.1	1 unit(s)	

Enclosed type, with factory test certificate

Capillary form: Uncoated, prismatic

Temperature measuring range (°C)	Graduation (°C)	Length (mm)	Thermometer Ø (mm)	Fill fluid	Art. No.	Pack Qty.	
-10 to +100	1	305	8 – 10	red	ALK8.1	1 unit(s)	
-10 to +150	1	305	8 – 10	red	ALK9.1	1 unit(s)	
-10 to +200	1	350	8 – 10	red	ALL0.1	1 unit(s)	
-10 to +50	0,5	220	8 – 10	red	ALL1.1	1 unit(s)	
-10 to +100	0,5	270	8 – 10	red	ALL2.1	1 unit(s)	
-10 to +150	0,5	350	8 – 10	red	ALL3.1	1 unit(s)	
-10 to +200	0,5	450	8 – 10	red	ALL4.1	1 unit(s)	
-5 to +50	0,2	350	8 – 10	red	ALL5.1	1 unit(s)	
-5 to +100	0,2	420	8 – 10	red	ALL6.1	1 unit(s)	
-10 to +30	0,1	300	8 – 10	red	ALL7.1	1 unit(s)	
-10 to +50	0,1	420	8 – 10	red	ALL8.1	1 unit(s)	
0 to +100	0,1	550	8 – 10	red	ALL9.1	1 unit(s)	

Glass thermometer with DAkkS calibration certificate

ROTH SELECTION.

- Enclosed type
- Fill fluid: red
- Capillary form: Uncoated, prismatic
- Calibrated fully immersed: Yes



Temperature measuring range (°C)	Graduation (°C)	Length (mm)	Thermometer Ø (mm)	Fill fluid	Art. No.	Pack Qty.	
-10 to +100	1	305	8 – 10	red	CKX9.1	1 unit(s)	
-10 to +150	1	305	8 – 10	red	CKY0.1	1 unit(s)	
-10 to +200	1	350	8 – 10	red	CKY1.1	1 unit(s)	
-10 to +50	0,5	220	8 – 10	red	CKX7.1	1 unit(s)	
-10 to +100	0,5	270	8 – 10	red	CKX8.1	1 unit(s)	

Thermometers, analogue

Precision thermometer extremely high accuracy

ROTH SELECTION.

- Rod type
- Fill fluid: Special filling
- Capillary form: Coated, white, round



Standard. Calibrated fully immersed: Yes

Temperature measuring range (°C)	Graduation (°C)	Accuracy (°C)	Length (mm)	Fill fluid	Art. No.	Pack Qty.	
-38 to +2	0,1	±0,1	401	blue	ANK4.1	1 unit(s)	
-20 to +102	0,2	±0,2	435	blue	ANK5.1	1 unit(s)	
-7 to +105	0,5	±0,5	300	blue	ANK7.1	1 unit(s)	
+20 to +100	0,2	±0,2	325	blue	ANK8.1	1 unit(s)	
+30 to +200	0,5	±0,3	415	blue	ANK9.1	1 unit(s)	

Standard, with immersion depth

Temperature measuring range (°C)	Graduation (°C)	Accuracy (°C)	Immersion depth (mm)	Length (mm)	Fill fluid	Art. No.	Pack Qty.	
-20 to +150	1,0	±0,5	76	335	blue	ANK6.1	1 unit(s)	

With DAkkS calibration certificate. Calibrated fully immersed: Yes

Temperature measuring range (°C)	Graduation (°C)	Accuracy (°C)	Length (mm)	Fill fluid	Art. No.	Pack Qty.	
-20 to +102	0,2	±0,2	435	blue	ANL0.1	1 unit(s)	
+30 to +200	0,5	±0,3	415	blue	ANL2.1	1 unit(s)	


With DAkkS calibration certificate and immersion depth

Temperature measuring range (°C)	Graduation (°C)	Accuracy (°C)	Immersion depth (mm)	Length (mm)	Fill fluid	Art. No.	Pack Qty.	
-20 to +150	1,0	±0,5	76	335	blue	ANL1.1	1 unit(s)	

Ground joint thermometers compliant with DIN 12784

ROTH SELECTION.

- With ground glass joint NS 14.5/23
- Enclosed type
- Fill fluid: Special filling
- Capillary form: Uncoated, prismatic
- ø Upper 11 mm ±0.5 mm.



L1: Installation length

L2: Insertion length

L3: Length

Temperature measuring range (°C)	Graduation (°C)	Installed length (mm)	Immersion depth (mm)	Length (mm)	Fill fluid	Art. No.	Pack Qty.	
-10 to +150	1	68	45	318	blue	ALN0.1	1 unit(s)	
-10 to +150	1	75	52	325	blue	ALN1.1	1 unit(s)	
-10 to +150	1	95	72	345	blue	ALN2.1	1 unit(s)	
-10 to +150	1	125	102	375	blue	ALN3.1	1 unit(s)	
-10 to +250	1	68	45	368	blue	ALN4.1	1 unit(s)	
-10 to +250	1	75	52	375	blue	ALN5.1	1 unit(s)	
-10 to +250	1	95	72	395	blue	ALN6.1	1 unit(s)	
-10 to +250	1	125	102	425	blue	ALN7.1	1 unit(s)	




Thermometers, analogue

Ground joint thermometers

ROTH SELECTION.

With ground glass joint NS 14/23



L1: Installation length

L2: Insertion length


L3: Length

Temperature measuring range (°C)	Graduation (°C)	Installed length (mm)	Immersion depth (mm)	Length (mm)	Fill fluid	Art. No.	Pack Qty.	
0 to +250	1	55	32	355	red	EPY4.1	1 unit(s)	
0 to +250	1	70	47	370	red	EPY5.1	1 unit(s)	
0 to +250	1	85	62	385	red	EPY6.1	1 unit(s)	
0 to +150	0,5	55	32	355	red	EPY1.1	1 unit(s)	
0 to +150	0,5	70	47	370	red	EPY2.1	1 unit(s)	
0 to +150	0,5	85	62	385	red	EPY3.1	1 unit(s)	

Straight stem thermometers compliant with DIN 12781

ROTH SELECTION.

- Enclosed type
- Fill fluid: Special filling
- Capillary form: Uncoated, prismatic
- $\varnothing$ Upper 11 mm ± 0.5 mm, $\varnothing$ Lower 8 mm ± 0.5 mm



L1: Installation length

L2: Insertion length


L3: Length

Temperature measuring range (°C)	Graduation (°C)	Installed length (mm)	Immersion depth (mm)	Length (mm)	Fill fluid	Art. No.	Pack Qty.	
-30 to +50	1	100	80	375	red	ALP0.1	1 unit(s)	
-20 to +150	1	150	130	425	blue	ALP1.1	1 unit(s)	
-20 to +150	1	250	230	525	blue	ALP2.1	1 unit(s)	
-20 to +150	1	300	280	575	blue	ALP3.1	1 unit(s)	
-20 to +150	1	400	380	675	blue	ALP4.1	1 unit(s)	
-20 to +250	1	100	80	375	blue	ALP5.1	1 unit(s)	
-20 to +250	1	150	130	425	blue	ALP6.1	1 unit(s)	
-20 to +250	1	200	180	475	blue	ALP7.1	1 unit(s)	
-20 to +250	1	300	280	575	blue	ALP8.1	1 unit(s)	
-20 to +250	1	400	380	675	blue	ALP9.1	1 unit(s)	

Straight stem thermometers

ROTH SELECTION.

- Similar to DIN 16178
- With flat scale
- Fill fluid: Special filling
- Capillary form: Uncoated, prismatic
- $\varnothing$ Upper 20.5 mm ± 1 mm, $\varnothing$ Lower 8 mm ± 0.5 mm



L1: Installation length

L2: Insertion length

L3: Length

Temperature measuring range (°C)	Graduation (°C)	Installed length (mm)	Immersion depth (mm)	Length (mm)	Fill fluid	Art. No.	Pack Qty.	
-30 to +50	1	105	89	340	red	ALT0.1	1 unit(s)	
0 to +160	2	165	149	400	red	ALT1.1	1 unit(s)	
0 to +160	2	255	239	490	red	ALT2.1	1 unit(s)	
0 to +200	2	105	89	340	red	ALT3.1	1 unit(s)	

Алматы (7273)495-231
Ангарск (3955)60-70-56
Архангельск (8182)63-90-72
Астрахань (8512)99-46-04
Барнаул (3852)73-04-60
Белгород (4722)40-23-64
Благовещенск (4162)22-76-07
Брянск (4832)59-03-52
Владивосток (423)249-28-31
Владикавказ (8672)28-90-48
Владимир (4922)49-43-18
Волгоград (844)278-03-48
Вологда (8172)26-41-59
Воронеж (473)204-51-73
Екатеринбург (343)384-55-89

Иваново (4932)77-34-06
Ижевск (3412)26-03-58
Иркутск (395)279-98-46
Казань (843)206-01-48
Калининград (4012)72-03-81
Калуга (4842)92-23-67
Кемерово (3842)65-04-62
Киров (8332)68-02-04
Коломна (4966)23-41-49
Кострома (4942)77-07-48
Краснодар (861)203-40-90
Красноярск (391)204-63-61
Курск (4712)77-13-04
Курган (3522)50-90-47
Липецк (4742)52-20-81

Магнитогорск (3519)55-03-13
Москва (495)268-04-70
Мурманск (8152)59-64-93
Набережные Челны (8552)20-53-41
Нижний Новгород (831)429-08-12
Новокузнецк (3843)20-46-81
Ноябрьск (3496)41-32-12
Новосибирск (383)227-86-73
Омск (3812)21-46-40
Орел (4862)44-53-42
Оренбург (3532)37-68-04
Пенза (8412)22-31-16
Петрозаводск (8142)55-98-37
Псков (8112)59-10-37
Пермь (342)205-81-47

Ростов-на-Дону (863)308-18-15
Рязань (4912)46-61-64
Самара (846)206-03-16
Саранск (8342)22-96-24
Санкт-Петербург (812)309-46-40
Саратов (845)249-38-78
Севастополь (8692)22-31-93
Симферополь (3652)67-13-56
Смоленск (4812)29-41-54
Сочи (862)225-72-31
Ставрополь (8652)20-65-13
Сыктывкар (8212)25-95-17
Тамбов (4752)50-40-97
Сургут (3462)77-98-35
Тверь (4822)63-31-35

Тольятти (8482)63-91-07
Томск (3822)98-41-53
Тула (4872)74-02-29
Тюмень (3452)66-21-18
Ульяновск (8422)24-23-59
Улан-Удэ (3012)59-97-51
Уфа (347)229-48-12
Хабаровск (4212)92-98-04
Чебоксары (8352)28-53-07
Челябинск (351)202-03-61
Череповец (8202)49-02-64
Чита (3022)38-34-83
Якутск (4112)23-90-97
Ярославль (4852)69-52-93

Россия (495)268-04-70

Казахстан (772)734-952-31

Киргизия (996)312-96-26-47