

Очки с защитой от ультрафиолета CARL ROTH

Технические характеристики

Алматы (7273)495-231
Ангарск (3955)60-70-56
Архангельск (8182)63-90-72
Астрахань (8512)99-46-04
Барнаул (3852)73-04-60
Белгород (4722)40-23-64
Благовещенск (4162)22-76-07
Брянск (4832)59-03-52
Владивосток (423)249-28-31
Владикавказ (8672)28-90-48
Владимир (4922)49-43-18
Волгоград (844)278-03-48
Вологда (8172)26-41-59
Воронеж (473)204-51-73
Екатеринбург (343)384-55-89

Иваново (4932)77-34-06
Ижевск (3412)26-03-58
Иркутск (395)279-98-46
Казань (843)206-01-48
Калининград (4012)72-03-81
Калуга (4842)92-23-67
Кемерово (3842)65-04-62
Киров (8332)68-02-04
Коломна (4966)23-41-49
Кострома (4942)77-07-48
Краснодар (861)203-40-90
Красноярск (391)204-63-61
Курск (4712)77-13-04
Курган (3522)50-90-47
Липецк (4742)52-20-81

Магнитогорск (3519)55-03-13
Москва (495)268-04-70
Мурманск (8152)59-64-93
Набережные Челны (8552)20-53-41
Нижний Новгород (831)429-08-12
Новокузнецк (3843)20-46-81
Ноябрьск (3496)41-32-12
Новосибирск (383)227-86-73
Омск (3812)21-46-40
Орел (4862)44-53-42
Оренбург (3532)37-68-04
Пенза (8412)22-31-16
Петрозаводск (8142)55-98-37
Псков (8112)59-10-37
Пермь (342)205-81-47

Ростов-на-Дону (863)308-18-15
Рязань (4912)46-61-64
Самара (846)206-03-16
Саранск (8342)22-96-24
Санкт-Петербург (812)309-46-40
Саратов (845)249-38-78
Севастополь (8692)22-31-93
Симферополь (3652)67-13-56
Смоленск (4812)29-41-54
Сочи (862)225-72-31
Ставрополь (8652)20-65-13
Сыктывкар (8212)25-95-17
Тамбов (4752)50-40-97
Тургут (3462)77-98-35
Тверь (4822)63-31-35

Тольятти (8482)63-91-07
Томск (3822)98-41-53
Тула (4872)74-02-29
Тюмень (3452)66-21-18
Ульяновск (8422)24-23-59
Улан-Удэ (3012)59-97-51
Уфа (347)229-48-12
Хабаровск (4212)92-98-04
Чебоксары (8352)28-53-07
Челябинск (351)202-03-61
Череповец (8202)49-02-64
Чита (3022)38-34-83
Якутск (4112)23-90-97
Ярославль (4852)69-52-93

Россия (495)268-04-70

Казахстан (772)734-952-31

Киргизия (996)312-96-26-47



UV-safety spectacles

Safety spectacles i-5

UVEX.

Acc. to **EN 166**, **EN 170** and **EN 172** (grey lenses).

- Polycarbonate lenses – anti-fog on the inside, anti-scratch on the outside, resistant to chemicals
- Soft and flexible nose pad for maximum comfort and slip-resistant grip
- Improved lens design for greater side protection and protection against flying particles, dust and dirt.
- Three-stage inclination and adjustable arm length allow easy adaptation to every head shape



Lens colour	Frame colour	Lens design	Manufacturer no.	Art. No.	Pack Qty.	
colourless	anthracite, blue	clear, UV protection, anti-scratch, chemical-resistant, anti-fog	9183265	1CY4.1	1 unit(s)	
grey	anthracite, lime	tinted, UV protection, anti-scratch, chemical-resistant, anti-fog	9183281	1CY5.1	1 unit(s)	

Safety spectacles x-fit

UVEX.

Acc. to **EN 166**, **EN 170** and **EN 172** (grey lenses).

- Anti-scratch and chemical-resistant polycarbonate lens
- Classic safety spectacles with perfect fit
- Innovative arm-hinge concept
- X-Design for stability
- Low weight, 23 g
- Non-metallic



Pic.	Lens colour	Frame colour	Lens design	Manufacturer no.	Art. No.	Pack Qty.	
(1)	colourless	grey	clear, UV protection, anti-scratch, chemical-resistant	9199085	1CTP.1	1 unit(s)	
(2)	colourless	blue	clear, UV protection, anti-scratch, chemical-resistant, anti-fog	9199265	1CTT.1	1 unit(s)	
(3)	colourless	pink	clear, UV protection, anti-scratch, chemical-resistant, anti-fog	9199123	1CTX.1	1 unit(s)	
(4)	yellow	grey	tinted, UV protection, anti-scratch, chemical-resistant, anti-fog	9199286	1CTY.1	1 unit(s)	
(5)	grey	grey	tinted, UV protection, anti-scratch, chemical-resistant, anti-fog	9199280	1CX0.1	1 unit(s)	

Safety spectacles x-fit pro

UVEX.

Acc. to **EN 166**, **EN 170** and **EN 172** (grey lenses).

- Anti-scratch and chemical-resistant polycarbonate lens
- Innovative arm-hinge concept
- Soft nose pad in X-Design for maximum wearing comfort
- Elastic arms for a pressure-free fit
- Arm angle can be adjusted with the Comfort slider and adapted to every head shape
- Non-metallic



Lens colour	Frame colour	Lens design	Manufacturer no.	Art. No.	Pack Qty.	
colourless	white, anthracite	clear, UV protection, anti-scratch, chemical-resistant	9199005	1CP6.1	1 unit(s)	
colourless	blue, anthracite	clear, UV protection, anti-scratch, chemical-resistant, anti-fog	9199245	1CP7.1	1 unit(s)	
grey	anthracite, light grey	tinted, UV protection, anti-scratch, chemical-resistant, anti-fog	9199276	1CP8.1	1 unit(s)	

UV-safety spectacles

Safety spectacles SILEX+

Bollé.

Acc. to **EN 166**, **EN 170**, **EN 172** (dark lens).

UV protective lenses made of polycarbonate with the Bollé platinum coating inside and outside. Arms made of polycarbonate/TPR.

- Wraparound frame for a comfortable fit
- Extremely flexible arms 160°
- Panoramic field of vision, no annoying edges
- Without metal parts
- Ideal for long periods of wear
- Weight 30 g



Lens colour	Frame colour	Lens design	Art. No.	Pack Qty.	
colourless	dark green/green	clear, UV protection, anti-scratch, anti-fog, chemical-resistant	1HP2.1	1 unit(s)	
grey	black/green	tinted glass, slightly dark, UV protection, anti-scratch, anti-fog, chemical-resistant	1HP3.1	1 unit(s)	

CSP

The additional CSP coating is suitable for all activities where light alternates between strong and weak.

Frame colour	Lens design	Art. No.	Pack Qty.	
grey/black	UV protection, anti-scratch, anti-fog, chemical-resistant	1HP1.1	1 unit(s)	

Safety spectacles skylite

UVEX.

Acc. to **EN 166**, **EN 170**. Clear lenses made of polycarbonate, scratch-resistant on the inside and outside. Angle of arms can be adjusted. Integrated side protectors with a matt finish. Ultra-lightweight spectacles, approx. 26 g.



Pic.	Frame colour	Lens design	Art. No.	Pack Qty.	
(1)	metallic red	clear, UV protection, anti-scratch	CH18.1	1 unit(s)	
(2)	blue	clear, UV protection, anti-scratch	NP29.1	1 unit(s)	

Safety spectacles B272

Bollé.

Acc. to **EN 166** and **EN 170**.

- Anti-scratch and anti-fog PC lens
- Length-adjustable arms
- Adjustable lens inclination
- Additional top and bottom protection
- Weight 31 g



Lens design	Art. No.	Pack Qty.	
clear, UV protection, anti-scratch, anti-fog	KP00.1	1 unit(s)	



UV-safety spectacles

Safety spectacles astrospec 2.0

UVEX.

Acc. to **EN 166**, **EN 170**. Clear panorama lens made of polycarbonate with UV filter and integrated side protection.

- Flexible duo component arms and adjustable lens inclination for perfect fit
- Soft ear pieces ensure a secure fit without pressure points
- Maximum wearing comfort for all face shapes
- Also suitable for extended wear
- Extremely flat-folding and space-saving
- Weight: 37 g



Pic.	Frame colour	Lens design	Manufacturer no.	Art. No.	Pack Qty.	
(1)	anthracite/blue	clear, UV protection, anti-scratch, long-lasting anti-fog	9164-275	CYN0.1	1 unit(s)	
(2)	black/lime	clear, UV protection, anti-scratch, anti-fog, chemical-resistant	9164-285	CYN2.1	1 unit(s)	
(3)	blue/light blue	clear, UV protection, anti-scratch, chemical-resistant	9164-065	EEK6.1	1 unit(s)	
(4)	black/grey	anti-fog, anti-scratch, anti-static, clear, UV protection	9164-187	HYX5.1	1 unit(s)	

Safety spectacles super g

UVEX.

Acc. to **EN 166**, **EN 170**. **Extremely lightweight safety spectacles.**

- Very thin, shatterproof lens made of PC
- Completely metal-free
- Easy to wear and a secure fit, thanks to a barely perceptible, extremely flexible frame design
- Unique nose pad can be easily combined with a respiratory mask
- XST technology in the arms (earpieces with soft components) ensures a comfortable, pressure-free fit
- Weight 18 g



Pic.	Frame colour	Lens design	Art. No.	Pack Qty.	
(1)	crystal	clear, UV protection, anti-scratch, long-lasting anti-fog, anti-static	HH50.1	1 unit(s)	
(2)	blue	clear, UV protection, anti-scratch, long-lasting anti-fog	HH51.1	1 unit(s)	

Safety spectacles SILIUM

Bollé.

Acc. to **EN 166**, **EN 170** and **EN 172** (dark lens).

- Non-slip TIPGRIP arms and non-slip adjustable nose bridge plates
- Anti-scratch, anti-fog and antistatic PC lens
- Bendy, Flex arm 160%
- Brass frame
- Weight 34 g



Lens colour	Lens design	Art. No.	Pack Qty.	
colourless	clear, UV protection, anti-scratch, anti-fog, anti-static	KN95.1	1 unit(s)	
grey	tinted glass, slightly dark, UV protection, anti-scratch, anti-fog, anti-static	KN96.1	1 unit(s)	

UV-safety spectacles

Safety spectacles SILIUM+

Bollé.

Acc. to **EN 166, EN 170.**

- UV lens and frame made of PC. With Bollé platinum coating
- Comfortable fit thanks to straight, ergonomic and extremely flexible arms
- Slip-resistant and adjustable bridge
- Light as a feather, suitable for long periods of wear
- Weight 21 g



Pic.	Lens colour	Frame colour	Lens design	Art. No.	Pack Qty.	
(1)	colourless	black	clear, UV protection, anti-scratch, anti-fog, chemical-resistant	HYL4.1	1 unit(s)	
(2)	grey	black	tinted glass, slightly dark, UV protection, anti-scratch, anti-fog, chemical-resistant	HYL5.1	1 unit(s)	

CSP

The additional CSP coating is suitable for all activities where light alternates between strong and weak.

Pic.	Frame colour	Lens design	Art. No.	Pack Qty.	
(3)	black	UV protection, anti-scratch, anti-fog, chemical-resistant	HYL6.1	1 unit(s)	

Safety spectacles 506U

Univet.

Acc. to **EN 166, EN 170.** Clear UV protective lenses made of PC with anti-scratch/anti-fog coating.

- Angle and length adjustable arms
- Soft ear pieces avoid pressure points
- Optimal wearing comfort and adaptation through soft, adjustable bridge
- Weight 25 g



Frame colour	Lens design	Manufacturer no.	Art. No.	Pack Qty.	
white/pink	clear, UV protection, anti-scratch, anti-fog	506U.03.02.00	CNE8.1	1 unit(s)	
black/green	clear, UV protection, anti-scratch, anti-fog	506U.06.01.00	CNE9.1	1 unit(s)	

Safety spectacles Tora CCS

3M.

Acc. to **EN 166, EN 170.** Lens made of PC. Ear protection attaches directly to the spectacles, ensuring that eye and ear protection are always joined and ready for use, without tangling. The ear protection cord doubles as a spectacle cord. Very lightweight, weight 22 g.



Delivery without ear protection and cord. Please order separately (ULTRAFIT TE80.1 ear plugs).

Lens design	Art. No.	Pack Qty.	
clear, UV protection, anti-scratch, anti-fog	TE79.1	1 unit(s)	



UV-safety spectacles

Safety spectacles MAX Z8

HHW.

Acc. to **EN 166, EN 170**. Clear, anti-fog polycarbonate lens, also protects the eyebrow area. Metal arm. Earpieces are covered with a new, anti-slip soft PVC. Optimum fit and good all-round visibility. Weight 33 g.



Lens design	Art. No.	Pack Qty.	
clear, UV protection, anti-fog	CY76.1	1 unit(s)	

Safety spectacles i-works

UVEX.

Acc. to **EN 166, EN 170**.

- UV protective lens made of PC. Anti-fog on the inside, scratch-resistant and resistant to chemicals on the outside
- Non-metallic
- Large field of view due to panoramic lens
- Soft arms, flat arm with opening for fastening the spectacle cord



Lens colour	Frame colour	Lens design	Manufacturer no.	Art. No.	Pack Qty.	
colourless	anthracite/blue	clear, UV protection, anti-fog, anti-scratch, chemical-resistant	9194-171	HHX0.1	1 unit(s)	
colourless	anthracite/green	clear, UV protection, anti-fog, anti-scratch, chemical-resistant	9194-175	HHX1.1	1 unit(s)	
grey	black/grey	tinted, UV protection, anti-fog, anti-scratch, chemical-resistant	9194-885	HHX2.1	1 unit(s)	
yellow	black/yellow	tinted, UV protection, anti-fog, anti-scratch, chemical-resistant	9194-365	HHX3.1	1 unit(s)	

Safety spectacles i-3

UVEX.

Acc. to **EN 166, EN 170, EN 172** (grey lenses).

- PC lenses – anti-fog on the inside, anti-scratch on the outside, resistant to chemicals
- Perfect vision downwards
- Adapts perfectly to any face shape, excellent wearer comfort
- Soft nose pads ensure perfect anti-slip fitting
- Metal-free construction for low weight and long life



Lens colour	Frame colour	Lens design	Art. No.	Pack Qty.	
colourless	anthracite, blue	clear, UV protection, anti-scratch, anti-fog, chemical-resistant	NP27.1	1 unit(s)	

UV-safety spectacles

Safety spectacles PRISM

Bollé.

Acc. to **EN 166**, **170** and **EN 172** (dark lens).

- 100% polycarbonate goggles
- Anti-scratch and anti-fog visor
- Straight arm
- Very lightweight spectacles
- Weight 23 g



Delivery incl. spectacle cord.

Lens colour	Lens design	Art. No.	Pack Qty.	
grey	tinted glass, slightly dark, UV protection, anti-scratch, anti-fog	KP04.1	1 unit(s)	
colourless	clear, UV protection, anti-scratch, anti-fog	KP03.1	1 unit(s)	

Safety spectacles VIPER

Bollé.

Acc. to **EN 166** and **EN 170**.

- Very good adaptation thanks to shape and ultra-light design
- Lens made of PC
- Length-adjustable arms
- Additionally integrated protection at upper edge of goggles
- Weight 25 g



Delivery incl. adjustable glasses strap.

Lens colour	Lens design	Art. No.	Pack Qty.	
yellow	tinted, UV protection, anti-scratch, anti-fog	KP02.1	1 unit(s)	
colourless	clear, UV protection, anti-scratch	KP01.1	1 unit(s)	

Safety spectacles TRYON

Bollé.

Acc. to **EN 166**, **EN 170**.

- UV lens made of PC. With Bollé platinum coating.
- Wrap-around frame in a sporty design
- Comfortable and secure fit thanks to flexible wrap-around 160° arms and anti-slip adjustable bridge
- Weight 26 g



Frame colour	Lens design	Art. No.	Pack Qty.	
light blue, black	clear, UV protection, anti-scratch, anti-fog, chemical-resistant	HYL9.1	1 unit(s)	



UV-safety spectacles

Safety spectacles pheos

UVEX.

Acc. to **EN 166**, **EN 170** and **EN 172** (grey lenses).

- Wide, undistorted field of vision
- Inner lenses permanently non-fogging, outer lenses highly scratch- and chemical-resistant
- Duo-spherical lenses provide optimal eye coverage at the sides
- The tips of the arms are fitted with anti-slip components for extra comfort and slip resistance
- Excellent ventilation
- Metal-free arm mechanism with an easy action
- Compatible with ear muffs, hard hats and bump caps



Lenses made of PC.

Pic.	Lens colour	Frame colour	Lens design	Manufacturer no.	Art. No.	Pack Qty.	
(1)	colourless	light grey, green	clear, UV protection, anti-scratch, long-lasting anti-fog, chemical-resistant	9192-215	XC85.1	1 unit(s)	
(2)	colourless	black, green	clear, UV protection, anti-scratch, long-lasting anti-fog, chemical-resistant	9192-225	EHT6.1	1 unit(s)	
(3)	grey	black, grey	tinted, UV protection, anti-scratch, long-lasting anti-fog, chemical-resistant	9192-285	XC86.1	1 unit(s)	

Pheos blue

Eco friendly safety spectacles "Green Design" based on natural raw materials. Made of bioplastic, which is a plastic based on organic raw materials. Fully functional safety spectacles which meet all requirements for safety and wearing comfort.

Pic.	Lens colour	Frame colour	Lens design	Manufacturer no.	Art. No.	Pack Qty.	
(4)	colourless	sand, blue	clear, UV protection, anti-scratch, long-lasting anti-fog, chemical-resistant	9192-765	XC87.1	1 unit(s)	

Safety spectacles pheos s

UVEX.

Acc. to **EN 166**, **EN 170**. Smaller version of the pheos safety spectacles for smaller faces.

- Wide, borderless, undistorted field of vision
- Inner lenses permanently non-fogging, outer lenses highly scratch- and chemical-resistant
- Duo-spherical lenses provide optimal eye coverage at the sides
- The tips of the arms are fitted with anti-slip components for extra comfort and slip resistance
- Excellent ventilation
- Metal-free arm mechanism with an easy action
- Compatible with ear muffs, hard hats and bump caps



Pic.	Frame colour	Lens design	Manufacturer no.	Art. No.	Pack Qty.	
(1)	white, green	clear, UV protection, anti-scratch, long-lasting anti-fog, chemical-resistant	9192-725	EHT7.1	1 unit(s)	
(2)	anthracite, grey	clear, UV protection, anti-scratch, long-lasting anti-fog, chemical-resistant	9192-785	EHT8.1	1 unit(s)	

UV-safety spectacles

Safety spectacles pheos cx2

UVEX.

Acc. to **EN 166, EN 170.**

- Lens made of PC, anti-fog on the inside, anti-scratch and chemical resistant on the outside
- Wide, undistorted field of vision
- Comfortable protection with directly moulded forehead piece and bridge
- Excellent ventilation for healthy eyes
- Combinable with ear defenders, helmet and bump caps



Frame colour	Lens design	Manufacturer no.	Art. No.	Pack Qty.	
red, grey	clear, UV protection, anti-scratch, anti-fog, chemical-resistant	9198-258	HHT9.1	1 unit(s)	
blue, grey	clear, UV protection, anti-scratch, anti-fog, chemical-resistant	9198-257	HHT8.1	1 unit(s)	
black, light blue	clear, UV protection, anti-scratch, anti-fog, chemical-resistant	9198-256	HHT7.1	1 unit(s)	

Safety spectacles RUSH+

Bollé.

Acc. to **EN 166, EN 170.**

- PC lens with Bollé platinum coating.
- More comfortable fit thanks to very soft arms and slip-resistant adjustable bridge
- Weight 28 g



Frame colour	Lens design	Manufacturer no.	Art. No.	Pack Qty.	
red, black	clear, UV protection, anti-scratch, anti-fog, chemical-resistant	RUSHPPSI	HVL7.1	1 unit(s)	

Safety spectacles RUSH+ SMALL

Bollé.

Acc. to **EN 166, EN 170.**

- UV lens made of PC with Bollé platinum coating.
- Comfortable fit thanks to very soft arms and anti-slip adjustable bridge
- Extremely sporty design, ideal for narrower faces, young adults and children.
- Weight: 26 g



Frame colour	Lens design	Manufacturer no.	Art. No.	Pack Qty.	
white/light blue	clear, UV protection, anti-scratch, anti-fog, chemical-resistant	RUSHPPSI	HYN0.1	1 unit(s)	



UV-safety spectacles

Safety spectacles uvex sportstyle

UVEX.

Acc. to **EN 166, EN 170**

- Polycarbonate lenses, inside permanently anti-fogging, outside highly scratch-resistant
- Soft, adjustable nose pads
- Soft, anti-slip earpieces
- UVEX lens geometry from optimum view and perfect protection
- Extremely lightweight, sporty design for excellent wearer comfort



Lens colour	Frame colour	Lens design	Art. No.	Pack Qty.	
colourless	black/petrol	clear, UV protection, anti-scratch, long-lasting anti-fog	EHN2.1	1 unit(s)	

Safety spectacles 5X1

Univet.

Acc. to **EN 166, EN 170**. Designed for optimum protection and individual adjustment. UV protective lenses made of polycarbonate.

- Distinctive „wrap-around“ lens with extra protection in the side eye area
- SoftPad™ arms, length and tilt-adjustable arms
- Soft, height-adjustable bridge, reduces pressure
- Suitable for long periods of wear



Pic.	Lens design	Art. No.	Pack Qty.	
(1)	clear, UV protection, anti-scratch, anti-fog	HAA7.1	1 unit(s)	

In/Out

In/Out lens with multi-layer, reflective coating on the outside, offers protection against glare and allows good visibility when switching between dark and bright environments

Pic.	Lens design	Art. No.	Pack Qty.	
(2)	UV protection, anti-scratch	HAA8.1	1 unit(s)	

Safety spectacles i-vo

UVEX.

Acc. to **EN 166, EN 170 and/or EN 172 (CH15.1)**. Polycarbonate lens. The nanotechnology coating enhances the anti-adhesion properties, allowing aqueous and oily staining to be removed effortlessly from the lens.

- Safety spectacles for maximum wear comfort
- Pressure-free and comfortable fit due to soft components at sensitive zone, such as nose, forehead and ears
- Length-adjustable side arms, 5-stage inclination



Pic.	Lens colour	Frame colour	Lens design	Art. No.	Pack Qty.	
(1)	colourless	blue, orange	clear, UV protection, anti-scratch, chemical-resistant	Y406.1	1 unit(s)	
(2)	colourless	black/grey	clear, UV protection, anti-scratch, anti-fog, chemical-resistant	EHT5.1	1 unit(s)	
(3)	brown	blue, orange	tinted, UV protection, anti-scratch, chemical-resistant	CH15.1	1 unit(s)	

UV-safety spectacles

Safety spectacles 5X3

Univet.

Acc. to **EN 166**, **EN 170**.

Highly-developed frame to minimise pressure points on the face, ideally fits any face without adjustment.

- SoftPad™ arms and an adjustable bridge for improved wearer comfort
- Distinctive „wrap-around“ PC lenses
- Ventilation system
- Orange lens offers protection against UV light and blue light up to 525 nm
- Weight 31 g



Lens colour	Frame colour	Lens design	Art. No.	Pack Qty.	
colourless	black, green	clear, UV protection, anti-scratch	APX7.1	1 unit(s)	
colourless	black, orange	clear, UV protection, anti-scratch, anti-fog	APX8.1	1 unit(s)	
orange	black, orange	tinted, UV protection, anti-scratch, anti-fog	CNH4.1	1 unit(s)	

Safety spectacles 5X6

Univet.

Acc. to **EN 166**, **EN 170**.

Clear UV protective lenses made of PC with anti-scratch/anti-fog coating. Light and comfortable model, ideal for long-duration wear. Sporty „wrap-around“ design, the lens is flexibly attached to the frame.

- Length-adjustable SoftPad™ arms
- Soft and anatomically shaped nose bridge
- Weight 26 g



Frame colour	Lens design	Manufacturer no.	Art. No.	Pack Qty.	
gunmetal, green	clear, UV protection, anti-scratch, anti-fog	5X6.03.11.00	APX9.1	1 unit(s)	
white, blue	clear, UV protection, anti-scratch, anti-fog	5X6.03.22.00	APY0.1	1 unit(s)	

Safety spectacles x-one

UVEX.

Acc. to **EN 166**, **EN 170**, **EN 172** (grey lenses). Sporty and lightweight, wide field of vision, unrestricted side vision, good coverage of the eyebrows and cheeks. Weight 27 g.



Pic.	Lens colour	Frame colour	Lens design	Art. No.	Pack Qty.	
(1)	colourless	colourless	clear, UV protection	NP24.1	1 unit(s)	
(2)	colourless	azure blue	clear, UV protection	NP25.1	1 unit(s)	
(3)	grey	black	tinted, UV protection	NP26.1	1 unit(s)	

Safety spectacles SecureFit 400

3M.

Acc. to **EN 166**, **EN 170**, **EN 172** (grey lenses).

Polycarbonate UV protective lenses with anti-scratch and anti-fog properties.

- Flexible frame, adapts easily to all head sizes and shapes
- Soft, adjustable bridge for a perfect and secure fit
- Padded ear pieces reduce pressure points and thus enhance wearing comfort
- Optimal compatibility with ear muffs and fine dust masks
- Extremely lightweight, 19 g



Lens colour	Frame colour	Lens design	Art. No.	Pack Qty.	
colourless	black, green	clear, UV protection, anti-scratch, anti-fog	CNE6.1	1 unit(s)	
grey	black, green	tinted, UV protection, anti-scratch, anti-fog	CNE7.1	1 unit(s)	



UV-safety spectacles

Safety spectacles Virtua™

3M.

Acc. to **EN 166**, **EN 170** and **EN 172** (grey lenses).
100% polycarbonate spectacles, anti-scratch. Very good fit.
Weight 25 g.



Lens colour	Lens design	Art. No.	Pack Qty.	
colourless	clear, UV protection, anti-scratch	CY78.1	1 unit(s)	
grey	tinted, UV protection, anti-scratch	CY80.1	1 unit(s)	

Safety spectacles Virtua™ Slim

3M.

Acc. to **EN 166**, **EN 170**. For small head sizes, children or adults with a small pupillary distance/narrow face. Polycarbonate spectacles, clear, anti-scratch lens.



Lens colour	Lens design	Art. No.	Pack Qty.	
colourless	clear, UV protection, anti-scratch, anti-fog	KA62.1	1 unit(s)	

Safety spectacles Millennia®

Honeywell Safety.

Acc. to **EN 166**, **EN 170** and **EN 172** (P763.1).

- Anti-scratch polycarbonate lens
- Ergonomic frame, adjusted to head shape
- Straight arms – no need to adjust arm length or angle, no pressure behind the ears
- Optimal lens curve – distortion-free vision
- Weight 34 g



Delivery incl. adjustable, flexible spectacle cord.

Lens colour	Frame colour	Lens design	Art. No.	Pack Qty.	
colourless	blue	clear, UV protection, anti-scratch	P758.1	1 unit(s)	
colourless	silver	clear, UV protection, anti-scratch	P760.1	1 unit(s)	
yellow	black	tinted, UV protection, anti-scratch	P761.1	1 unit(s)	
grey	black	tinted, UV protection, anti-scratch	P763.1	1 unit(s)	

Safety spectacles Millennia® sport

Honeywell Safety.

Acc. to **EN 166**, **EN 170** and **EN 172** (grey lenses).

- Anti-scratch polycarbonate lens
- Ergonomic frame, adjusted to head shape
- Straight arms – no need to adjust arm length or angle, no pressure behind the ears
- Optimal lens curve – distortion-free vision
- Weight 34 g



Delivery incl. adjustable, flexible spectacle cord.

Frame colour	Lens design	Art. No.	Pack Qty.	
blue	clear, UV protection, anti-scratch	CA36.1	1 unit(s)	
black	tinted, UV protection, anti-scratch	CA35.1	1 unit(s)	

UV-safety spectacles

Safety spectacles cybric

UVEX.

Acc. to **EN 166**, **EN 170** and **EN 172** (AA34.1). Sporty, modern, double lens with integrated side protectors.

- Anti-scratch and anti-fog polycarbonate lens
- Angle and length of side arms can be adjusted individually
- Comfortable, pressure-free fit, thanks to elastic earpieces
- Weight 29 g



Lens colour	Lens design	Art. No.	Pack Qty.	
colourless	clear, UV protection, anti-scratch, anti-fog	AA33.1	1 unit(s)	
grey	tinted, UV protection, anti-scratch, anti-fog	AA34.1	1 unit(s)	

Safety spectacles 546

Univet.

Acc. to **EN 166**, **EN 170**. Very lightweight, modern safety spectacles with a sporty line. Clear UV protective lenses made of PC with anti-scratch/anti-fog coating.

- „Wrap-around“ polycarbonate lens with integrated side protection
- Arms guarantee excellent fit and wear comfort
- Non-slip soft bridge
- Ideal for long periods of wear
- Orange lens: Protection against UV and light up to 525 nm



Lens colour	Frame colour	Lens design	Art. No.	Pack Qty.	
colourless	black, green	clear, UV protection, anti-scratch, anti-fog	CNH2.1	1 unit(s)	
orange	black, orange	tinted, UV protection, anti-scratch, anti-fog	CNH3.1	1 unit(s)	

Safety spectacles 2840

3M.

Acc. to **EN 166**, **EN 170** and **EN 172** (KA83.1).

- Arm length adjustable to three settings
- Adjustable lens tilt for individual adjustment
- Strong polycarbonate lenses with anti-scratch and anti-fog coating
- Integrated eyebrow protection for increased protection
- Soft inner side of arms offers increased wearer comfort
- **KA83.1** safety spectacles, with grey lens for working outdoors, where additional protection is required against sunlight
- **NN25.1** safety spectacles with orange lens filters UV radiation and blue light up to 530 nm. Increases contrast and clarity of vision in weak lighting
- Weight 26 g



Pic.	Lens colour	Lens design	Manufacturer no.	Art. No.	Pack Qty.	
(1)	colourless	clear, UV protection, anti-scratch, anti-fog	2840	KA82.1	1 unit(s)	
(2)	grey	tinted, UV protection, anti-scratch, anti-fog	2841	KA83.1	1 unit(s)	
(3)	orange	tinted, UV protection, anti-scratch, anti-fog	2846	NN25.1	1 unit(s)	

Алматы (7273)495-231
Ангарск (3955)60-70-56
Архангельск (8182)63-90-72
Астрахань (8512)99-46-04
Барнаул (3852)73-04-60
Белгород (4722)40-23-64
Благовещенск (4162)22-76-07
Брянск (4832)59-03-52
Владивосток (423)249-28-31
Владикавказ (8672)28-90-48
Владимир (4922)49-43-18
Волгоград (844)278-03-48
Вологда (8172)26-41-59
Воронеж (473)204-51-73
Екатеринбург (343)384-55-89

Иваново (4932)77-34-06
Ижевск (3412)26-03-58
Иркутск (395)279-98-46
Казань (843)206-01-48
Калининград (4012)72-03-81
Калуга (4842)92-23-67
Кемерово (3842)65-04-62
Киров (8332)68-02-04
Коломна (4966)23-41-49
Кострома (4942)77-07-48
Краснодар (861)203-40-90
Красноярск (391)204-63-61
Курск (4712)77-13-04
Курган (3522)50-90-47
Липецк (4742)52-20-81

Россия (495)268-04-70

Магнитогорск (3519)55-03-13
Москва (495)268-04-70
Мурманск (8152)59-64-93
Набережные Челны (8552)20-53-41
Нижний Новгород (831)429-08-12
Новокузнецк (3843)20-46-81
Ноябрьск (3496)41-32-12
Новосибирск (383)227-86-73
Омск (3812)21-46-40
Орел (4862)44-53-42
Оренбург (3532)37-68-04
Пенза (8412)22-31-16
Петрозаводск (8142)55-98-37
Псков (8112)59-10-37
Пермь (342)205-81-47

Казахстан (772)734-952-31

Ростов-на-Дону (863)308-18-15
Рязань (4912)46-61-64
Самара (846)206-03-16
Саранск (8342)22-96-24
Санкт-Петербург (812)309-46-40
Саратов (845)249-38-78
Севастополь (8692)22-31-93
Симферополь (3652)67-13-56
Смоленск (4812)29-41-54
Сочи (862)225-72-31
Ставрополь (8652)20-65-13
Сыктывкар (8212)25-95-17
Тамбов (4752)50-40-97
Сургут (3462)77-98-35
Тверь (4822)63-31-35

Киргизия (996)312-96-26-47

Тольятти (8482)63-91-07
Томск (3822)98-41-53
Тула (4872)74-02-29
Тюмень (3452)66-21-18
Ульяновск (8422)24-23-59
Улан-Удэ (3012)59-97-51
Уфа (347)229-48-12
Хабаровск (4212)92-98-04
Чебоксары (8352)28-53-07
Челябинск (351)202-03-61
Череповец (8202)49-02-64
Чита (3022)38-34-83
Якутск (4112)23-90-97
Ярославль (4852)69-52-93