

Принадлежности весовые CARL ROTH ROTILABO

Технические характеристики

Алматы (7273)495-231
Ангарск (3955)60-70-56
Архангельск (8182)63-90-72
Астрахань (8512)99-46-04
Барнаул (3852)73-04-60
Белгород (4722)40-23-64
Благовещенск (4162)22-76-07
Брянск (4832)59-03-52
Владивосток (423)249-28-31
Владикавказ (8672)28-90-48
Владимир (4922)49-43-18
Волгоград (844)278-03-48
Вологда (8172)26-41-59
Воронеж (473)204-51-73
Екатеринбург (343)384-55-89

Иваново (4932)77-34-06
Ижевск (3412)26-03-58
Иркутск (395)279-98-46
Казань (843)206-01-48
Калининград (4012)72-03-81
Калуга (4842)92-23-67
Кемерово (3842)65-04-62
Киров (8332)68-02-04
Коломна (4966)23-41-49
Кострома (4942)77-07-48
Краснодар (861)203-40-90
Красноярск (391)204-63-61
Курск (4712)77-13-04
Курган (3522)50-90-47
Липецк (4742)52-20-81

Магнитогорск (3519)55-03-13
Москва (495)268-04-70
Мурманск (8152)59-64-93
Набережные Челны (8552)20-53-41
Нижний Новгород (831)429-08-12
Новокузнецк (3843)20-46-81
Ноябрьск (3496)41-32-12
Новосибирск (383)227-86-73
Омск (3812)21-46-40
Орел (4862)44-53-42
Оренбург (3532)37-68-04
Пенза (8412)22-31-16
Петрозаводск (8142)55-98-37
Псков (8112)59-10-37
Пермь (342)205-81-47

Ростов-на-Дону (863)308-18-15
Рязань (4912)46-61-64
Самара (846)206-03-16
Саранск (8342)22-96-24
Санкт-Петербург (812)309-46-40
Саратов (845)249-38-78
Севастополь (8692)22-31-93
Симферополь (3652)67-13-56
Смоленск (4812)29-41-54
Сочи (862)225-72-31
Ставрополь (8652)20-65-13
Сыктывкар (8212)25-95-17
Тамбов (4752)50-40-97
Сургут (3462)77-98-35
Тверь (4822)63-31-35

Тольятти (8482)63-91-07
Томск (3822)98-41-53
Тула (4872)74-02-29
Тюмень (3452)66-21-18
Ульяновск (8422)24-23-59
Улан-Удэ (3012)59-97-51
Уфа (347)229-48-12
Хабаровск (4212)92-98-04
Чебоксары (8352)28-53-07
Челябинск (351)202-03-61
Череповец (8202)49-02-64
Чита (3022)38-34-83
Якутск (4112)23-90-97
Ярославль (4852)69-52-93

Россия (495)268-04-70

Казахстан (772)734-952-31

Киргизия (996)312-96-26-47

Weighing accessories



A 121 °C

Weighing glass caps ROTILABO®

ROTH SELECTION. Material: Borosilicate glass 3.3. Autoclavable: Yes. With NS cap and labelling space.

Medium form

Vol. (ml)	Standard ground glass joint	Height without closure (mm)	Art. No.	Pack Qty.	
25	29/12	50	ACA2.1	1 unit(s)	
32	34/12	50	ACA3.1	1 unit(s)	
47	40/12	50	ACA4.1	1 unit(s)	
70	50/12	50	ACA5.1	1 unit(s)	
185	80/12	50	ACA6.1	1 unit(s)	

Low form

Vol. (ml)	Standard ground glass joint	Height without closure (mm)	Art. No.	Pack Qty.	
9	29/12	30	AAY7.1	1 unit(s)	
12	34/12	30	AAY8.1	1 unit(s)	
25	40/12	35	AAY9.1	1 unit(s)	
38	50/12	35	ACA0.1	1 unit(s)	
100	80/12	35	ACA1.1	1 unit(s)	



A 121 °C

Weighing box ROTILABO®

Kartell. Material: PP, translucent. Autoclavable: Yes. With airtight lid. The top part can be pressed together to facilitate pouring. Low weight reduces the tare correction.

Vol. (ml)	Ø ext. (mm)	Height (mm)	Tare (g)	Art. No.	Pack Qty.	
20	40	30	8	K778.1	2 unit(s)	
23	30	50	8	K779.1	2 unit(s)	
30	50	30	10	K790.1	2 unit(s)	
40	40	70	14	K791.1	2 unit(s)	
50	60	35	18	K792.1	2 unit(s)	
190	60	90	28	K793.1	2 unit(s)	
360	70	120	40	K794.1	2 unit(s)	



A 121 °C

Weighing bottle ROTILABO® high form

ROTH SELECTION. Material: Borosilicate glass. Autoclavable: Yes. With replaceable NS lid, label field and size details.

Vol. (ml)	Standard ground glass joint	Ø ext. (mm)	Height without closure (mm)	Art. No.	Pack Qty.	
2	14/8	15	20	1368.1	1 unit(s)	
4.5	19/9	20	30	1367.1	1 unit(s)	
10	24/11	25	40	1366.1	1 unit(s)	
20	29/11	30	50	1365.1	1 unit(s)	
40	40/11	40	50	HNX1.1	1 unit(s)	
45	34/11	35	70	1364.1	1 unit(s)	
45	40/11	40	65	HNX2.1	1 unit(s)	
70	40/11	40	80	HNX3.1	1 unit(s)	
110	50/11	50	80	HNX4.1	1 unit(s)	

Set

Sizes 2 / 4.5 / 10 / 20 / 45 ml

Pack.	Art. No.	Pack Qty.	
5 pieces	1369.1	1 set	

A 121 °C

Weighing bottle ROTILABO® low form

Lenz. Material: DURAN® glass. Autoclavable: Yes. With replaceable NS lid, label field and size details.

Technical specifications:

Art. No.	HNX5.1	HNX6.1	K615.1	K616.2	K617.1	K614.1
Standards	DIN 12605					in addition

Vol. (ml)	Standard ground glass joint	Ø ext. (mm)	Height without closure (mm)	Art. No.	Pack Qty.	
6	24/12	25	25	K614.1	1 unit(s)	
15	40/12	40	25	HNX5.1	1 unit(s)	
15	34/12	35	30	K615.1	1 unit(s)	
30	50/12	50	30	K616.2	6 unit(s)	
45	60/12	60	30	HNX6.1	1 unit(s)	
80	80/12	80	30	K617.1	1 unit(s)	



Weighing accessories



A 121 °C

Weighing funnels ROTILABO®

ROTH SELECTION. Autoclavable: Yes.

For weighing liquid and solid samples. Sits safely and flush on the balance. Spout enables easy filling and emptying of measuring flasks and test tubes.

Polypropylene

Material: PP.

Vol. (ml)	Ø ext. (mm)	Ø Outlet (mm)	Length (mm)	Art. No.	Pack Qty.	
1	15	5	38	HTT3.1	96 unit(s)	
2	23	7	44	P652.1	50 unit(s)	
7	35	11	63	P653.1	50 unit(s)	
10	48	17	88	P654.1	20 unit(s)	
25	63	20	117	P655.1	10 unit(s)	

Polypropylene, antistatic

Material: PP antistatic.

Vol. (ml)	Ø ext. (mm)	Ø Outlet (mm)	Length (mm)	Art. No.	Pack Qty.	
1	15	5	38	HTT4.1	96 unit(s)	
2	23	7	44	HTT5.1	50 unit(s)	
7	35	11	63	HTT6.1	50 unit(s)	
10	48	17	88	HTT7.1	20 unit(s)	
25	63	20	117	HTT8.1	10 unit(s)	

Glass

Material: Borosilicate glass.

Vol. (ml)	Ø ext. (mm)	Ø Outlet (mm)	Length (mm)	Art. No.	Pack Qty.	
1	15	5	38	HTT9.1	6 unit(s)	
2	23	7	44	P656.1	6 unit(s)	
7	35	11	63	P657.1	6 unit(s)	
10	48	17	88	P658.1	6 unit(s)	
25	63	20	117	P659.1	6 unit(s)	



A 121 °C

Weighing bottle ROTILABO®

ROTH SELECTION. Material: Borosilicate glass 3.3. Autoclavable: Yes.

With flat bottom.

Vol. (ml)	Length (mm)	Art. No.	Pack Qty.	€
2	50	AAAY4.1	1 unit(s)	43,65
4	70	AAAY5.1	1 unit(s)	48,65
7	100	AAAY6.1	1 unit(s)	51,75



Weighing funnels

Mettler-Toledo. Material: PP, antistatic.

Resistant to electrostatics charges. With wide mouth for easy access. Tapered neck for use with volumetric flasks, extended metering neck for direct transfer of samples and liquids to flask, ventilation slot between funnel and vessel prevents liquid accumulation.

- Typical dosing quantity: 1 mg - 5 g
- Suitable for volumetric flasks: 5 ml (wide neck), 10-250 ml
- Suitable for standard ground joint: 10/19, 12/21, 14/23
- Ø outer spout, conical, 9-15 mm

Length (mm)	Width (mm)	Height (mm)	Art. No.	Pack Qty.	€
75	30	26	CET4.1	50 unit(s)	109,00

Weighing accessories



A 121 °C

Weighing bottle ROTILABO®

ROTH SELECTION. Material: Porcelain, glazed. Autoclavable: Yes. Temperature-stable up to +1000 °C.

Length (mm)	Width (mm)	Weight (g)	Art. No.	Pack Qty.	
37	17	7	XX55.1	10 unit(s)	
53	23	10	XX56.1	10 unit(s)	
64	29	12	XX57.1	10 unit(s)	



A 121 °C

Weighing bottle ROTILABO®

Usbeck. Material: Stainless steel 1.4301. Autoclavable: Yes. Material thickness 1 mm.

Length (mm)	Width (mm)	Art. No.	Pack Qty.	
105	30	HT05.1	1 unit(s)	
120	30	HT06.1	1 unit(s)	



A 121 °C

Weighing boat

Bochem. Material: Stainless steel (18/10). Autoclavable: Yes.

Length (mm)	Width (mm)	Art. No.	Pack Qty.	
70	32	1C53.1	1 unit(s)	
90	32	1C54.1	1 unit(s)	



A 121 °C

Weighing pan ROTILABO®

ROTH SELECTION. Material: Stainless steel 18/10. Autoclavable: Yes. Rounded borders.

Technical specifications:

Art. No.	YE43.1	YE44.1	YE45.1
Version	matt	glossy	

Length (mm)	Width (mm)	Height (mm)	Weight (g)	Art. No.	Pack Qty.	
260	180	25	266	YE43.1	1 unit(s)	
260	200	45	356	YE44.1	1 unit(s)	
310	245	50	564	YE45.1	1 unit(s)	



Micro aluminium dishes ROTILABO®

ROTH SELECTION. Material: Aluminium.

Free of oil residues and coatings.

- Suitable for micro scales, micro-elementary and thermal systems
- Compatible with most micro scales and analysis devices
- Packed in practical plastic containers

Oval form

Vol. (ml)	Length (mm)	Width (mm)	Height (mm)	Art. No.	Pack Qty.	
0.04	6.5	3.5	2.5	PP60.1	250 unit(s)	
0.11	10	4	4.5	PP61.1	250 unit(s)	
0.12	12	4	2.7	PP62.1	250 unit(s)	
1.12	25	7.0	7	PP64.1	50 unit(s)	

Round form

Vol. (ml)	Ø ext. (mm)	Height (mm)	Art. No.	Pack Qty.	
0.035	6	2.5	PP58.1	250 unit(s)	
0.35	13	3.5	PP59.1	100 unit(s)	



Weighing accessories



Alu dishes ROTILABO®

ROTH SELECTION. Material: Aluminium.

Free of oil residues and coatings. Compressed walls for extra stability. Handles ideal for labelling or holding. Easy to stack. Variety of applications that require weighing dishes, evaporating dishes or drying dishes to cover containers or store small items.

Vol. (ml)	Ø ext. (mm)	Height (mm)	Art. No.	Pack Qty.
8	28	10	PP54.1	500 unit(s)
20	43	13	PP55.1	100 unit(s)
60	57	16	PP56.1	100 unit(s)
80	70	16	PP57.1	100 unit(s)



Weighing pan ROTILABO®

ROTH SELECTION. Material: Aluminium.

For solid and liquid substances. stackable. Temperature-stable up to approx. +400 °C.

Ø ext. (mm)	Height (mm)	Art. No.	Pack Qty.
100	7	9262.1	80 unit(s)



Weighing pan flat

ROTH SELECTION. Material: PS, antistatic.

Flexible design with wide base for even pouring and dispensing of solids and liquids. resistant to diluted acids, bases and alcohols.

Vol. (ml)	Length (mm)	Width (mm)	Height (mm)	Art. No.	Pack Qty.
50	89	89	6	ATC3.1	500 unit(s)



Weighing boats

ROTH SELECTION. Material: PS, Anti-static.

For weighing liquid and solid substances. With spout and flat bootm. Temperature-stable up to +90 °C.

Vol. (ml)	Length (mm)	Width (mm)	Depth (mm)	Art. No.	Pack Qty.
20	57	41	8	A229.1	250 unit(s)
140	133	89	25	A230.1	250 unit(s)
270	190	120	25	ATC2.1	250 unit(s)



Weighing bottle ROTILABO® antistatic

ROTH SELECTION. Material: PS.

Spoon, weighing boat and funnel in one: Take a sample, weigh it and decant it all without the need for a new container. Flat-packed, easy to assemble. When flat, can be used as an alternative to weighing paper. Antistatic design for the best possible sample recovery.

White

Length (mm)	Width (mm)	Art. No.	Pack Qty.
127	90	KLC5.1	100 unit(s)
127	63	KLC6.1	100 unit(s)

Weighing accessories

Weighing pan ROTILABO®

ROTH SELECTION. Material: PS.

- For solid and liquid substances
- Resistant to diluted acids, bases and alcohols
- Bioinert
- Temperature stability up to +80 °C



White

Vol. (ml)	Length (mm)	Width (mm)	Height (mm)	Sterility	Pack.	Art. No.	Pack Qty.
8	46	46	8	Non-sterile	1 x 500	HYT8.1	500 unit(s)
100	85	85	24	Sterile	40 x 5	KLA8.1	200 unit(s)
100	85	85	24	Non-sterile	1 x 500	HYT9.1	500 unit(s)
330	140	140	22	Non-sterile	1 x 500	HYX0.1	500 unit(s)

White, antistatic

Antistatic design for the best possible sample recovery.

Vol. (ml)	Length (mm)	Width (mm)	Height (mm)	Sterility	Pack.	Art. No.	Pack Qty.
8	46	46	8	Non-sterile	1 x 500	1878.2	500 unit(s)
100	85	85	24	Non-sterile	1 x 500	1884.1	500 unit(s)
330	140	140	22	Non-sterile	1 x 500	0875.2	500 unit(s)

Blue

Opaque blue design specifically for white weighing material.

Vol. (ml)	Length (mm)	Width (mm)	Height (mm)	Sterility	Pack.	Art. No.	Pack Qty.
8	46	46	8	Non-sterile	1 x 500	HYX1.1	500 unit(s)
100	85	85	22	Non-sterile	1 x 500	HYX2.1	500 unit(s)
330	140	140	24	Non-sterile	1 x 500	HYX3.1	500 unit(s)

Blue, antistatic

Opaque blue design specifically for white weighing material. Antistatic design for the best possible sample recovery.

Vol. (ml)	Length (mm)	Width (mm)	Height (mm)	Sterility	Pack.	Art. No.	Pack Qty.
8	46	46	8	Non-sterile	1 x 500	2149.2	500 unit(s)
100	85	85	24	Non-sterile	1 x 500	2150.1	500 unit(s)
330	140	140	22	Non-sterile	1 x 500	2159.2	500 unit(s)

Black, standard

Vol. (ml)	Length (mm)	Width (mm)	Height (mm)	Sterility	Pack.	Art. No.	Pack Qty.
8	46	46	8	Non-sterile	1 x 500	KLA9.1	500 unit(s)
100	85	85	24	Non-sterile	1 x 500	KLC0.1	500 unit(s)
330	140	140	22	Non-sterile	1 x 500	KLC1.1	500 unit(s)

Black, antistatic

Antistatic version for the best possible sample recovery.

Vol. (ml)	Length (mm)	Width (mm)	Height (mm)	Sterility	Pack.	Art. No.	Pack Qty.
8	46	46	8	Non-sterile	1 x 500	KLC2.1	500 unit(s)
100	85	85	24	Non-sterile	1 x 500	KLC3.1	500 unit(s)
330	140	140	22	Non-sterile	1 x 500	KLC4.1	500 unit(s)



Weighing accessories



Weighing pan diamond-shaped

ROTH SELECTION. Material: PS, antistatic.

Flexible pans with smooth surface for thorough emptying with minimal sample loss.

- FDA-compliant
- Temperature-stable from -10 to +70 °C

White

Vol. (ml)	Length (mm)	Width (mm)	Height (mm)	Art. No.	Pack Qty.
5	55	35	6	TP58.1	500 unit(s)
25	71	46	14	TP59.1	500 unit(s)
100	119	90	19	TP60.1	500 unit(s)

Black

Optimal contrast, specially designed for white weighing material.

Vol. (ml)	Length (mm)	Width (mm)	Height (mm)	Art. No.	Pack Qty.
5	55	35	6	TP61.1	500 unit(s)
25	71	46	14	TP62.1	500 unit(s)
100	119	90	19	TP63.1	500 unit(s)



Weighing pan ROTILABO® hexagonal

ROTH SELECTION. Material: PS, antistatic.

For solid and liquid substances. With flat bottom. stackable. Boats can be pressed together at several points to form a pouring spout. Temperature-stable up to +80 °C.

Vol. (ml)	Ø Internal (mm)	Height (mm)	Art. No.	Pack Qty.
9	25	9	KC03.1	500 unit(s)
50	51	19	KC04.1	500 unit(s)
200	76	22	KC05.1	500 unit(s)
350	89	31	KC06.1	500 unit(s)



Weighing boat micro

ROTH SELECTION. Material: PS, antistatic.

For weighing very small quantities of solid or liquid substances. With large tabs for easy handling.

Vol. (ml)	Length (mm)	Width (mm)	Depth (mm)	Art. No.	Pack Qty.
0.5	25	8.9	7.5	1L98.1	250 unit(s)



Weighing pan SmartBoat™

ROTH SELECTION. Material: Paper, bio-degradable.

Suitable for dry substances and substances containing fat. Temperature stability up to +210 °C

White

For dark weighing material.

Length (mm)	Width (mm)	Height (mm)	Art. No.	Pack Qty.
35	35	15	HYT2.1	500 unit(s)
48	48	14	HYT3.1	500 unit(s)
92	92	25	HYT4.1	250 unit(s)

Brown

For bright samples.

Length (mm)	Width (mm)	Height (mm)	Art. No.	Pack Qty.
35	35	15	HYT5.1	500 unit(s)
48	48	14	HYT6.1	500 unit(s)
92	92	25	HYT7.1	250 unit(s)

Weighing accessories



Weighing bottle

Macherey-Nagel. Material: Parchment, nitrogen-free.

For weighing viscous and syrupy substances. For determining nitrogen concentration using the Kjeldahl method. Surface weight 83 g/m².

Length (mm)	Width (mm)	Height (mm)	Art. No.	Pack Qty.	
58	10	10	EL10.1	100 unit(s)	
70	23	15	EL11.1	100 unit(s)	



Weighing pan ROTILABO®

ROTH SELECTION. Material: Parchment paper.

For solid substances. No static charging. Colour brown, for enhanced detection of bright weighing material.

Ø ext. (mm)	Ø Internal (mm)	Height (mm)	Art. No.	Pack Qty.	
100	88	11	HX57.1	150 unit(s)	



Card sheets ROTILABO®

ROTH SELECTION. Material: Paper painted on both sides.

Non-printed for laboratory purposes, e. g. as weighing sheets or scrapers. Rounded corners.

Length (mm)	Width (mm)	Art. No.	Pack Qty.	
91	59	1656.1	1 kg	



Weighing paper

Macherey-Nagel. Material: Glassine, transparent.

Smooth surface, impermeable.

In block with 100 sheets.

Length (mm)	Width (mm)	Art. No.	Pack Qty.	
115	90	1069.1	10 unit(s)	
115	90	1069.2	1 unit(s)	



Weighing paper ROTILABO®

ROTH SELECTION. Material: Paper, nitrogen-free.

Smooth surfaces for optimum sample recovery.

Length (mm)	Width (mm)	Art. No.	Pack Qty.	
76	76	TP64.1	500 unit(s)	
102	102	TP65.1	500 unit(s)	
152	152	TP66.1	500 unit(s)	



Handles ergo brush

Hammacher. Material: Plastic.

Equips with various sizes of brush heads. Clear view of the workpiece thanks to angled head.

Delivery without brush heads.

Pic.	Suitable for	Colour	Length (mm)	Art. No.	Pack Qty.	
(1)	brush heads size 0-4	petrol	140	EXC8.1	1 unit(s)	
(2)	brush heads size 5-8	violet	140	EXC9.1	1 unit(s)	



Weighing brushes



Brush heads

Hammacher. Material: Chrome-nickel steel, red sable hair.
Suitable for ergo brush handles.

Technical specifications:

Art. No.	EXE1.1	EXE2.1	EXE3.1	EXE4.1	EXE5.1	EXE6.1
Shaft length	25 mm	27 mm		30 mm	33 mm	37 mm
Tip length	7 mm	8 mm	10 mm	13 mm	17 mm	20 mm

Delivery without handle.

Pic.	Size	Total length (mm)	Art. No.	Pack Qty.
(1)	0	32	EXE1.1	1 unit(s)
(2)	1	35	EXE2.1	1 unit(s)
(3)	2	37	EXE3.1	1 unit(s)
(4)	4	43	EXE4.1	1 unit(s)
(5)	6	50	EXE5.1	1 unit(s)
(6)	8	57	EXE6.1	1 unit(s)



Brush set

ROTH SELECTION. Material: Wood (not painted), cow hair, clamps made of nickel.

For cleaning sensitive devices. Set comprises 6 brushes of sizes 2 to 12.

Length (mm)	Art. No.	Pack Qty.
300	L242.1	1 set



Weighing brush

ROTH SELECTION. Material: Wood (painted white), goat hair.
For dusting weighing boats, scales and weights.

Length (mm)	Art. No.	Pack Qty.
170	5481.1	3 unit(s)



A121 °C

Round sieves ROTILABO®

ROTH SELECTION. Material: Stainless steel 18/10 (1.4301).
Autoclavable: Yes.

With handle, rolled rim and two eyelets for hooking over vessels.

Vol. (ml)	Ø ext. (mm)	Mesh size (mm)	Art. No.	Pack Qty.
150	100	1.5	8096.1	1 unit(s)
250	120	1.5	8097.1	1 unit(s)
400	140	1.5	8098.1	1 unit(s)
700	160	1.5	8099.1	1 unit(s)
1,000	180	1.5	8100.1	1 unit(s)
1,500	200	1.5	8101.1	1 unit(s)
2,000	220	1.5	8102.1	1 unit(s)



A121 °C

Round sieves ROTILABO®

ROTH SELECTION. Material: Stainless steel 18/8 (1.4112).
Autoclavable: Yes.

With stem, wide rim and large resting eyelet.

Ø ext. (mm)	Mesh size (mm)	Art. No.	Pack Qty.
75	0.5	A624.1	1 unit(s)
120	0.8	A625.1	1 unit(s)
160	1.2	1359.1	1 unit(s)
190	1.2	A626.1	1 unit(s)
230	1.2	A627.1	1 unit(s)

Алматы (7273)495-231
Ангарск (3955)60-70-56
Архангельск (8182)63-90-72
Астрахань (8512)99-46-04
Барнаул (3852)73-04-60
Белгород (4722)40-23-64
Благовещенск (4162)22-76-07
Брянск (4832)59-03-52
Владивосток (423)249-28-31
Владикавказ (8672)28-90-48
Владимир (4922)49-43-18
Волгоград (844)278-03-48
Вологда (8172)26-41-59
Воронеж (473)204-51-73
Екатеринбург (343)384-55-89

Иваново (4932)77-34-06
Ижевск (3412)26-03-58
Иркутск (395)279-98-46
Казань (843)206-01-48
Калининград (4012)72-03-81
Калуга (4842)92-23-67
Кемерово (3842)65-04-62
Киров (8332)68-02-04
Коломна (4966)23-41-49
Кострома (4942)77-07-48
Краснодар (861)203-40-90
Красноярск (391)204-63-61
Курск (4712)77-13-04
Курган (3522)50-90-47
Липецк (4742)52-20-81

Россия (495)268-04-70

Магнитогорск (3519)55-03-13
Москва (495)268-04-70
Мурманск (8152)59-64-93
Набережные Челны (8552)20-53-41
Нижний Новгород (831)429-08-12
Новокузнецк (3843)20-46-81
Ноябрьск (3496)41-32-12
Новосибирск (383)227-86-73
Омск (3812)21-46-40
Орел (4862)44-53-42
Оренбург (3532)37-68-04
Пенза (8412)22-31-16
Петрозаводск (8142)55-98-37
Псков (8112)59-10-37
Пермь (342)205-81-47

Казахстан (772)734-952-31

Ростов-на-Дону (863)308-18-15
Рязань (4912)46-61-64
Самара (846)206-03-16
Саранск (8342)22-96-24
Санкт-Петербург (812)309-46-40
Саратов (845)249-38-78
Севастополь (8692)22-31-93
Симферополь (3652)67-13-56
Смоленск (4812)29-41-54
Сочи (862)225-72-31
Ставрополь (8652)20-65-13
Сыктывкар (8212)25-95-17
Тамбов (4752)50-40-97
Сургут (3462)77-98-35
Тверь (4822)63-31-35

Киргизия (996)312-96-26-47

Тольятти (8482)63-91-07
Томск (3822)98-41-53
Тула (4872)74-02-29
Тюмень (3452)66-21-18
Ульяновск (8422)24-23-59
Улан-Удэ (3012)59-97-51
Уфа (347)229-48-12
Хабаровск (4212)92-98-04
Чебоксары (8352)28-53-07
Челябинск (351)202-03-61
Череповец (8202)49-02-64
Чита (3022)38-34-83
Якутск (4112)23-90-97
Ярославль (4852)69-52-93